

## Combined Author Index

- Abdulrahman, R.F. 1095-1101B  
1103-1112B  
Abe, Y.R. 445-453A  
Ahn, J.-P. 1541-1550A  
Ahn, J.P. 1007-1018A  
Ahn, S. 515-524A  
Ahokainen, T. 733-741B  
Akamatsu, S. 2039-2048A  
Alamdari, E.K. 5-10B  
Allameh, S. 1997-2010A  
Allameh, S.M. 2781-2794A  
Anderson, K.R. 1211-1224A  
Andren, H.-O. 85-94A  
Antony, M.P. 593-602B  
987-995B  
Appolaire, B. 2049-2060A  
Aranda, V.G. 537-546B  
Arato, E. 903-911B  
Argyropoulos, S.A. 239-246B  
247-252B  
Ariapour, A. 1621-1628A  
Arnberg, L. 147-155A  
525-532A  
2605-2613A  
2663-2666A  
Asthana, R. 785-791B  
Augusto, E.B. 1903-1910A  
Aurelio, G. 2743-2758A  
Austin, C.M. 2709-2715A  
Aydiner, C.C. 2969-2974A  
Aziz, M.J. 1551-1552A  
Babu, S.S. 2527-2538A  
Baer, D.R. 1699-1711A  
Bag, A. 2207-2217A  
2400-2403A  
3157-3160A  
Bai, H. 253-267B  
269-284B  
707-722B  
1143-1159B  
Baik, K.H. 3133-3142A  
Baker, S.P. 1201-1209A  
Bamberger, M. 1335-1345A  
Bano, X. 1939-1947A  
Banovic, S.W. 1171-1176B  
Baretzky, B. 1201-1209A  
Barlat, F. 2239-2247A  
Barlow, I.C. 2937-2946A  
Barreto, J.J. 615-627B  
Barton, N.R. 1967-1975A  
Bellemare, S. 111-118B  
Beltran, A.M. 1271-1282A  
Belyakov, A. 1769-1776A  
Benavides, J. 285-295B  
Beretta, S. 517-523B  
Berg, B.T. 1866-1869A  
Beskow, K. 319-328B  
Beynon, J.H. 1556-1559A  
Bhadeshia, H.K.D.H. 2187-2197A  
Bieler, T.R. 1556-1559A  
1787-1799A  
1871-1875A  
2851-2858A  
Bienfait, M. 1881-1886A  
Biggs, T. 19-27A  
Blendell, J.E. 2175-2186A  
Bobrow, J.E. 831-840A  
Boelber, C.J. 3143-3156A  
Boehlert, C.J. 1977-1988A  
Boettinger, W.J. 2175-2186A  
Bolle, G. 1989-1995A  
Bonsack, J.P. 389-393B  
Bottger, A.J. 59-73A  
Boucck, A.J. 745-760A  
Bouchard, D. 111-118B  
Bouchard, M. 697-705B  
Bouffard, S.C. 763-776B  
Bourke, M.A.M. 691-694A  
777-786A  
2219-2228A  
Bowen, P. 1841-1849A  
1851-1860A  
Boyer, R.R. 1801-1811A  
Branagan, D.J. 2615-2621A  
Braun, J. 1037-1047A  
Breuer, J. 913-918B  
2157-2166A  
979-986B  
Briant, C.L. 1552-1556A  
Brocchi, E.A. 801-810B  
Brooks, C.R. 2279-2296A  
Brown, C.M. 1161-1174A  
Brown, D.W. 2219-2228A  
Brown, J.O. 1556-1559A  
1869-1871A  
1556-1559A  
1869-1871A  
Browne, D.J. 3055-3063A  
Buchheit, R.G. 2561-2573A  
2859-2867A  
805-810A  
Byun, C.S. 75-83A  
Byun, J.-S. 661-669A  
Caballero, F.G. 1283-1291A  
1591-1597A  
459-464B  
717-729A  
987-995B  
Campbell, J. 349-358A  
Campbell, J.P. 497-503A  
Campo, J. 1903-1910A  
Campos, S.S. 1245-1248A  
Cao, C.-X. 1233-1244A  
1573-1589A  
661-669A  
1283-1291A  
1591-1597A  
979-984A  
979-984A  
2229-2237A  
372-378B  
562-564B  
969-972B  
Chan, K.S. 2136-2139A  
2475-2487A  
2717-2727A  
115-124A  
1629-1634A  
137-143B  
397-406A  
2441-2452A  
723-732B  
1649-1658A  
329-339B  
1939-1947A  
1635-1647A  
1939-1947A  
1355-1360A  
1361-1371A  
1373-1380A  
1381-1403A  
1405-1416A  
1417-1430A  
2851-2858A  
931-939A  
2729-2741A  
558-561B  
1801-1811A  
569-576A  
2729-2741A  
1599-1608A  
1041-1052B  
1033-1040B  
2033-2038A  
329-339B  
1081-1091A  
547-555A  
577-584A  
11-16B  
997-1005B  
2575-2584A  
397-406A  
787-794A  
931-939A  
1887-1901A  
2077-2085A  
2681-2688A  
525-535B  
1609-1620A  
1119-1128B  
1119-1128B  
407-415A  
2157-2166A  
979-986B  
1552-1556A  
801-810B  
2279-2296A  
Brown, C.M. 1161-1174A  
Brown, D.W. 2219-2228A  
Brown, J.O. 1556-1559A  
1869-1871A  
1556-1559A  
1869-1871A  
Browne, D.J. 3055-3063A  
Buchheit, R.G. 2561-2573A  
2859-2867A  
805-810A  
Byun, C.S. 75-83A  
Byun, J.-S. 661-669A  
Caballero, F.G. 1283-1291A  
1591-1597A  
459-464B  
717-729A  
987-995B  
Campbell, J. 349-358A  
Campbell, J.P. 497-503A  
Campo, J. 1903-1910A  
Campos, S.S. 1245-1248A  
Cao, C.-X. 1233-1244A  
1573-1589A  
661-669A  
1283-1291A  
1591-1597A  
979-984A  
979-984A  
2229-2237A  
372-378B  
562-564B  
969-972B  
Chan, K.S. 2136-2139A  
2475-2487A  
2717-2727A  
115-124A  
1629-1634A  
137-143B  
397-406A  
2441-2452A  
723-732B  
1649-1658A  
329-339B  
1939-1947A  
1635-1647A  
1939-1947A  
1355-1360A  
1361-1371A  
1373-1380A  
1381-1403A  
1405-1416A  
1417-1430A  
2851-2858A  
931-939A  
2729-2741A  
558-561B  
1801-1811A  
569-576A  
2729-2741A  
1599-1608A  
1041-1052B  
1033-1040B  
2033-2038A  
329-339B  
1081-1091A  
547-555A  
577-584A  
11-16B  
997-1005B  
2575-2584A  
397-406A  
787-794A  
931-939A  
1887-1901A  
2077-2085A  
2681-2688A  
525-535B  
1609-1620A  
1119-1128B  
1119-1128B  
407-415A  
Cho, K.C. 2885-2893A  
Cho, S.Y. 2142-2147A  
Cho, Y.K. 3077-3090A  
Cho, Y.W. 75-83A  
Choi, I. 505-514A  
Choi, S.-H. 2239-2247A  
Choi, S.-H. 2239-2247A  
Chollocop, N. 1552-1556A  
Choo, D.-K. 2249-2258A  
Choo, W.L. 979-986B  
Chou, K.C. 1119-1128B  
Chu, W. 1309-1312A  
2509-2514A  
477-489A  
Chumlyakov, Y. 695-706A  
Chun, B.S. 821-829A  
2623-2632A  
3109-3116A  
Claessens, S. 2905-2906A  
Clarke, D.R. 1467-1478A  
Clausen, B. 691-694A  
Cockcroft, S.L. 929-939B  
Combeau, H. 2049-2060A  
Conner, B.P. 1131-1146A  
Conrad, H. 811-819A  
Cooley, K.M. 1727-1741A  
Cooper, C. 1851-1860A  
Corbin, S.F. 971-978A  
Coriell, S.R. 2669-2670A  
Cornish, L.A. 1881-1886A  
Cortie, M.B. 1881-1886A  
Costa, P. 903-911B  
Courtney, T.H. 3091-3098A  
Cramb, A.W. 401-407B  
963-967B  
533-545A  
895-901B  
1903-1910A  
147-155A  
949-960A  
197-199A  
1699-1711A  
29-38A  
633-642A  
2908-2910A  
1213B  
1023-1027A  
2717-2727A  
275-283A  
1147-1155A  
2175-2186A  
1967-1975A  
1591-1597A  
417-423A  
2905-2906A  
2489-2498A  
2325-2334A  
397-406A  
163-172B  
941-947B  
1195-1201B  
793-800B  
643-657B  
2759-2768A  
1556-1559A  
3117-3124A  
1635-1647A  
233-238B  
743-744B  
51-58A  
777-784B  
2259-2270A  
795-804A  
787-794A  
2649-2656A  
2357-2361A  
633-642A  
763-776B  
2061-2075A  
239-246B  
247-252B  
2885-2893A  
2743-2758A  
111-118B  
1479-1491A  
625-632A  
Du Pont, J.N. 1171-1176B  
Du, Y. 2396-2400A  
3091-3098A  
125-134A  
2167-2174A  
183-196A  
777-786A  
841-843A  
2219-2228A  
103-113A  
2585-2594A  
3015-3022A  
433-436A  
562-564B  
969-972B  
2207-2217A  
1713-1725A  
547-554B  
1093-1102A  
1313-1324A  
577-584A  
2167-2174A  
157-164A  
1037-1047A  
1175-1187A  
1813-1821A  
267-274A  
445-453A  
941-948A  
2743-2758A  
1373-1380A  
285-293A  
979-984A  
2499-2508A  
2199-2206A  
2795-2804A  
1869-1871A  
811-819A  
2039-2048A  
1057-1061A  
1041-1052B  
431-433A  
202-207A  
295-303A  
831-840A  
409-416B  
537-546B  
1185-1193B  
2869-2877A  
2219-2228A  
475-481B  
2615-2621A  
173-179B  
29-38A  
197-204B  
285-295B  
853-860A  
2363-2371A  
219-227A  
3043-3054A  
3043-3054A  
2109-2114A  
1041-1052B  
1189-1200A  
2453-2463A  
31-36B  
1203-1205B  
2795-2804A  
2795-2804A  
1801-1811A  
2441-2452A  
707-716A  
2657-2661A  
1309-1312A  
661-669A  
1283-1291A  
2325-2334A  
2363-2371A  
961-963B  
2453-2463A  
2345-2356A  
165-169A  
605-613A  
2087-2095A  
2097-2107A  
3125-3132A

Ghali, E.	887-893B	Hong, S.-J.	2139-2142A	Kale, G.M.	417-421B	Krauss, G.	205-221B
Ghosh, A.K.	2109-2114A	Hong, S.H.	821-829A	Kaneko, M.	585-593A		861-877A
	2547-2552A	Hong, S.I.	2011-2020A	Kang, C.G.	119-127B	Kumar, K.S.	1552-1556A
	2769-2779A	Hong, S.J.	985-991A		129-136B	Kunert, M.	1201-1209A
Ghosh, G.	455-467A	Hono, K.	1887-1901A		363-371B	Kung, E.	1997-2010A
Giannakopoulos, A.E.	1131-1146A	Horiita, Z.	239-246A	Kang, S.B.	2383-2392A	Kurchania, R.	417-421B
Gibbs, F.E.	649-659A	Horton, J.A.	707-716A	Kang, T.	2249-2258A	Kwon, H.	1007-1018A
Gimenes, M.A.	1007-1013B	Hou, Z.B.	2819-2825A	Kang, Y.J.	2515-2525A		1659-1670A
Glowacka, M.	1325-1333A	Hovanski, Y.	483-499B	Kaplay, G.	555-557B		1862-1866A
Godoy, C.	2271-2277A	Howard, S.M.	2869-2877A		993-1005A		2142-2147A
Goel, R.P.	558-561B	Howe, R.	895-901B	Karaman, I.	477-489A		2393-2396A
Goldschmit, M.B.	537-546B	Howson, T.E.	839-845B		695-706A	Kwon, H.-J.	2670-2672A
	1185-1193B	Hsu, C.-H.	1801-1811A	Karjalainen, P.	1989-1995A	Kwon, H.S.	1248-1251A
Golkovski, M.G.	2995-3006A	Hsu, C.-S.	295-303A	Karunaratne, M.S.A.	2409-2421A	Kwon, Y.N.	1649-1658A
Goodman, S.R.	2595-2603A	Hsu, Y.T.	2509-2514A	Kashiwaya, Y.	401-407B	Kylo, A.K.	173-179B
Goto, D.M.	2229-2237A	Hu, C.-T.	95-101A	Kashyap, B.P.	2827-2840A	L'Espérance, G.	2649-2656A
	2985-2994A		569-576A	Katgerman, L.	69-78B	La, P.	1823-1830A
Gouma, P.I.	2561-2573A		407-415A	Kattner, U.R.	2175-2186A	Lacaze, J.	2133-2134A
	2859-2867A		1629-1634A	Kearini, R.G.	409-416B	Ladrière, J.	2759-2768A
Grant, G.J.	275-283A	Hu, S.H.	1081-1091A	Kecskes, L.J.	2885-2893A	Lagneborg, R.	39-50A
Grant, P.S.	3133-3142A	Hu, Z.	2947-2958A	Kekesi, T.	573-582B	Lagoudas, D.C.	2689-2693A
Gray, G.T., III	135-145A	Huang, J.	1559-1562A	Kellar, J.J.	895-901B	Laha, K.	115-124A
Gray, N.B.	173-179B	Huang, J.C.	2575-2584A	Kelly, P.M.	2695-2708A	Lahaie, D.J.	697-705B
Green, N.R.	349-358A	Huang, R.Y.	2575-2584A	Kermanpur, A.	1213B	Laner, K.F.	51-58A
Gregorutti, R.W.	51-58A	Hucinska, J.	1325-1333A	Kertz, J.E.	2561-2573A	Langdon, T.G.	707-716A
Grong, O.	1049-1056A	Hunziker, O.	1713-1725A	Kestenbach, H.-J.	1245-1248A	Langoy, M.A.	2297-2314A
Grong, O.	1189-1200A	Hurley, P.J.	1507-1517A	Kestursaty, M.	2115-2125A		2315-2324A
Groza, J.R.	1211-1224A	Hurtado-Delgado, E.	919-927B	Khaleel, A.	275-283A	Laughlin, D.E.	239-246A
	2633-2638A	Hwang, S.K.	251-259A	Khan, A.Q.	1057-1061A	LaVan, D.A.	913-922A
Grün, A.	913-918B	Hylton, T.A.	745-760A	Kharia, K.K.	671-679A	Lavermia, E.J.	525-535B
Gu, M.	2033-2038A	Iaccoca, R.G.	2097-2107A	Kim, B.-C.	2623-2632A		831-840A
Gui, M.	2383-2392A	Iguchi, Y.	1161-1170B	Kim, D.-K.	1111-1118A		1609-1620A
Guillemet, A.F.	1903-1910A	Ikeda, K.	941-948A		2011-2020A		2335-2343A
Guo, H.	445-453A	Ikeda, T.	967-969B	Kim, D.H.	200-202A	Ledbetter, H.	3109-3116A
Guo, J.	2895-2902A	Ikeno, S.	1293-1299A	Kim, D.K.	805-810A		425-429A
Guo, J.T.	1103-1110A	Ikeshoji, T.	1927-1938A	Kim, E.-J.	659-668B	Lee, B.-J.	1671-1677A
Guo, S.W.	1927-1938A	Im, Y.-R.	903-911A	Kim, G.Y.	615-624A	Lee, C.-D.	2423-2439A
Guo, X.	1309-1312A	Inamura, T.	261-265A	Kim, H.	477-489A	Lee, C.-L.	137-143B
Guo, Z.	879-887A	Isac, M.	55-67B	Kim, H.S.	1519-1525A	Lee, C.G.	1599-1608A
Gupta, G.S.	1301-1308A	Issartel, C.	1939-1947A	Kim, J.-W.	17-24B	Lee, C.M.	505-514A
Gupta, M.	1301-1308A	Isshiki, M.	573-582B	Kim, J.K.	2115-2125A	Lee, C.S.	251-259A
Guthrie, R.I.L.	55-67B	Jablakov, V.	2985-2994A	Kim, K.J.	1248-1251A		315-324A
	1067-1079B	Jacques, P.J.	2759-2768A	Kim, M.-C.	2539-2546A		1131-1146A
	1081-1093B	Jahanshahi, S.	25-29B	Kim, N.J.	2139-2142A	Lee, D.-G.	315-324A
Gutierrez, I.	2187-2197A		47-54B		251-259A		1111-1118A
Haggard, D.C.	2615-2621A	Jak, E.	11-16B		1649-1658A	Lee, D.N.	75-83A
Hajrad, J.P.	423-427B		643-657B	Kim, S.	3109-3116A	Lee, H.-C.	903-911A
Hamel, F.G.	55-67B		793-800B		315-324A	Lee, H.-G.	17-24B
	111-118B		997-1005B		903-911A		1519-1525A
Han, F.	2657-2661A		1015-1025B		1671-1677A	Lee, H.-I.	1541-1550A
Han, K.	1313-1324A		1027-1032B	Kim, S.-E.	1233-1244A	Lee, H.C.	2515-2525A
Han, K.N.	895-901B	Jang, Y.	2623-2632A		1573-1589A	Lee, J.	2499-2508A
Han, O.	2908-2910A	Jansson, B.	2167-2174A	Kim, S.-J.	505-514A		3109-3116A
Han, X.L.	431-433A	Jata, K.V.	1869-1871A		1861-1862A	Lee, J.-C.	1541-1550A
Hanan, J.C.	2709-2715A	Jayakumar, T.	2869-2877A	Kim, S.G.	961-969A	Lee, J.-J.	1033-1040B
Hannon, A.C.	1551-1552A	Jeffrey, M.I.	2959-2968A	Kim, T.-H.	2623-2632A	Lee, J.I.	895-901B
Hansen, N.	2917-2936A	Jena, P.K.	979-986B	Kim, T.-S.	821-829A	Lee, J.S.	961-969A
Hansen, V.	1063-1073A	Jha, A.	801-810B	Kim, W.T.	200-202A	Lee, K.B.	1007-1018A
Hao, S.M.	1927-1938A		593-602B		961-969A		1659-1670A
Haq, A.U.	1057-1061A		987-995B	Kim, Y.-S.	2373-2381A		1862-1866A
Hara, T.	1769-1776A	Ji, F.-Z.	181-186B	Kimura, S.	79-85B		2142-2147A
Harach, D.J.	1493-1505A	Jia, J.	2895-2902A		187B		2393-2396A
Harada, H.	1347-1353A	Jian, Z.Y.	391-395A	Kimura, Y.	1769-1776A	Lee, K.Y.	2666-2668A
Harding, T.S.	2975-2984A		744-747B	Kiritani, M.	1861-1862A	Lee, M.	25-29B
Harris, D.	811-820B		1559-1562A	Kishore, R.	2827-2840A	Lee, P.Y.	1777-1786A
Hashimoto, H.	2681-2688A	Jiang, H.	2279-2296A	Kita, K.	1075-1079A	Lee, S.	315-324A
Hashimoto, T.	941-948A	Jiang, L.	431-433A	Klarstrom, D.L.	2279-2296A		505-514A
Hättestrand, M.	19-27A	Jiang, X.J.	1063-1073A	Klotz, B.R.	2885-2893A		515-524A
Hayashi, T.	761-768A	Jiang, X.Y.	475-481B	Kobryn, P.A.	685-695B		903-911A
Hayes, P.C.	11-16B	Jie, W.Q.	391-395A		1801-1811A		1111-1118A
	643-657B	Jin, S.	887-893B	Kodash, V.Y.	2633-2638A		1649-1658A
	793-800B	Jin, Y.M.	305-313A	Koh, H.J.	1649-1658A		2011-2020A
	997-1005B	Jogan, S.	941-948A	Koike, J.	2795-2804A		2249-2258A
Haynes, J.A.	615-624A	Johnson, I.	429-435B	Koizumi, Y.	1861-1862A		2499-2508A
	1727-1741A	Johnson, J.L.	605-613A	Kokawa, H.	941-948A		2515-2525A
Hazellon, L.E.	3099-3108A	Jokolaakso, A.	847-868B		3023-3032A		2995-3006A
Hei, Z.K.	2681-2688A	Jonas, J.J.	889-901A		3033-3042A	Lee, S.-C.	295-303A
Hénaff, G.	557-567A	Jones, A.R.	2077-2085A	Komanduri, R.	483-499B	Lee, S.H.	805-810A
	2345-2356A	Jones, H.	1251-1253A	Komatsu, M.	1861-1862A	Lee, W.H.	805-810A
Hendry, A.	1095-1101B		2937-2946A	Komura, S.	707-716A	Lee, W.Y.	615-624A
	1103-1112B	Jones, J.W.	1023-1027A	Kondratiev, A.	1015-1025B		1727-1741A
Henry, M.F.	3077-3090A		2975-2984A		1027-1032B	Lee, Y.-K.	229-237A
Herman, H.	475-481B	Jones, R.H.	1699-1711A	Kongoli, F.	583-592B	Lee, Y.-T.	1233-1244A
Higashi, K.	923-929A	Jonsson, L.	319-328B	Konishi, M.	1861-1862A		1573-1589A
Higo, Y.	261-265A	Jonsson, P.	1049-1056A	Konno, T.J.	157-164A		3065-3076A
Hilinski, E.J.	2595-2603A	Josell, D.	2175-2186A	Koo, J.B.	469-475A	Leon-Torres, J.	2743-2758A
Hirai, T.	157-164A	Jung, H.K.	119-127B		1911-1926A	Lerch, B.A.	429-435B
Hirao, M.	425-429A		129-136B	Kopio, T.	1989-1995A	Lexa, D.	1053-1066B
Hisayuki, K.	1861-1862A		363-371B	Koss, D.A.	2229-2237A	Li, B.	929-939B
Ho, C.Y.	603-614B	Jung, J.-Y.	515-524A		2985-2994A	Li, D.X.	2681-2688A
Hodgson, P.D.	1507-1517A	Juntunen, P.	1989-1995A	Koul, A.K.	795-804A	Li, J.H.	1177-1183B
Hong, J.H.	903-911A	Kajitani, T.	1479-1491A	Krajewski, P.E.	1119-1130A	Li, M.	1067-1079B



Searles, J.L.	2859-2867A	Stock, S.R.	2297-2314A	Trochu, F.	2489-2498A	Witcomb, M.J.	1881-1886A
Seetharaman, S.	105-110B 679-684B	Storch, M.L.	2315-2324A 2595-2603A	Tsai, H.L.	145-161B 501-515B	Wittridge, N.J.	889-901A 2465-2473A
Sehitoglu, H.	477-489A 695-706A	Stout, M.G.	2219-2228A	Tsai, P.-C.	95-101A	Won, Y.-M.	1755-1767A
Seidel, T.U.	2879-2884A	Strangwood, M.	1147-1155A	Tsuchiya, K.	2127-2131A	Wong, J.	1175-1187A
Sekkerka, R.F.	2669-2670A	Su, Y.	2895-2902A	Tsuiji, S.	681-690A	Wright, I.G.	1727-1741A
Sekhar, J.A.	1213-1215B	Suarez, O.M.	2131-2135A	Tsuzaki, K.	1769-1776A	Wright, S.	25-29B
Semiatiin, S.L.	685-695B 1556-1559A	Subramaniam, S.	313-318B	Tyagi, R.	359-367A	Wu, S.K.	569-576A
	1787-1799A	Subramanian, P.P.	2363-2371A	Ueda, S.	547-555A	Wu, X.	1841-1849A
	1801-1811A	Suh, J.-Y.	3007-3014A	Uchikoshi, M.	573-582B		1851-1860A
	1869-1871A	Sumi, S.	1927-1938A	Ueda, S.	967-969B	Wynblatt, P.	2947-2958A
	1871-1875A	Sun, F.-S.	1573-1589A	Uetani, Y.	1293-1299A	Xia, J.L.	2851-2858A
	2769-2779A	Sun, J.	157-164A	Umakoshi, Y.	2841-2850A	Xia, K.	733-741B
Sen, S.K.	2547-2552A	Sun, P.-S.	1595-604A	Umeda, T.	1053-1066B	Xia, L.	2639-2647A
Senel, G.I.	285-295B	Sun, S.	2841-2850A	Umemoto, M.	2127-2131A	Xu, D.	2841-2850A
Senkov, O.N.	2453-2463A		1233-1244A	Üstündag, E.	2709-2715A		1129-1141B
Serre, C.	2851-2858A	Sun, Z.M.	25-29B	Usui, T.	1113-1118B	Xu, Q.	2895-2902A
Sha, W.	879-887A	Sundararajan, G.	1927-1938A	Uzun, H.	1831-1839A		525-535B
	2903-2904A	Sung, P.K.	1431-1451A	Vaidya, R.U.	1459-1465A	Xu, S.	1609-1620A
Shahani, R.	625-632A	Surender, G.D.	202-207A	Vaidyanathan, R.	777-786A	Xu, Y.	795-804A
Shankar, P.	2959-2968A	Suresh, S.	961-963B	Valdes, E.	979-984A	Xue, Q.	2947-2958A
Shapiro, A.J.	2175-2186A	Suryanarayana, C.	1131-1146A	Vallerra, S.	2061-2075A	Yakubtsov, I.	1823-1830A
Sharpe, W.N., Jr.	913-922A	Susan, D.F.	821-829A	Van Den Akker, H.E.	69-78B	Yamabe-Mitarai, Y.	1621-1628A
Shekhar, R.	223-231B	Suzuki, K.	379-390A	Van Der Graaf, G.B.	69-78B	Yamane, T.	1347-1353A
Shi, Q.	145-161B	Suzuki, T.	157-164A 961-969A	Van Der Zwaag, S.	1527-1539A	Yan, M.-G.	1861-1862A
Shi, Z.	1541-1550A		2135-2136A	Van Heerden, D.	2363-2371A		1233-1244A
Shibata, S.	1453-1458A	Swank, W.D.	2615-2621A	Vancheeswaran, R.	1813-1821A	Yan, W.	1573-1589A
Shigehara, H.	1075-1079A	Swinbourne, D.R.	37-45B	Varahram, N.	1213B	Yang, B.J.	744-747B
Shim, J.-D.	75-83A		47-54B	Varin, R.A.	5-18A	Yang, G.C.	3065-3076A
Shim, J.-H.	75-83A	Symons, D.M.	369-377A	Vasanth Kumar, P.	1301-1308A		449-457B
	1541-1550A	Tabanli, R.M.	1866-1869A	Vaze, S.P.	2441-2452A	Yang, H.	744-747B
Shimoike, G.	425-429A	Tafto, J.	1063-1073A	Vecchio, K.S.	135-145A	Yang, H.C.	2947-2958A
Shimojo, M.	261-265A	Taguchi, K.	1113-1118B		1493-1505A	Yang, H.R.	1103-1110A
Shimotomai, M.	445-453A	Takai, K.	339-347A	Veldman, N.L.M.	147-155A		1659-1670A
Shin, D.H.	2373-2381A	Takaoka, H.	2127-2131A	Venkatesh, T.A.	183-196A		1862-1866A
	2670-2672A	Takashima, K.	261-265A		1131-1146A	Yang, W.	2393-2396A
Sichen, D.	105-110B		425-429A	Verdier, M.	1459-1465A		397-406A
	319-328B	Takeshita, K.	949-959B	Veltrano, J.S.	1699-1711A	Yang, Z.	2441-2452A
	679-684B	Taleff, E.M.	1119-1130A	Vidacak, B.	679-684B	Yang, Z.-G.	1687-1698A
Sim, H.S.	2142-2147A	Talukdar, P.	2547-2552A	Virro-Nic, P.	2021-2032A	Yazawa, A.	267-274A
Simard, D.	111-118B	Tamura, K.	1113-1118B	Viswanathan, N.N.	319-328B		583-592B
Simha, N.K.	1866-1869A	Tan, P.	341-351B	Viswanathan, S.	2908-2910A	Yi, Y.	831-837B
Singh, A.K.	2827-2840A		353-361B	Vokoun, D.	1629-1634A	Yoo, Y.C.	2553-2560A



## Combined Subject Index

- Absorption (material), Deformation effects**  
The effect of strain on the trapping of hydrogen at grain-boundary carbides in Ni-Cr-Fe alloys. 369-377A
- Accuracy**  
The oxidation of zinc vapor in CO-CO<sub>2</sub>-N<sub>2</sub> gas mixtures. 37-45B  
Study of the deoxidation of steel with aluminum wire injection in a gas-stirred ladle. 319-328B  
Numerical modeling of multiphase diffusion in the process of homogenizing in binary alloys. 681-690A
- Acicular structure, Alloying effects**  
Effects of Si and Al on acicular ferrite formation in C-Mn steel. 75-83A
- Acid leaching**  
Simultaneous leaching of a deep-sea manganese nodule and chalcopirite in hydrochloric acid. 777-784B  
The soda-ash roasting of chromite ore processing residue for the reclamation of chromium. 987-995B
- Acoustic emission testing**  
Transverse behavior and acoustic-emission analysis of titanium metal-matrix composites under tensile loading. 1841-1849A
- Activated sintering**  
Microstructure evolution in metal-intermetallic laminate (MIL) composites synthesized by reactive foil sintering in air. 1493-1505A
- Activation energy**  
Creep deformation behavior of three high-temperature near  $\alpha$ -Ti alloys: IMI 834, IMI 829, and IMI 685. 285-293A  
Isothermal oxidation of TiAl alloy. 2357-2361A  
Microstructural instability and superplasticity in a Zr-2.5 W pct Nb pressure-tube alloy. 2827-2840A  
Determination of activation energy of phase transformation and recrystallization using a modified Kissinger method. 2903-2904A  
Features and Effect Factors of Creep of Single-Crystal Nickel-Base Superalloys. 2947-2958A
- Activation energy, Composition effects**  
Creep behavior of TiBw/Ti in situ composite fabricated by reactive hot pressing. 1019-1022A
- Activity (chemical)**  
Thermodynamic observations of the molten FeS-FeO system and its vicinity at 1473 K. 831-837B  
Prediction of the thermodynamic properties of multicomponent liquid alloys by binary infinite dilute activity coefficients. 1205-1211B
- Adsorption**  
Thermodynamics of surfaces and adsorption in the Fe-O and Fe-O-N systems at 1823K. 423-427B
- Adsorptivity**  
Surface energy, adsorption, and wetting transitions in ternary liquid alloys. 2851-2858A
- Agglomeration**  
Capillary interaction between inclusion particles on the 16Cr stainless steel melt surface. 629-641B  
In-situ observation of TiN precipitates at stainless steel/CaO-Al<sub>2</sub>O<sub>3</sub>-MgO-SiO<sub>2</sub> interface. 963-967B
- Aging**  
Two-way shape memory effect of NiTi alloy induced by constraint aging treatment at room temperature. 1629-1634A  
Snoek relaxation and dislocation damping in aged Fe-Cu-Ni steel. 1671-1677A
- Aging (artificial)**  
Phase transformations and phase equilibria in the Fe-N system at temperatures below 573K. 59-73A  
Precipitation and aging in Al-Si-Ge-Cu. 197-199A  
The effect of solution heat treatment and quenching rates on mechanical properties and microstructures in AlSiMg foundry alloys. 525-532A  
Structures and residual stresses of Cr fibers in Cu-15Cr in-situ composites. 1225-1232A  
Secondary hardening and impact fracture behavior in isothermally aged Mo, W, and Mo-W steels. 1862-1866A  
Structural properties and stability of metastable phases in the Zr-Nb system. I. Systematics of quenching-and-aging experiments. 1903-1910A  
Influence of Cu additions on the morphology of GeSi precipitates in an Al-Ge-Si alloy. 1949-1958A  
On the microstructural instability of an experimental nickel-based single-crystal superalloy. 2409-2421A  
Effect of microstructure on fracture characteristics of Ti-6Al-2Sn-2Zr-2Mo-2Cr-Si. 2795-2804A  
Nitrogen Redistribution, Microstructure, and Elastic Constant Evaluation Using Ultrasonics in Aged 316LN Stainless Steels. 2959-2968A
- Aging (artificial), Alloying effects**  
The effect of Cu additions on the precipitation kinetics in an Al-Mg-Si alloy with excess Si. 239-246A  
Influence of zirconium and copper on the early stages of aging in Al-Zn-Mg alloys. 1063-1073A
- Allotropic transformation, Cooling effects**  
The effect of industrial composition variations on the transformation behavior of ultralow-carbon steels. 219-227A
- Alloy development**  
Stabilization of thermosolutal convective instabilities in Ni-based single-crystal superalloys: carbon additions and freckle formation. 1743-1753A
- Effects of Ni additions and austenitizing temperature on secondary hardening behavior in high Co-Ni steels. 2393-2396A  
New model to explain the unusual tensile behavior of high martensite dual-phase steels. 2400-2403A  
Computational approach to designing ductile Nb-Ti-Cr-Al solid-solution alloys. 2475-2487A
- Alloy steels, Heat treatment**  
Effects of Ni additions and austenitizing temperature on secondary hardening behavior in high Co-Ni steels. 2393-2396A
- Alloy steels, Microstructure**  
Simple model of microsegregation during solidification of steels. 1755-1767A
- Aluminides, Coatings**  
Reaction synthesis of Ni-Al-based particle composite coatings. 379-390A  
Morphological evolution during the early stages of aluminide coating growth on a single-crystal nickel superalloy surface. 615-624A  
The effect of grit blasting on the oxidation behavior of a platinum-modified nickel-aluminide coating. 1467-1478A  
Effects of Pt incorporation on the isothermal oxidation behavior of chemical vapor deposition aluminide coatings. 1727-1741A
- Aluminides, Composite materials**  
Tertiary compression creep of long-fiber composites: a model for fiber kinking and buckling. 183-196A  
Multistage sintering approach to prepare Ni<sub>3</sub>Al/ $\alpha$ -Al<sub>2</sub>O<sub>3</sub> composites. 407-415A  
Ti<sub>3</sub>Si<sub>2</sub> whisker in-situ reinforced TiAl alloys. 1233-1244A  
Study of Ni<sub>3</sub>Al-Cr<sub>2</sub>C<sub>3</sub> composite materials fabricated by self-propagating high-temperature synthesis casting route. 1823-1830A  
Role of large-scale slip in mode II fracture of bimaterial interface produced by diffusion bonding. 2109-2114A
- Aluminides, Diffusion**  
Interdiffusion in the TiO<sub>2</sub> oxidation product of Ti<sub>3</sub>Al. 491-495A
- Aluminides, Mechanical properties**  
An investigation of the effects of loading rate on resistance-curve behavior and toughening in cast lamellar gamma-based titanium aluminides. 325-337A  
Environment-sensitive fracture of iron aluminides under monotonic tensile loading. 557-567A  
Alloying mechanism of beta stabilizers in a TiAl alloy. 1573-1589A  
Discussion of 'An investigation of the effects of loading rate on resistance-curve behavior and toughening in cast lamellar gamma-based titanium aluminides'. 2136-2139A  
Authors' reply. 2138-2139A  
Environment-sensitive fracture of iron aluminides during cyclic crack growth. 2345-2356A  
The effect of ballistic impacts on the high-cycle fatigue properties of Ti-48Al-2Nb-2Cr (atomic percent). 2743-2758A  
An analysis of cavitation occurring in near- $\gamma$  titanium aluminide during superplastic deformation. 2769-2779A  
Effects of temperature on the fatigue crack growth behavior of cast gamma-based titanium aluminides. 2781-2794A
- Aluminides, Microstructure**  
Discontinuous coarsening of the lamellar structure of  $\gamma$ -TiAl-based intermetallic alloys and its control. 1927-1938A
- Aluminides, Oxidation**  
Isothermal oxidation of TiAl alloy. 2357-2361A
- Aluminides, Powder technology**  
Microstructural refinement and mechanical properties improvement of elemental powder metallurgy processed Ti-46Al-1.4Mn-2Mo alloy by carbon addition. 251-259A  
Preparation of Ti-Al intermetallic compounds by spark plasma sintering. 843-847A
- Aluminides, Thermal properties**  
Ridge direction of thermal conductivity contours in ternary CoAl phase. 2135-2136A
- Aluminous refractories, Reactions (chemical)**  
Effects of transition metals on the kinetics of slag-refractory reactions. 25-29B
- Aluminum, Alloying additive**  
Effects of Si and Al on acicular ferrite formation in C-Mn steel. 75-83A  
Mechanical properties of Ir-Nb alloys containing Ni and Al. 1347-1353A
- Aluminum, Alloying elements**  
Effect of constitutional supercooling on the numerical solution of species concentration distribution in laser surface alloying. 969-972B
- Aluminum, Binary systems**  
Enthalpy of formation of B2-Fe<sub>1-x</sub>Al<sub>x</sub> and B2-(Ni,Fe)<sub>1-x</sub>Al<sub>x</sub>. 913-918B  
Phase equilibria investigations on the aluminum-rich part of the binary system Ti-Al. 1037-1047A
- Aluminum, Casting**  
Solidification of aluminum in electric field. 372-378B  
Influence of surface morphology, water flow rate, and sample thermal history on the boiling-water heat transfer during direct-chill casting of commercial aluminum alloys. 929-939B
- Aluminum, Coatings**  
Numerical modeling of multiphase diffusion in the process of homogenizing in binary alloys. 681-690A  
Dry sliding wear behavior of plasma-sprayed aluminum hybrid composite coatings. 2383-2392A
- Aluminum, Composite materials**  
Evolution and Coarsening of Al<sub>2</sub>O<sub>3</sub> Dispersoids at 500°C to

- 600°C in a Mechanically Alloyed Al-Ti-O Based Material. 2937-2946A
- Aluminum, Electrochemistry**  
Study of the deoxidation of steel with aluminum wire injection in a gas-stirred ladle. 319-328B
- Aluminum, Extraction**  
Contribution to the understanding of cathodic carbon swelling under pressure. 233-238B  
An electrochemical investigation of the thermodynamic properties of the NaCl-AlCl<sub>3</sub> system at subliquidus temperatures. 669-677B
- Aluminum, Joining**  
A model of work of adhesion for reactive metal/ceramic systems. 2033-2038A
- Aluminum, Mechanical properties**  
Effects of macroscopic defects on the damping behavior of aluminum and Zn-27 Pct Al alloy. 2657-2661A
- Aluminum, Physical properties**  
Dimensionless correlations for forced convection in liquid metals. I. Single-phase flow. 239-246B  
Dimensionless correlations for forced convection in liquid metals. II. Two-phase flow. 247-252B  
Density and solidification shrinkage of hypoeutectic aluminum-silicon alloys. 2605-2613A
- Aluminum, Quality control**  
In situ detection of inclusions in liquid metals. I. Mathematical modeling of the behavior of particles traversing the electric sensing zone. 1067-1079B  
In situ detection of inclusions in liquid metals. II. Metallurgical applications of LIMCA systems. 1081-1093B
- Aluminum, Refining**  
Carbon consumption and current efficiency in hall-heroult cell. Microscopic characterization of a TiB<sub>2</sub>-carbon material composite raw materials, and composite characterization. 743-744B  
2649-2656A
- Aluminum, Ternary systems**  
Thermodynamics of B2 intermetallic compounds with triple defects: a Bragg-Williams model for (Ni,Co)Al. 2157-2166A
- Aluminum, Welding**  
Geometry of laser spot welds from dimensionless numbers. Heterogeneity of crystallographic texture in friction stir welds of aluminum. 941-947B  
2869-2877A  
Microstructural Factors Governing Hardness in Friction-Stir Welds of Solid-Solution-Hardened Al Alloys. 3033-3042A
- Aluminum base alloys, Casting**  
Physical modeling of the deformation mechanisms of semisolid bodies and a mechanical criterion for hot tearing. 697-705B  
Influence of surface morphology, water flow rate, and sample thermal history on the boiling-water heat transfer during direct-chill casting of commercial aluminum alloys. 929-939B  
A unified microscale-parameter approach to solidification-transport phenomena-based macrosegregation modeling for dendritic solidification. I. mixture average-based analysis. 1129-1141B  
The sensitivity of the interface heat-transfer coefficient to pressure and fluid flow. 1213-1215B  
The nature of surface cracking in direct chill cast aluminum alloy ingots. 2908-2910A  
Interface Heat Transfer in Investment Casting of Aluminum Alloys. 3055-3063A
- Aluminum base alloys, Coating**  
Dry sliding wear behavior of plasma-sprayed aluminum hybrid composite coatings. 2383-2392A
- Aluminum base alloys, Composite materials**  
Numerical and experimental study of internal flow field for a carbon fiber tow pneumatic spreader. 329-339B  
A novel approach for optimizing the fracture toughness of precipitation-hardenable Al-SiCp composites. 433-436A  
Correlation of abrasive wear with microstructure and mechanical properties of pressure die-cast aluminum hard-particle composite. 633-642A  
Interfacial criterion of spontaneous and forced engulfment of reinforcing particles by an advancing solid/liquid interface. 993-1005A  
Characteristics of AA6061/BN composite fabricated by pressureless infiltration technique. 1007-1018A  
Microstructure evolution in metal-intermetallic laminate (MIL) composites synthesized by reactive foil sintering in air. 1493-1505A  
Methodology to design the interfaces in SiC/Al composites. 1541-1550A  
Steady-state creep behavior in an isotropic functionally graded material rotating disc of Al-SiC composite. 1679-1685A  
Fatigue crack growth behavior of 2124/SiC/10p functionally graded materials. 1831-1839A  
Tensile properties of 5052 Al matrix composites reinforced with B<sub>4</sub>C particles. 2142-2147A
- Aluminum base alloys, Corrosion**  
Localized corrosion susceptibility of Al-Li-Cu-Mg-Zn alloy AF/C458 due to interrupted quenching from solutionizing temperatures. 2561-2573A  
Stress corrosion cracking of sensitized AA5083 (Al-4.5Mg-1.0Mn). 2859-2867A
- Aluminum base alloys, Crystal growth**  
Eutectic nucleation and growth in hypoeutectic Al-Si alloys at different strontium levels. 949-960A  
Separation of scales for growth of an alloy needle crystal. 2669-2670A
- Aluminum base alloys, Forging**  
A prediction of the friction factor for the forging process. 137-143B
- Aluminum base alloys, Heat treatment**  
Numerical simulation of the molten-pool formation during the laser surface-melting process. 949-959B
- Aluminum base alloys, Mechanical properties**  
Influence of casting technique and hot isostatic pressing on the fatigue of an Al-7Si-Mg alloy. 349-358A  
The effect of solution heat treatment and quenching rates on mechanical properties and microstructures in AlSiMg foundry alloys. 525-532A  
Microstructural evolution in the superplastic-like deformation of Al-Al<sub>3</sub>Ni eutectic alloys with [111] fiber texture. 547-555A  
Lattice plane response during tensile loading of an aluminum 2 percent magnesium alloy. 691-694A  
An evaluation of the flow behavior during high strain rate superplasticity in an Al-Mg-Sc alloy. 707-716A  
Constitutive relationship for AlZnMg, AlZnMgCr, and AlZnMgZr alloys. 769-776A  
The evolution of grain boundary character during superplastic deformation of an Al-6 pct Cu-0.4 pct Zr alloy. 1093-1102A  
Tensile ductility of several commercial aluminum alloys at elevated temperatures. 1119-1130A  
Effects of microstructural evolution on superplastic deformation characteristics of a rapidly solidified Al-Li alloy. 1649-1658A  
Role of Mg in the stress corrosion cracking of an Al-Mg alloy. 1699-1711A  
Effect of precipitates on plastic anisotropy for polycrystalline aluminum alloys. 2239-2247A  
Mechanical behavior and microstructure of a thermally stable bulk nanostructured Al alloy. 2335-2343A
- Aluminum base alloys, Metal working**  
A study on solutions for avoiding liquid segregation phenomena in thixoforming process. I. Constitutive modeling and finite element method simulations for die design. 119-127B  
A study on solutions for avoiding liquid segregation phenomena in thixoforming process. II. Net shape manufacturing of automotive scroll component. 129-136B  
Semisolid forming process—numerical simulation and experimental study. 363-371B  
Failure modes during equal channel angular extrusion of aluminum alloy 2024. 1869-1871A  
Shear, principal, and equivalent strains in equal-channel angular deformation. 2639-2647A
- Aluminum base alloys, Microstructure**  
Dendrite coherency of Al-Si-Cu alloys. 147-155A  
Influence of Cu additions on the morphology of GeSi precipitates in an Al-Ge-Si alloy. 1949-1958A  
Measurements and modeling of the microstructural morphology during equiaxed solidification of Al-Cu alloys. 2049-2060A  
Decomposition of Fe-intermetallics in Sr-modified cast 6XXX type aluminum alloys for automotive skin. 2061-2075A  
Apparent grain growth behavior of submicrometer grained Al-3 Pct Mg during static annealing after fabrication by severe plastic straining. 2670-2672A  
Modeling of Microstructural Evolution with Tracking of Equiaxed Grain Movement for Multicomponent Al-Si Alloy. 3065-3076A  
The Effect of Composition and Milling Conditions on the Structure of Mechanically Alloyed Mg-Al Based Alloys. 3099-3108A
- Aluminum base alloys, Phase transformations**  
Precipitation and aging in Al-Si-Ge-Cu. 197-199A  
The precipitation of the Q phase in an AA6111 alloy. 213-218A  
The effect of Cu additions on the precipitation kinetics in an Al-Mg-Si alloy with excess Si. 239-246A  
Influence of zirconium and copper on the early stages of aging in Al-Zn-Mg alloys. 1063-1073A  
Effect of growth velocity on the growth temperature of the Al-Al<sub>3</sub>Fe eutectic in Al-2.85Fe-0.12V alloy. 1251-1253A  
Metastable phases in an Al-Mg-Si alloy containing copper. 1293-1299A
- Aluminum base alloys, Physical properties**  
Density and solidification shrinkage of hypoeutectic aluminum-silicon alloys. 2605-2613A
- Aluminum base alloys, Powder technology**  
Mechanical milling of gas-atomized Al-Ni-Mn (Mn=misch metal) alloy powders. 821-829A
- Aluminum base alloys, Rolling**  
The influence of Al<sub>3</sub>Zr dispersoids on the recrystallization of hot-deformed AA 7010 alloys. 625-632A
- Aluminum base alloys, Welding**  
Weld metal composition change during conduction mode laser welding of aluminum alloy 5182. 163-172B  
Forming-limit diagrams of aluminum tailor-welded blank weld material. 275-283A  
Microtexture in the friction-stir weld of an aluminum alloy. 941-948A  
Geometry of laser spot welds from dimensionless numbers. 941-947B  
A process model for friction stir welding of age hardening aluminum alloys. 1189-1200A  
Electron and laser beam welding of high strain rate superplastic Al-6061/SiC composites. 2575-2584A  
Effects of welding and weld heat-affected zone simulation on the microstructure and mechanical behavior of a 2195 aluminum-lithium alloy. 2729-2741A  
Heterogeneity of crystallographic texture in friction stir welds of aluminum. 2869-2877A  
Visualization of the material flow in AA2195 friction-stir welds using a marker insert technique. 2879-2884A  
Distribution of Tensile Property and Microstructure in Friction Stir Weld of 6063 Aluminum. 3023-3032A  
Microstructural Factors Governing Hardness in Friction-Stir Welds of Solid-Solution-Hardened Al Alloys. 3033-3042A
- Aluminum bronzes, Mechanical properties**  
Cavitation erosion of copper and copper-based alloys. 1325-1333A
- Aluminum compounds, Mechanical properties**  
Evaluation of a Threshold-based Model of the Elevated-Temperature Fatigue of Impact-Damaged  $\gamma$ -TiAl. 2975-2984A
- Aluminum killed steels, Steel making**  
Behavior of alumina-magnesia complex inclusions and magne-

- sia inclusions on the surface of molten low-carbon steels. Correction to Metall. Mater. Trans. B, October 2000, vol. 31B, pp. 1013-1021 "Behavior of nonmetallic inclusions in front of the solid-liquid interface in low-carbon steels" by Sei Kimura, Y. Nabeshima, K. Nakajima, and S. Mizoguchi. 79-85B
- Aluminum nitride, Composite materials**  
Microstructural factors affecting superplastic properties in magnesium-based composites. 187B
- Aluminum oxide, Composite materials**  
Multistage sintering approach to prepare  $\text{Ni}_3\text{Al}/\alpha\text{-Al}_2\text{O}_3$  composites. 923-929A
- Aluminum oxide, Microstructure**  
Evolution and Coarsening of  $\text{Al}_2\text{O}_3$  Dispersoids at 500°C to 600°C in a Mechanically Alloyed Al-Ti-O Based Material. 407-415A
- Aluminum plating**  
An electrochemical investigation of the thermodynamic properties of the NaCl-AlCl<sub>3</sub> system at subliquidus temperatures. 2937-2946A
- Amorphization**  
A simple model for determining alloy composition with large glass forming ability in ternary alloys. 669-677B
- Amorphous structure**  
Crystallization characteristics of the  $\text{Ti}_{53}\text{Cu}_{47}$  amorphous alloy. Fracture toughness, fracture morphology, and crack-tip plastic zone of a Zr-based bulk amorphous alloy. 200-202A
- Amorphous structure, Processing effects**  
Preparation and thermal stability of Zr-Ti-Al-Ni-Cu amorphous powders by mechanical alloying technique. 1599-1608A
- Anisotropy, Heating effects**  
Dimensional anisotropy in 18 pct Ni maraging steel. 2819-2825A
- Annealing**  
The dependence of normal and abnormal grain growth in silver on annealing temperature and atmosphere. 1777-1786A
- Effects of annealing on the microstructure and giant magnetoresistance of Co-Cu-based spin valves. 1057-1061A
- Dimensional anisotropy in 18 pct Ni maraging steel. 1629-1634A
- Two-way shape memory effect of NiTi alloy induced by constraint aging treatment at room temperature. 1911-1926A
- Abnormal grain growth in bulk Cu. The dependence on initial grain size and annealing temperature. 2077-2085A
- Reduction of porosity in oxide dispersion-strengthened alloys produced by powder metallurgy. 2363-2371A
- Stability of Nb/Nb<sub>5</sub>Si<sub>3</sub> microlaminates at high temperatures. Apparent grain growth behavior of submicrometer grained Al-3 Pct Mg during static annealing after fabrication by severe plastic straining. 2670-2672A
- Annealing, Alloying effects**  
Effects of heat treatment and alloying elements on the microstructures and mechanical properties of 0.15 wt.% C transformation-induced plasticity-aided cold-rolled steel sheets. 505-514A
- Annealing, Deformation effects**  
Correlation of microstructure and surface roughness of disc drums fabricated by hot forging of an AISI 430F stainless steel. 1111-1118A
- Antimony, Alloying additive**  
Effect of Sb on the microstructure and mechanical properties of AZ91 magnesium alloy. 787-794A
- Antiparticles**  
Capture of positron by dislocations in metals: diffusion model. 1157-1160A
- Arc welding**  
Thermal analysis of the arc welding process: II. Effect of variation of thermophysical properties with temperature. 483-499B
- Atomizing**  
Mechanical milling of gas-atomized Al-Ni-Mn (Mn=misch metal) alloy powders. 821-829A
- Austempering**  
Thermal dependence of austempering transformation kinetics of compacted graphite cast iron. 51-58A
- Influence of stepped austempering process on the fracture toughness of austempered ductile iron. 2509-2514A
- Austenite**  
The effects of thermomechanical processing on the precipitation in an industrial dual-phase steel microalloyed with titanium. 1939-1947A
- Strain aging: Cribb/Reed-Hill's model applied to the FeMnAl-SiC austenitic system. 2271-2277A
- Austenite, Surface properties**  
Calculation of the interfacial energy of B1-type carbides and nitrides with austenite. 267-274A
- Austenitic stainless steels, Brazing**  
Residual stresses and interface strengths in MoSi<sub>2</sub>/stainless steel 316L joints produced by metallic-glass brazing. 1459-1465A
- Austenitic stainless steels, Casting**  
Analysis and prevention of cracking during strip casting of AISI 304 stainless steel. 2249-2258A
- Austenitic stainless steels, Heat treatment**  
Nitrogen Redistribution, Microstructure, and Elastic Constant Evaluation Using Ultrasonics in Aged 316LN Stainless Steels. 2959-2968A
- Austenitic stainless steels, Mechanical properties**  
Effect of hold time and waveform on the high-temperature, low-cycle fatigue properties of a Nb-A286 alloy. 2539-2546A
- Austenitic stainless steels, Phase transformations**  
Formation of nanosized martensite particles in stainless steels. 261-265A
- Austenitic stainless steels, Welding**  
Modeling of the effects of surface-active elements on flow patterns and weld penetration. 145-161B
- Prediction of laser-spot-weld shape by numerical analysis and neural network. 723-732B
- Dilution control in gas-tungsten-arc welds involving super austenitic stainless steels and nickel-based alloys. 1171-1176B
- The effect of the surface on grain boundary migration in austenitic stainless steel weld metal. 1453-1458A
- Austenitizing**  
Thermal dependence of austempering transformation kinetics of compacted graphite cast iron. 51-58A
- Influence of pearlite morphology and heating rate on the kinetics of continuously heated austenite formation in a eutectoid steel. 1283-1291A
- Effects of alloying additions and austenitizing treatments on secondary hardening and fracture behavior for martensitic steels containing both Mo and W. 1659-1670A
- Acicular ferrite morphologies in a medium-carbon microalloyed steel. 2187-2197A
- Influence of tempering on the microstructure and mechanical properties of HSLA-100 steel plates. 2259-2270A
- Effects of Ni additions and austenitizing temperature on secondary hardening behavior in high Co-Ni steels. 2393-2396A
- Influence of stepped austempering process on the fracture toughness of austempered ductile iron. 2509-2514A
- Automotive components, Materials selection**  
Decomposition of Fe-intermetallics in Sr-modified cast 6XXX type aluminum alloys for automotive skin. 2061-2075A
- Galvanizability of high-strength steels for automotive applications. 2905-2906A
- Automotive components, Metal working**  
A study on solutions for avoiding liquid segregation phenomena in thixoforming process. I. Constitutive modeling and finite element method simulations for die design. 119-127B
- A study on solutions for avoiding liquid segregation phenomena in thixoforming process. II. Net shape manufacturing of automotive scroll component. 129-136B
- Automotive components, Welding**  
Weld metal composition change during conduction mode laser welding of aluminum alloy 5182. 163-172B
- Forming-limit diagrams of aluminum tailor-welded blank weld material. 275-283A
- Automotive engines, Materials selection**  
An investigation of fracture and fatigue in a metal/polymer composite. 1997-2010A
- Axial stress**  
Transverse behavior and acoustic-emission analysis of titanium metal-matrix composites under tensile loading. 1841-1849A
- Bake hardenable steels, Microstructure**  
Formation of the Cottrell atmosphere during strain aging of bake-hardenable steels. 417-423A
- Ball milling**  
Microstructural size effects in high-strength high-conductivity Cu-Cr-Nb alloys. 1211-1224A
- Effect of dispersed particles on microstructure evolved in iron under mechanical milling followed by consolidating rolling. 1769-1776A
- Preparation and thermal stability of Zr-Ti-Al-Ni-Cu amorphous powders by mechanical alloying technique. 1777-1786A
- Solid solubility of carbon in a mechanically alloyed Cu-29.7 At. Pct Zn alloy. 1861-1862A
- Densification and structural change of mechanically alloyed W-Cu composites. 2885-2893A
- Ballistic impact tests**  
The effect of ballistic impacts on the high-cycle fatigue properties of Ti-48Al-2Nb-2Cr (atomic percent). 2743-2758A
- Ballistics**  
Dynamic deformation behavior of an oxide-dispersed tungsten heavy alloy fabricated by mechanical alloying. 2011-2020A
- Bauschinger effect**  
The effect of twinning and slip on the Bauschinger effect of Hadfield steel single crystals. 695-706A
- Bend strength, Processing effects**  
Preparation of Ti-Al intermetallic compounds by spark plasma sintering. 843-847A
- Bending**  
A new route to bulk nanostructured metals. 1559-1562A
- Binary systems, Microstructure**  
The formation of lamellar-eutectic grains in thin samples. 2039-2048A
- Binary systems, Phase transformations**  
Phase transformations and phase equilibria in the Fe-N system at temperatures below 573K. 59-73A
- Binary systems, Phases (state of matter)**  
Enthalpy of formation of B2-Fe<sub>1-x</sub>Al<sub>x</sub> and B2-(Ni,Fe)<sub>1-x</sub>Al<sub>x</sub>. Phase equilibria investigations on the aluminum-rich part of the binary system Ti-Al. 913-918B
- Determination of the CoTi congruent melting point and thermodynamic reassessment of the Co-Ti system. 1037-1047A
- Effective approach to describe growth of binary intermediate phases with narrow ranges of homogeneity. 2175-2186A
- 2396-2400A
- Bismuth, Quaternary systems**  
Prediction of the thermodynamic properties of multicomponent liquid alloys by binary infinite dilute activity coefficients. 1205-1211B
- Blast furnace chemistry**  
Thermodynamics of TiCN and TiC in Fe-C<sub>sat</sub> melts. 1203-1205B
- Blast furnace practice**  
Search for an economical and environmentally friendly iron-making process. 757-762B



- Coal char reactivity and structural evolution during combustion - factors influencing blast furnace pulverized coal injection operation. 811-820B  
Thermodynamics of TiCN and TiC in Fe-C<sub>sat</sub> melts. 1203-1205B
- Borides, Composite materials**  
Creep behavior of TiB<sub>2</sub>/Ti in situ composite fabricated by reactive hot pressing. 1019-1022A
- Boriding**  
Microstructural modification and property improvement of boride/Ti-6Al-4V surface-alloyed materials fabricated by high-energy electron-beam irradiation. 2499-2508A
- Boron carbide, Composite materials**  
Microstructural factors affecting superplastic properties in magnesium-based composites. 923-929A  
Tensile properties of 5052 Al matrix composites reinforced with B<sub>4</sub>C particles. 2142-2147A
- Boron nitride, Composite materials**  
Characteristics of AA6061/BN composite fabricated by pressureless infiltration technique. 1007-1018A
- Brasses, Mechanical properties**  
Stress corrosion cracking relation with dezincification layer-induced stress. 1309-1312A  
Cavitation erosion of copper and copper-based alloys. 1325-1333A
- Brazed joints, Mechanical properties**  
Residual stresses and interface strengths in MoSi<sub>2</sub>/stainless steel 316L joints produced by metallic-glass brazing. 1459-1465A
- Brinell hardness**  
Influence of stepped austempering process on the fracture toughness of austempered ductile iron. 2509-2514A
- Brittle fracture**  
Physical modeling of the deformation mechanisms of semisolid bodies and a mechanical criterion for hot tearing. 697-705B  
Deformation and fracture in martensitic carbon steels tempered at low temperatures. 861-877A  
Relationship between crystallographic orientation at the boundaries and brittle crack propagation in Mn-Mo-Ni low alloy steel. 2139-2142A
- Brittle fracture, Heating effects**  
Deformation and fracture in martensitic carbon steels tempered at low temperatures. 205-221B
- Bronzes, Composite materials**  
Friction and wear behavior of a centrifugally cast lead-free copper alloy containing graphite particles. 2115-2125A
- Bronzes, Forging**  
A prediction of the friction factor for the forging process. 137-143B
- Bubbles**  
Bubble formation during horizontal gas injection into downward-flowing liquid. 1143-1159B
- Buckling**  
Tertiary compression creep of long-fiber composites: a model for fiber kinking and buckling. 183-196A
- Cadmium, Impurities**  
The evaporation rates and mechanisms of cadmium from a bubble-stirred molten copper bath. 285-295B
- Cadmium, Quaternary systems**  
Prediction of the thermodynamic properties of multicomponent liquid alloys by binary infinite dilute activity coefficients. 1205-1211B
- Carbides, Composite materials**  
In situ formed (TiW)C phase in iron matrix. 431-433A
- Carbides, Crystal growth**  
Complex carbide growth, dissolution, and coarsening in a modified 12% chromium steel—an experimental and theoretical study. 19-27A
- Carbides, Surface properties**  
Calculation of the interfacial energy of B1-type carbides and nitrides with austenite. 267-274A
- Carbon, Additives**  
Stabilization of thermosoluble convective instabilities in Ni-based single-crystal superalloys: carbon additions and freckle formation. 1743-1753A  
Discontinuous coarsening of the lamellar structure of  $\gamma$ -TiAl-based intermetallic alloys and its control. 1927-1938A
- Carbon, Alloying additive**  
Microstructural refinement and mechanical properties improvement of elemental powder metallurgy processed Ti-46.6Al-1.4Mn-2Mo alloy by carbon addition. 251-259A
- Carbon, Alloying elements**  
Mechanism of detrimental effects of carbon content on cleavage fracture toughness of low-alloy steel. 1081-1091A
- Carbon, Diffusion**  
Formation of the Cottrell atmosphere during strain aging of bake-hardenable steels. 417-423A
- Carbon, Physical properties**  
Contribution to the understanding of cathodic carbon swelling under pressure. 233-238B
- Carbon, Quinary systems**  
Thermodynamic assessment of the Fe-Nb-Ti-C-N system. 2423-2439A
- Carbon, Solubility**  
Solid solubility of carbon in a mechanically alloyed Cu-29.7 At. Pct Zn alloy. 1861-1862A
- Carbon, Ternary systems**  
Thermodynamic assessment of the Me-Co-C systems (Me = Ti, Ta, or Nb). 2167-2174A
- Carbon fibers, Composite materials**  
Numerical and experimental study of internal flow field for a carbon fiber tow pneumatic spreader. 329-339B
- Carbon manganese steels, Mechanical properties**  
Mechanism of detrimental effects of carbon content on cleavage fracture toughness of low-alloy steel. 1081-1091A
- Carbon manganese steels, Phase transformations**  
Effects of Si and Al on acicular ferrite formation in C-Mn steel. 75-83A
- Carbon manganese steels, Welding**  
Spatially resolved X-ray diffraction mapping of phase transformations in the heat-affected zone of carbon-manganese steel arc welds. 1175-1187A
- Carbon steels, Mechanical properties**  
Deformation and fracture in martensitic carbon steels tempered at low temperatures. 205-221B  
Dry sliding friction and wear in plain carbon dual phase steel. 359-367A  
Deformation and fracture in martensitic carbon steels tempered at low temperatures. 861-877A
- Carbonation**  
Microstructural studies and carbochlorination kinetics of xenotime ore. 1007-1013B
- Carbonylides, Composite materials**  
Development of cermet microstructures during sintering. 85-94A
- Carbonylides, Crystal growth**  
A model for interphase precipitation in V-microalloyed structural steels. 39-50A
- Carbothermic reactions**  
Carbothermic reduction of zinc ferrite. 1033-1040B
- Carburizing**  
Characterization of phases formed in the iron carbide process by x-ray diffraction, Mossbauer, x-ray photoelectron spectroscopy, and Raman spectroscopy analyses. 839-845B  
Kinetics of carbide formation from reduced iron in CO-H<sub>2</sub>-H<sub>2</sub>S mixtures. 1161-1170B
- Cast iron, Casting**  
A computational and experimental study on mold filling. 69-78B
- Casting alloys, Crystal growth**  
Eutectic nucleation and growth in hypoeutectic Al-Si alloys at different strontium levels. 949-960A
- Casting alloys, Mechanical properties**  
Influence of casting technique and hot isostatic pressing on the fatigue of an Al-7Si-Mg alloy. 349-358A  
The effect of solution heat treatment and quenching rates on mechanical properties and microstructures in AISiMg foundry alloys. 525-532A
- Casting defects**  
Analysis and prevention of cracking during strip casting of AISI 304 stainless steel. 2249-2258A
- Castings, Mechanical properties**  
Influence of casting technique and hot isostatic pressing on the fatigue of an Al-7Si-Mg alloy. 349-358A  
Discussion of 'An investigation of the effects of loading rate on resistance-curve behavior and toughening in cast lamellar gamma-based titanium aluminides'. 2136-2139A
- Castings, Microstructure**  
Measurements and modeling of the microstructural morphology during equiaxed solidification of Al-Cu alloys. 2049-2060A  
Decomposition of Fe-intermetallics in Sr-modified cast 6XXX type aluminum alloys for automotive skin. 2061-2075A  
Modeling of Microstructural Evolution with Tracking of Equiaxed Grain Movement for Multicomponent Al-Si Alloy. 3065-3076A
- Cathodes, Materials selection**  
Microscopic characterization of a TiB<sub>2</sub>-carbon material composite raw materials, and composite characterization. 2649-2656A
- Cathodes, Physical properties**  
Contribution to the understanding of cathodic carbon swelling under pressure. 233-238B
- Cavitation**  
Cavitation erosion of copper and copper-based alloys. 1325-1333A  
An analysis of cavitation occurring in near- $\gamma$  titanium aluminide during superplastic deformation. 2769-2779A
- Cementation**  
Characterization of phases formed in the iron carbide process by x-ray diffraction, Mossbauer, x-ray photoelectron spectroscopy, and Raman spectroscopy analyses. 839-845B
- Cemented carbides, Crystal growth**  
Characterization of the kinetic and mechanistic differences between free-surface and bulk grain growth in WC-Co materials. 1261-1270A
- Cementite**  
Acicular ferrite morphologies in a medium-carbon microalloyed steel. 2187-2197A
- Cementite, Crystal growth**  
Simulation of paraequilibrium growth in multicomponent systems. 455-467A
- Ceramic fibers, Mechanical properties**  
Strength Degradation of SiC Fiber during Manufacture of Titanium Matrix Composites by Plasma Spraying and Hot Pressing. 3133-3142A
- Cermets, Microstructure**  
Development of cermet microstructures during sintering. 85-94A
- Chalcopyrite, Extraction**  
Simultaneous leaching of a deep-sea manganese nodule and chalcopyrite in hydrochloric acid. 777-784B
- Chemical composition**



- Experimental study of the viscosities of  $Al_2O_3$ -CaO-FeO' slags. 679-684B
- Alloying mechanism of beta stabilizers in a TiAl alloy. 1573-1589A
- Effects of alloying additions and austenitizing treatments on secondary hardening and fracture behavior for martensitic steels containing both Mo and W. 1659-1670A
- Solid solubility of carbon in a mechanically alloyed Cu-29.7 At. Pct Zn alloy. 1861-1862A
- Influence of Cu additions on the morphology of GeSi precipitates in an Al-Ge-Si alloy. 1949-1958A
- III. The tensile behavior of Ti-Al-Nb O + bcc orthorhombic alloys. 1977-1988A
- Discussion of 'The role of manganese and copper in the eutectoid transformation of spheroidal graphite cast iron'. 2131-2135A
- Ridge direction of thermal conductivity contours in ternary CoAl phase. 2135-2136A
- Effects of Ni additions and austenitizing temperature on secondary hardening behavior in high Co-Ni steels. 2393-2396A
- Computational approach to designing ductile Nb-Ti-Cr-Al solid solution alloys. 2475-2487A
- Effects of carbon and chromium additions on the wear resistance and surface roughness of cast high-speed steel rolls. 2515-2525A
- Microstructural, Compositional, and Microhardness Variations across a Gas-Metal Arc Weldment Made with an Ultralow-Carbon Consumable. 3043-3054A
- The Effect of Composition and Milling Conditions on the Structure of Mechanically Alloyed Mg-Al Based Alloys. 3099-3108A
- Chemical vapor deposition**
- Morphological evolution during the early stages of aluminide coating growth on a single-crystal nickel superalloy surface. Characterization of the kinetic and mechanistic differences between free-surface and bulk grain growth in WC-Co materials. 615-624A
- Effects of Pt incorporation on the isothermal oxidation behavior of chemical vapor deposition aluminide coatings. 1261-1270A
- 1727-1741A
- Chill casting**
- Influence of surface morphology, water flow rate, and sample thermal history on the boiling-water heat transfer during direct-chill casting of commercial aluminum alloys. 929-939B
- The nature of surface cracking in direct chill cast aluminum alloy ingots. 2908-2910A
- Chlorination**
- Entrained-flow chlorination of titaniferous slag to produce titanium tetrachloride. 389-393B
- Kinetics of chlorination and microstructural changes of xenotime by carbon tetrachloride. 785-791B
- Studies on the kinetics of carbon tetrachloride chlorination of tantalum pentoxide. 801-810B
- Microstructural studies and carbochlorination kinetics of xenotime ore. 1007-1013B
- Chromium, Alloying additive**
- $Ti_3Si_3$  whisker in-situ reinforced TiAl alloys. 1233-1244A
- Chromium, Extraction**
- Soda-ash roasting of chromite minerals: kinetics considerations. 593-602B
- The soda-ash roasting of chromite ore processing residue for the reclamation of chromium. 987-995B
- Chromium carbide, Composite materials**
- Study of  $Ni_3Al$ -Cr-C<sub>3</sub> composite materials fabricated by self-propagating high-temperature synthesis casting route. 1823-1830A
- Chromium compounds, Impurities**
- Determination of standard Gibbs energies of formation of  $Cr_2N$  and CrN. 1113-1118B
- Chromium iron, Mechanical properties**
- Correlation of microstructure with the wear resistance and fracture toughness of duocast materials composed of high-chromium white cast iron and low-chromium steel. 515-524A
- Chromium molybdenum steels, Welding**
- An assessment of creep deformation and fracture behavior of 2.25Cr-1Mo similar and dissimilar weld joints. 115-124A
- Postweld heat-treatment response of simulated coarse-grained heat-affected zones in a new ferritic steel. 2585-2594A
- Chromium ores, Reduction (chemical)**
- The soda-ash roasting of chromite ore processing residue for the reclamation of chromium. 987-995B
- Chromium steels, Mechanical properties**
- Correlation of microstructure with the wear resistance and fracture toughness of duocast materials composed of high-chromium white cast iron and low-chromium steel. 515-524A
- Chromium steels, Steel making**
- Capillary interaction between inclusion particles on the 16Cr stainless steel melt surface. 629-641B
- Cleavage, Alloying effects**
- $Ti_3Si_3$  whisker in-situ reinforced TiAl alloys. 1233-1244A
- Clustering**
- Behavior of alumina-magnesia complex inclusions and magnesia inclusions on the surface of molten low-carbon steels. 79-85B
- Clusters**
- In-situ observation of TiN precipitates at stainless steel/CaO- $Al_2O_3$ -MgO-SiO<sub>2</sub> interface. 963-967B
- Coal injection**
- Coal char reactivity and structural evolution during combustion - factors influencing blast furnace pulverized coal injection operation. 811-820B
- Cobalt, Binary systems**
- Determination of the CoTi congruent melting point and thermodynamic reassessment of the Co-Ti system. 2175-2186A
- Cobalt, Composite materials**
- Development of cermet microstructures during sintering. 85-94A
- Cobalt, Extraction**
- A thermodynamic study on cobalt containing calcium ferrite and calcium iron silicate slags at 1573K. 47-54B
- Effect of manganese(II) and boric acid on the electrowinning of cobalt from acidic sulfate solutions. 395-399B
- Cobalt, Magnetic properties**
- Effects of annealing on the microstructure and giant magnetoresistance of Co-Cu-based spin valves. 577-584A
- Cobalt, Refining**
- Anion-exchange separation in hydrochloric acid solutions for the ultrahigh purification of cobalt. 573-582B
- Cobalt, Ternary systems**
- Thermodynamics of B2 intermetallic compounds with triple defects: a Bragg-Williams model for (Ni,Co)Al. 2157-2166A
- Thermodynamic assessment of the Me-Co-C systems (Me = Ti, Ta, or Nb). 2167-2174A
- Cobalt base alloys, Heat treatment**
- $M_{23}C_6$  carbide dissolution mechanisms during heat treatment of ASTM F-75 implant alloys. 979-984A
- Cobalt base alloys, Nondestructive testing**
- Characterization of the temperature evolution during high-cycle fatigue of the ULTIMET superalloy: experiment and theoretical modeling. 2279-2296A
- Cobalt compounds, Thermal properties**
- Ridge direction of thermal conductivity contours in ternary CoAl phase. 2135-2136A
- Cold drawing**
- Strength and conductivity of Cu-9Fe-1.2X (X=Ag or Cr) filamentary microcomposite wires. 985-991A
- Structures and residual stresses of Cr fibers in Cu-15Cr in-situ composites. 1225-1232A
- Cold pressing**
- Densification and structural change of mechanically alloyed W-Cu composites. 2885-2893A
- Cold rolling**
- Two-way shape memory effect of NiTi alloy induced by constraint aging treatment at room temperature. 1629-1634A
- Cold rolling, Alloying effects**
- Effects of heat treatment and alloying elements on the microstructures and mechanical properties of 0.15 wt.% C transformation-induced plasticity-aided cold-rolled steel sheets. 505-514A
- Cold working**
- Modeling of recrystallization after inhomogeneous deformation. 2199-2206A
- Columnar structure**
- Simple model of microsegregation during solidification of steels. 1755-1767A
- Compacted graphite iron, Phase transformations**
- Thermal dependence of austempering transformation kinetics of compacted graphite cast iron. 51-58A
- Compressing**
- Deformation of NiTiCu shape memory single crystals in compression. 477-489A
- Abnormal grain growth in bulk Cu. The dependence on initial grain size and annealing temperature. 1911-1926A
- Compressive properties**
- III. The tensile behavior of Ti-Al-Nb O + bcc orthorhombic alloys. 1977-1988A
- Production of bulk cementite and its characterization. 2127-2131A
- Computer aided design**
- Semisolid forming process—numerical simulation and experimental study. 363-371B
- Computer programs, Development**
- Anion-exchange separation in hydrochloric acid solutions for the ultrahigh purification of cobalt. 573-582B
- Computer simulation**
- Semisolid forming process—numerical simulation and experimental study. 363-371B
- Role of solid-state skeletal sintering during processing of Mo-Cu composites. 605-613A
- Differential scanning calorimetry study and computer modeling of  $\beta \rightarrow \alpha$  phase transformation in a Ti-6Al-4V alloy. 879-887A
- Numerical simulation of the molten-pool formation during the laser surface-melting process. 949-959B
- Modeling of biased flow phenomena associated with the effects of static magnetic-field application and argon gas injection in slab continuous casting of steel. 1053-1066B
- In situ detection of inclusions in liquid metals. I. Mathematical modeling of the behavior of particles traversing the electric sensing zone. 1067-1079B
- Three-dimensional Monte Carlo simulation of grain growth in zone-refined iron. 1195-1201B
- Discussion of 'thermal and grain-structure simulation in a land-based turbine blade directionally solidified with the liquid metal cooling process'. 1212-1213B
- Authors' reply [to preceding article "Discussion of 'Thermal and grain-structure simulation in a land-based turbine blade directionally solidified with the liquid metal cooling process'"]. 1213B
- Numerical simulation of deformation-induced segregation in continuous casting of steel. 1479-1491A
- Investigation of striation formation in thin stainless steel tube during pulsed Nd:YAG laser cutting process by numerical simulation. 2623-2632A
- Consolidation**
- Effect of dispersed particles on microstructure evolved in iron

- under mechanical milling followed by consolidating rolling. 1769-1776A
- Constraints**  
Two-way shape memory effect of NiTi alloy induced by constraint aging treatment at room temperature. 1629-1634A
- Contact angle**  
The effect of wetting kinetics on the penetration of a layered capillary. 2663-2666A
- Continuous annealing**  
Optimizing continuous annealing of interstitial-free steels for improving deep drawability. 1989-1995A
- Continuous casting**  
Thermal and carbothermic decomposition of  $\text{Na}_2\text{CO}_3$  and  $\text{Li}_2\text{CO}_3$ . 17-24B  
Turbulent flow of liquid steel and argon bubbles in slide-gate tundish nozzles. I. Model development and validation. 253-267B  
Turbulent flow of liquid steel and argon bubbles in slide-gate tundish nozzles. II. Effect of operation conditions and nozzle design. 269-284B  
Kinetic analysis of NaF vaporization in  $\text{SiF}_4$ -Ar mixture. 401-407B  
Principles in cast rolling with liquid core of thin slab continuous casting. 459-464B  
Numerical model for the minimization of intermixed round bars in a four line continuous caster. 537-546B  
Continuously cast Cu-Al-Ni shape memory wires with a unidirectional morphology. 585-593A  
Modeling study of the influence of turbulence inhibitors on the molten steel flow, tracer dispersion, and inclusion trajectories in tundishes. 615-627B  
Effects of clogging, argon injection, and continuous casting conditions on flow and air aspiration in submerged entry nozzles. 707-722B  
Transient flow and heat transfer in a steelmaking ladle during the holding period. 733-741B  
Hot ductility and fracture mechanisms of a C-Mn-Nb-Al steel. 919-927B  
In-situ observation of TiN precipitates at stainless steel/ $\text{CaO-Al}_2\text{O}_3\text{-MgO-SiO}_2$  interface. 963-967B  
Modeling of biased flow phenomena associated with the effects of static magnetic-field application and argon gas injection in slab continuous casting of steel. 1053-1066B  
Bubble formation during horizontal gas injection into downward-flowing liquid. 1143-1159B  
A new approach to the analysis of vessel residence time distribution curves. 1185-1193B  
Numerical simulation of deformation-induced segregation in continuous casting of steel. 1479-1491A
- Contraction, Heating effects**  
Dimensional anisotropy in 18 pct Ni maraging steel. 1057-1061A
- Controlled atmospheres**  
Analysis and prevention of cracking during strip casting of AISI 304 stainless steel. 2249-2258A  
Stability of Nb/Nb<sub>5</sub>Si<sub>3</sub> microlaminates at high temperatures. 2363-2371A
- Convection**  
A new approach to the analysis of vessel residence time distribution curves. 1185-1193B
- Cooling curves**  
The effect of industrial composition variations on the transformation behavior of ultralow-carbon steels. 219-227A
- Cooling rate**  
Dendrite coherency of Al-Si-Cu alloys. 147-155A  
Martensitic phase transformations in IMI 550 (Ti-4Al-4Mo-2Sn-0.5Si). 671-679A  
Undercooling of copper in refractory porcelain crucible. 744-747B  
Influence of surface morphology, water flow rate, and sample thermal history on the boiling-water heat transfer during direct-chill casting of commercial aluminum alloys. 929-939B  
Simple model of microsegregation during solidification of steels. 1755-1767A  
Cooling precipitation and strengthening study in powder metallurgy superalloy U720LI. 2441-2452A  
Thermal-tempering analysis of bulk metallic glass plates using an instant-freezing model. 2709-2715A
- Copper, Additives**  
Influence of Cu additions on the morphology of GeSi precipitates in an Al-Ge-Si alloy. 1949-1958A
- Copper, Alloying additive**  
The effect of Cu additions on the precipitation kinetics in an Al-Mg-Si alloy with excess Si. 239-246A  
Influence of zirconium and copper on the early stages of aging in Al-Zn-Mg alloys. 1063-1073A
- Copper, Alloying elements**  
Crystallization characteristics of the  $\text{Ti}_{53}\text{Cu}_{47}$  amorphous alloy. 1599-1608A  
Snoek relaxation and dislocation damping in aged Fe-Cu-Ni steel. 1671-1677A  
Measurements and modeling of the microstructural morphology during equiaxed solidification of Al-Cu alloys. 2049-2060A  
Densification and structural change of mechanically alloyed W-Cu composites. 2885-2893A
- Copper, End uses**  
Joint zone evolution in infrared bonded steels with copper filler. 1177-1183B
- Copper, Extraction**  
Henrian activity coefficient of As in Cu-Fe mattes and white metal. 437-447B  
Discussion of a "microscale simulation of settler processes in copper matte smelting". 555-557B
- Copper, Impurities**  
Effect of impurity type in boundary sliding behavior in the superplastic Zn-22%Al alloy. 103-113A
- Copper, Magnetic properties**  
Effects of annealing on the microstructure and giant magnetoresistance of Co-Cu-based spin valves. 577-584A
- Copper, Mechanical properties**  
Cavitation erosion of copper and copper-based alloys. 1325-1333A
- Copper, Melting**  
Undercooling of copper in refractory porcelain crucible. 744-747B
- Copper, Metal working**  
A new route to bulk nanostructured metals. 1559-1562A
- Copper, Microstructure**  
Abnormal grain growth in bulk Cu. The dependence on initial grain size and annealing temperature. 1911-1926A  
A methodology for determining average lattice orientation and its application to the characterization of grain substructure. 1967-1975A  
New kinetic model for primary recrystallization of pure metals. 2465-2473A
- Copper, Refining**  
The evaporation rates and mechanisms of cadmium from a bubble-stirred molten copper bath. 285-295B  
Effect of thiourea on the copper cathode polarization behavior in acidic copper sulfate at 65°C. 887-893B
- Copper base alloys, Casting**  
Effects of substrate surface conditions on heat transfer and shell morphology in the solidification of a copper alloy. 111-118B  
Continuously cast Cu-Al-Ni shape memory wires with a unidirectional morphology. 585-593A
- Copper base alloys, Metal working**  
Strength and conductivity of Cu-9Fe-1.2X (X=Ag or Cr) filamentary microcomposite wires. 985-991A  
Structures and residual stresses of Cr fibers in Cu-15Cr in-situ composites. 1225-1232A
- Copper base alloys, Microstructure**  
The influence of stacking fault energy on the mechanical behavior of Cu and Cu-Al alloys: deformation twinning, work hardening, and dynamic recovery. 135-145A  
Solid solubility of carbon in a mechanically alloyed Cu-29.7 At. Pct Zn alloy. 1861-1862A
- Copper base alloys, Phase transformations**  
Discontinuous precipitation at [001] twist boundaries in Cu-0.75 wt pct Be alloy bicrystals. 1075-1079A
- Copper base alloys, Powder technology**  
Microstructural size effects in high-strength high-conductivity Cu-Cr-Nb alloys. 1211-1224A
- Copper base alloys, Quality control**  
In situ detection of inclusions in liquid metals. II. Metallurgical applications of LIMCA systems. 1081-1093B
- Copper compounds, Mechanical properties**  
Stress-strain hysteresis and damping in MnCu and NiTi alloys. 2489-2498A
- Copper mattes, Oxidation**  
Experimental investigation and three-dimensional computational fluid-dynamics modeling of the flash-converting furnace shaft: Part I. Experimental observation of copper converting reactions in terms of converting rate, converting quality, changes in particle size, morphology, and mineralogy. 847-868B  
Experimental investigation and three-dimensional computational fluid-dynamics modeling of the flash-converting furnace shaft: Part II. Formulation of three-dimensional computational fluid-dynamics model incorporating the particle-cloud description. 869-886B
- Copper mattes, Reactions (chemical)**  
Henrian activity coefficient of As in Cu-Fe mattes and white metal. 437-447B  
Discussion of a "microscale simulation of settler processes in copper matte smelting". 555-557B
- Corrosion environments**  
Electrochemical interaction between silver and sulfur in sodium sulfide solutions. 895-901B
- Corrosion mechanisms**  
Electrochemical interaction between silver and sulfur in sodium sulfide solutions. 895-901B  
Oxidation of metals with highly reactive vapors: extension of Wagner theory. 903-911B
- Corrosion prevention, Heating effects**  
Stability of Nb/Nb<sub>5</sub>Si<sub>3</sub> microlaminates at high temperatures. 2363-2371A
- Corrosion products**  
Electrochemical interaction between silver and sulfur in sodium sulfide solutions. 895-901B  
Isothermal oxidation of TiAl alloy. 2357-2361A
- Corrosion rate**  
Formation Kinetics and Rupture Strain of Ni-Cr-Fe Alloy Corrosion Films Formed in High-Temperature Water. 3015-3022A
- Corrosion rate, Welding effects**  
Effect of CO<sub>2</sub> laser welding on the shape-memory and corrosion characteristics of TiNi alloys. 569-576A
- Corrosion resistance**  
Dilution control in gas-tungsten-arc welds involving super austenitic stainless steels and nickel-based alloys. 1171-1176B  
Stress corrosion cracking of sensitized AA5083 (Al-4.5Mg-1.0Mn). 2859-2867A
- Corrosion resistance, Heating effects**  
Localized corrosion susceptibility of Al-Li-Cu-Mg-Zn alloy AF/C458 due to interrupted quenching from solutionizing temperatures. 2561-2573A
- Corrosion resistance, Welding effects**  
Effect of CO<sub>2</sub> laser welding on the shape-memory and corro-

- sion characteristics of TiNi alloys. 569-576A
- Corrugating**  
A new route to bulk nanostructured metals. 1559-1562A
- Crack closure**  
Effects of temperature on the fatigue crack growth behavior of cast gamma-based titanium aluminides. 2781-2794A
- Crack initiation**  
An investigation of the effects of loading rate on resistance-curve behavior and toughening in cast lamellar gamma-based titanium aluminides. 325-337A
- Crack initiation, Welding effects**  
An investigation of the fracture behavior of coarse-grained heat-affected zones in A707 steel welds. 533-545A
- Crack opening displacement, Microstructural effects**  
Dependency of fracture toughness on the inhomogeneity of coarse TiN particle distribution in a low alloy steel. 1147-1155A
- Crack opening displacement, Welding effects**  
An investigation of the fracture behavior of coarse-grained heat-affected zones in A707 steel welds. 533-545A
- Crack propagation**  
Fatigue-crack growth behavior in the superelastic and shape-memory alloy Nitinol. 731-743A  
Fatigue crack growth behavior of 2124/SiC/10p functionally graded materials. 1831-1839A  
In-situ observations of titanium metal-matrix composites under transverse tensile loading. 1851-1860A  
An investigation of fracture and fatigue in a metal/polymer composite. 1997-2010A  
Discussion of 'An investigation of the effects of loading rate on resistance-curve behavior and toughening in cast lamellar gamma-based titanium aluminides'. 2136-2139A  
Authors' reply. 2138-2139A  
Influence of martensite content and morphology on the toughness and fatigue behavior of high-martensite dual-phase steels. 2207-2217A  
Fatigue-crack growth in Ti-6Al-4V-0.1Ru in air and seawater: Part II. Crack path and microstructure. 2315-2324A  
Fracture toughness, fracture morphology, and crack-tip plastic zone of a Zr-based bulk amorphous alloy. 2819-2825A
- Crack propagation, Composition effects**  
Mechanism of detrimental effects of carbon content on cleavage fracture toughness of low-alloy steel. 1081-1091A
- Crack propagation, Diffusion effects**  
Hydride formation and its effects on mechanical properties of Ti-5111. 1552-1556A
- Crack propagation, Environmental effects**  
Environment-sensitive fracture of iron aluminides under monotonic tensile loading. 557-567A  
Fatigue-crack growth in Ti-6Al-4V-0.1Ru in air and seawater: Part I. Design of experiments, assessment, and crack-growth-rate curves. 2297-2314A  
Environment-sensitive fracture of iron aluminides during cyclic crack growth. 2345-2356A
- Crack propagation, Heating effects**  
Deformation and fracture in martensitic carbon steels tempered at low temperatures. 205-221B
- Crack propagation, Microstructural effects**  
Mixed-mode, high-cycle fatigue-crack-growth thresholds in Ti-6Al-4V: role of bimodal and lamellar microstructures. 497-503A  
Creep crack growth in the absence of grain boundary precipitates in UDIMET 520. 795-804A  
Role of Mg in the stress corrosion cracking of an Al-Mg alloy. 1699-1711A  
Relationship between crystallographic orientation at the boundaries and brittle crack propagation in Mn-Mo-Ni low alloy steel. 2139-2142A
- Crack propagation, Temperature effects**  
Effects of temperature on the fatigue crack growth behavior of cast gamma-based titanium aluminides. 2781-2794A
- Cracking (fracturing)**  
Hot ductility and fracture mechanisms of a C-Mn-Nb-Al steel. 919-927B  
Dynamic deformation behavior of an oxide-dispersed tungsten heavy alloy fabricated by mechanical alloying. 2011-2020A  
Role of large-scale slip in mode II fracture of bimaterial interface produced by diffusion bonding. 2109-2114A  
The nature of surface cracking in direct chill cast aluminum alloy ingots. 2908-2910A
- Cracking (fracturing), Processing effects**  
Failure modes during equal channel angular extrusion of aluminum alloy 2024. 1869-1871A
- Cracking (fracturing), Welding effects**  
Effect of boron segregation at grain boundaries on heat-affected zone cracking in wrought INCONEL 718. 931-939A
- Creep (materials)**  
Steady-state creep behavior in an isotropic functionally graded material rotating disc of Al-SiC composite. 1679-1685A  
Cyclic creep and cyclic deformation of high-strength spring steels and the evaluation of the sag effect: Part I. Cyclic plastic deformation behavior. 1687-1698A  
Effect of hold time and waveform on the high-temperature, low-cycle fatigue properties of a Nb-A286 alloy. 2539-2546A  
Features and Effect Factors of Creep of Single-Crystal Nickel-Base Superalloys. 2947-2958A
- Creep (materials), Alloying effects**  
Microstructural refinement and mechanical properties improvement of elemental powder metallurgy processed Ti-46.5Al-1.4Mn-2Mo alloy by carbon addition. 251-259A
- Creep (materials), Composition effects**  
Tertiary compression creep of long-fiber composites: a model for fiber kinking and buckling. 183-196A
- Creep (materials), Environmental effects**  
Stress and temperature dependence of creep in alloy 600 in primary water. 2553-2560A
- Creep (materials), Impurity effects**  
Effect of impurity type in boundary sliding behavior in the superplastic Zn-22%Al alloy. 103-113A
- Creep (materials), Microstructural effects**  
Creep crack growth in the absence of grain boundary precipitates in UDIMET 520. 795-804A
- Creep life**  
Qualitative model for creep of AZ91D magnesium alloy. 1335-1345A
- Creep life, Welding effects**  
An assessment of creep deformation and fracture behavior of 2.25Cr-1Mo similar and dissimilar weld joints. 115-124A
- Creep rate**  
Creep deformation behavior of three high-temperature near  $\alpha$ -Ti alloys: IMI 834, IMI 829, and IMI 685. 285-293A  
Qualitative model for creep of AZ91D magnesium alloy. 1335-1345A
- Creep rupture strength**  
Creep-rupture behavior of a directionally solidified nickel-base superalloy. 1103-1110A
- Creep rupture strength, Welding effects**  
An assessment of creep deformation and fracture behavior of 2.25Cr-1Mo similar and dissimilar weld joints. 115-124A
- Creep strength**  
Qualitative model for creep of AZ91D magnesium alloy. 1335-1345A
- Creep strength, Composition effects**  
Creep behavior of TiBw/Ti in situ composite fabricated by reactive hot pressing. 1019-1022A
- Creep strength, Microstructural effects**  
Alloying mechanism of beta stabilizers in a TiAl alloy. 1573-1589A
- Criteria**  
Criterion for judging the homogeneous and heterogeneous nucleation. 391-395A  
Largest-extreme-value distribution analysis of multiple inclusion types in determining steel cleanliness. 517-523B
- Critical temperature**  
Martensitic transformations, microstructure, and mechanics workability of TiPt. 1881-1886A
- Critical temperature, Processing effects**  
Continuously cast Cu-Al-Ni shape memory wires with a unidirectional morphology. 585-593A
- Critical temperature, Welding effects**  
Effect of CO<sub>2</sub> laser welding on the shape-memory and corrosion characteristics of TiNi alloys. 569-576A
- Crucibles, Materials selection**  
Undercooling of copper in refractory porcelain crucible. 744-747B
- Crystal defects**  
Strain aging: Cribb/Reed-Hill's model applied to the FeMnAl-SiC austenitic system. 2271-2277A  
Effects of macroscopic defects on the damping behavior of aluminum and Zn-27 Pct Al alloy. 2657-2661A
- Crystal structure**  
Metastable phases in an Al-Mg-Si alloy containing copper. 1293-1299A  
Structural properties and stability of metastable phases in the Zr-Nb system. I. Systematics of quenching-and-aging experiments. 1903-1910A  
A methodology for determining average lattice orientation and its application to the characterization of grain substructure. 1967-1975A  
Uniaxial tensile deformation of uranium 6 wt pct niobium: a neutron diffraction study of deformation twinning. 2219-2228A  
Comparison of the fatigue and fracture of  $\alpha + \beta$  and  $\beta$  titanium alloys. 2805-2818A  
Determination of activation energy of phase transformation and recrystallization using a modified Kissinger method. 2903-2904A
- Crystallization**  
Crystallization characteristics of the Ti<sub>60</sub>Cu<sub>40</sub> amorphous alloy. 1599-1608A  
Preparation and thermal stability of Zr-Ti-Al-Ni-Cu amorphous powders by mechanical alloying technique. 1777-1786A
- Current efficiency**  
Effect of manganese(II) and boric acid on the electrowinning of cobalt from acidic sulfate solutions. 395-399B
- Cyanidation**  
A kinetic study that compares the leaching of gold in the cyanide, thiosulfate, and chloride systems. 979-986B
- Cyclic loads**  
Cyclic creep and cyclic deformation of high-strength spring steels and the evaluation of the sag effect: Part I. Cyclic plastic deformation behavior. 1687-1698A  
Mean strain effects on the fatigue properties of superelastic NiTi. 1866-1869A  
Environment-sensitive fracture of iron aluminides during cyclic crack growth. 2345-2356A  
Cyclic deformation behavior and microstructures of hydrided ZIRCALOY-4 under biaxial loading. 2841-2850A
- Damage**  
Transverse behavior and acoustic-emission analysis of titanium metal-matrix composites under tensile loading. 1841-1849A  
Effect of fatigue damage on the dynamic fracture toughness of En-8-grade steel. 2547-2552A  
Damage Accumulation and Failure of HY-100 Steel. 2985-2994A
- Damage tolerance**



- The effect of ballistic impacts on the high-cycle fatigue properties of Ti-48Al-2Nb-2Cr (atomic percent). 2743-2758A
- Damping**  
Stress-strain hysteresis and damping in MnCu and NiTi alloys. Effects of macroscopic defects on the damping behavior of aluminum and Zn-27 Pct Al alloy. 2489-2498A  
2657-2661A
- Debonding**  
Transverse behavior and acoustic-emission analysis of titanium metal-matrix composites under tensile loading. Application of the Cruciform Specimen Geometry to Obtain Transverse Interface-Property Data in a High-FiberVolume-Fraction SiC/Titanium Alloy Composite. 1841-1849A  
3143-3156A
- Decomposition**  
Thermal and carbothermic decomposition of  $\text{Na}_2\text{CO}_3$  and  $\text{Li}_2\text{CO}_3$ . 17-24B
- Decontamination**  
Behavior of ceria as an actinide surrogate in electroslog remelting and refining slags. 1119-1128B
- Deep drawing**  
Optimizing continuous annealing of interstitial-free steels for improving deep drawability. 1989-1995A
- Deformation**  
Transverse behavior and acoustic-emission analysis of titanium metal-matrix composites under tensile loading. In-situ observations of titanium metal-matrix composites under transverse tensile loading. 1841-1849A  
1851-1860A  
Dynamic deformation behavior of an oxide-dispersed tungsten heavy alloy fabricated by mechanical alloying. 2011-2020A
- Deformation mechanisms**  
Creep deformation behavior of three high-temperature near  $\alpha$ -Ti alloys: IMI 834, IMI 829, and IMI 685. 285-293A  
Microstructural evolution in the superplastic-like deformation of Al-Al<sub>3</sub>Ni eutectic alloys with [111] fiber texture. 547-555A  
Physical modeling of the deformation mechanisms of semisolid bodies and a mechanical criterion for hot tearing. 697-705B  
Effects of microstructural evolution on superplastic deformation characteristics of a rapidly solidified Al-Li alloy. 1649-1658A  
Deformation and strength behavior of two nickel-base turbine disk alloys at 650°C. 2021-2032A  
Grain boundary sliding and component shape distortion during liquid-phase sintering. 2087-2095A  
Uniaxial tensile deformation of uranium 6 wt pct niobium: a neutron diffraction study of deformation twinning. 2219-2228A  
Microstructure and texture evolution under strain-path changes in low-carbon interstitial-free steel. 2527-2538A  
An analysis of cavitation occurring in near- $\gamma$  titanium aluminide during superplastic deformation. 2769-2779A  
Microstructural instability and superplasticity in a Zr-2.5 Wt pct Nb pressure-tube alloy. 2827-2840A  
Cyclic deformation behavior and microstructures of hydrided ZIRCALOY-4 under biaxial loading. 2841-2850A
- Deformation mechanisms, Impurity effects**  
Effect of impurity type in boundary sliding behavior in the superplastic Zn-22%Al alloy. 103-113A
- Degradation**  
Strength Degradation of SiC Fiber during Manufacture of Titanium Matrix Composites by Plasma Spraying and Hot Pressing. 3133-3142A
- Dehydrogenation**  
Phase transformations in Ti-6Al-4V-xH alloys. 2453-2463A
- Dendritic structure**  
A unified microscale-parameter approach to solidification-transport phenomena-based macrosegregation modeling for dendritic solidification. I. mixture average-based analysis. Simple model of microsegregation during solidification of steels. 1129-1141B  
Separation of scales for growth of an alloy needle crystal. 1755-1767A  
2669-2670A
- Dendritic structure, Cooling effects**  
Dendrite coherency of Al-Si-Cu alloys. 147-155A
- Densification**  
Role of solid-state skeletal sintering during processing of Mo-Cu composites. 605-613A  
Particle Rearrangement during Powder Compaction. Rearrangement Densification in Liquid-Phase Sintering. 3117-3124A  
3125-3132A
- Densification, Environmental effects**  
Presintering effects on ground-based and microgravity liquid phase sintering. 2097-2107A
- Density**  
Steady-state creep behavior in an isotropic functionally graded material rotating disc of Al-SiC composite. 1679-1685A  
2127-2131A  
Production of bulk cementite and its characterization. Effects of heating rate on densification and grain growth during field-assisted sintering of  $\alpha\text{-Al}_2\text{O}_3$  and  $\text{MoSi}_2$  powders. 2633-2638A  
Densification and structural change of mechanically alloyed W-Cu composites. 2885-2893A
- Density, Composition effects**  
Density and solidification shrinkage of hypoeutectic aluminum-silicon alloys. 2605-2613A
- Dental amalgams, Reactions (chemical)**  
Theoretical models of mercury dissolution from dental amalgams in neutral and acidic flows. 409-416B
- Deoxidizing**  
Study of the deoxidation of steel with aluminum wire injection in a gas-stirred ladle. 319-328B  
Capillary interaction between inclusion particles on the 16Cr stainless steel melt surface. 629-641B  
MnS precipitation in association with manganese silicate inclusions in Si/Mn deoxidized steel. 1519-1525A
- Deoxygenation**  
Cathodic deoxygenation of the alpha case on titanium and alloys in molten calcium chloride. 1041-1052B
- Dephosphorizing**  
Dephosphorization of ferromanganese using  $\text{BaCO}_3$ -based fluxes by submerged injection of powders: a preliminary kinetic study. 558-561B
- Desorption**  
Hydrogen thermal desorption relevant to delayed-fracture susceptibility of high-strength steels. 339-347A
- Dezincification**  
Stress corrosion cracking relation with dezincification layer-induced stress. 1309-1312A
- Diamond films, Crystal growth**  
Characterization of the kinetic and mechanistic differences between free-surface and bulk grain growth in WC-Co materials. 1261-1270A
- Diamond pyramid hardness**  
Martensitic transformations, microstructure, and mechanics workability of TiPt. 1881-1886A  
Microstructural modification and property improvement of boride/Ti-6Al-4V surface-alloyed materials fabricated by high-energy electron-beam irradiation. 2499-2508A  
Improvement of the Hardness and Wear Resistance of (TiC, TiN)/Ti-6Al-4V Surface-Alloyed Materials Fabricated by High-Energy Electron-Beam Irradiation. 2995-3006A
- Diamond pyramid hardness, Processing effects**  
Microstructural size effects in high-strength high-conductivity Cu-Cr-Nb alloys. 1211-1224A
- Diamond pyramid hardness tests**  
Nanoindentation as a strength probe—a study on the hardness dependence of indent size for fine-grained and coarse-grained ferritic steel. 761-768A
- Die casting**  
The sensitivity of the interface heat-transfer coefficient to pressure and fluid flow. 1213-1215B
- Die casting, Composition effects**  
Correlation of abrasive wear with microstructure and mechanical properties of pressure die-cast aluminum hard-particle composite. 633-642A
- Die castings, Mechanical properties**  
Correlation of abrasive wear with microstructure and mechanical properties of pressure die-cast aluminum hard-particle composite. 633-642A
- Die forging**  
A prediction of the friction factor for the forging process. 137-143B
- Dies, Mechanical properties**  
Effect of Die Shape on the Deformation Behavior in Equal-Channel Angular Pressing. 3007-3014A
- Diffraction**  
In-situ characterization of  $\gamma/\gamma'$  lattice stability in a nickel-base superalloy by neutron diffraction. 1551-1552A
- Diffusion**  
A new approach to the analysis of vessel residence time distribution curves. 1185-1193B
- Diffusion coatings**  
Microstructural investigation on the precipitation of  $\alpha'$  nitrides and  $\alpha \rightarrow \gamma'$  nitride transformation in ion-nitrided pure iron. 2681-2688A
- Diffusion welding**  
Role of large-scale slip in mode II fracture of bimaterial interface produced by diffusion bonding. 2109-2114A
- Diffusivity**  
Kinetic analysis of NaF vaporization in  $\text{SiF}_4$ -Ar mixture. Numerical modeling of multiphase diffusion in the process of homogenizing in binary alloys. 401-407B  
Effect of constitutional supercooling on the numerical solution of species concentration distribution in laser surface alloying. 681-690A  
Capture of positron by dislocations in metals: diffusion model. Effective approach to describe growth of binary intermediate phases with narrow ranges of homogeneity. 969-972B  
1157-1160A  
Liquid Titanium Solute Diffusion Measured by Pulsed Ion-Beam Melting. 2396-2400A  
2969-2974A
- Direct chill casting**  
Physical modeling of the deformation mechanisms of semisolid bodies and a mechanical criterion for hot tearing. 697-705B
- Directional solidification**  
Discussion of thermal and grain-structure simulation in a land-based turbine blade directionally solidified with the liquid metal cooling process. 1212-1213B  
Authors' reply [to preceding article "Discussion of Thermal and grain-structure simulation in a land-based turbine blade directionally solidified with the liquid metal cooling process"]. The formation of lamellar-eutectic grains in thin samples. 1213B  
2039-2048A
- Directionally solidified eutectics, Mechanical properties**  
Creep-rupture behavior of a directionally solidified nickel-base superalloy. 1103-1110A
- Dislocation density**  
Formation of nanosized martensite particles in stainless steels. Microstructural stability of ultrafine grained low-carbon steel containing vanadium fabricated by intense plastic straining. 261-265A  
2373-2381A
- Dislocation density, Heating effects**  
Snoek relaxation and dislocation damping in aged Fe-Cu-Ni steel. 1671-1677A
- Dislocation mobility**



- Microstructural evolution in the superplastic-like deformation of Al-Al<sub>3</sub>Ni eutectic alloys with [111] fiber texture. 547-555A
- Dislocations**  
Microstructural investigation on the precipitation of  $\alpha''$  nitrides and  $\alpha \rightarrow \gamma'$  nitride transformation in ion-nitrided pure iron. 2681-2688A  
New Discoveries in Deformed Metals. 2917-2936A  
Features and Effect Factors of Creep of Single-Crystal Nickel-Base Superalloys. 2947-2958A  
The Effects of Deformation and Pre-Heat-Treatment on Abnormal Grain Growth in RENE 88 Superalloy. 3077-3090A
- Dislocations, Deformation effects**  
Dislocation structures in a deformed Nb-Cr-Ti solid solution alloy. 1023-1027A
- Dislocations, Processing effects**  
Formation of the Cottrell atmosphere during strain aging of bake-hardenable steels. 417-423A
- Dispersion hardening**  
Secondary hardening and impact fracture behavior in isothermally aged Mo, W, and Mo-W steels. 1862-1866A
- Dispersion hardening alloys, Mechanical properties**  
Dynamic deformation behavior of an oxide-dispersed tungsten heavy alloy fabricated by mechanical alloying. 2011-2020A
- Dispersions**  
Evolution and Coarsening of Al<sub>2</sub>O<sub>3</sub> Dispersoids at 500°C to 600°C in a Mechanically Alloyed Al-Ti-O Based Material. 2937-2946A
- Dissimilar materials, Joining**  
A model of work of adhesion for reactive metal/ceramic systems. 2033-2038A
- Dissimilar metals, Brazing**  
Residual stresses and interface strengths in MoSi<sub>2</sub>/stainless steel 316L joints produced by metallic-glass brazing. 1459-1465A
- Dissimilar metals, Welding**  
An assessment of creep deformation and fracture behavior of 2.25Cr-1Mo similar and dissimilar weld joints. 115-124A
- Dissolution**  
Theoretical models of mercury dissolution from dental amalgams in neutral and acidic flows. 409-416B  
Simultaneous leaching of a deep-sea manganese nodule and chalcopryite in hydrochloric acid. 777-784B  
Phase equilibria in the CaF<sub>2</sub>-CaO-P<sub>2</sub>O<sub>5</sub> system at 1623 K. 967-969B  
Formation of intermetallic compounds in SnPbAg, SnAg, and SnAgCu solders on Ni/Au metallization. 2666-2668A
- Dissolution, High temperature effects**  
Nitrogen solubility in liquid manganese and ferromanganese alloys. 659-668B
- Dissolution, Temperature effects**  
The solubility of nitrogen in liquid pure nickel. 1095-1101B  
Solubility of nitrogen in liquid nickel-based alloys. 1103-1112B
- Distortion**  
Grain boundary sliding and component shape distortion during liquid-phase sintering. 2087-2095A  
Presintering effects on ground-based and microgravity liquid phase sintering. 2097-2107A
- Distortion, Welding effects**  
Modeling of the mechanical effects induced by the tungsten inert-gas welding of the IN718 superalloy. 1713-1725A
- Drawing**  
Modeling of recrystallization after inhomogeneous deformation. 2199-2206A
- Drilling**  
Absorption in a paraboloid of revolution-shaped welding or drilling cavity irradiated by a polarized laser beam. 603-614B
- Dual phase steels, Mechanical properties**  
Dry sliding friction and wear in plain carbon dual phase steel. 359-367A
- Ductile brittle transition, Welding effects**  
An investigation of the fracture behavior of coarse-grained heat-affected zones in A707 steel welds. 533-545A
- Ductile fracture**  
Deformation and fracture in martensitic carbon steels tempered at low temperatures. 861-877A  
Failure behavior of heat-affected zones within HSLA-100 and HY-100 steel weldments. 2229-2237A
- Ductile fracture, Heating effects**  
Deformation and fracture in martensitic carbon steels tempered at low temperatures. 205-221B
- Ductility**  
Hot ductility and fracture mechanisms of a C-Mn-Nb-Al steel. 919-927B  
Creep-rupture behavior of a directionally solidified nickel-base superalloy. 1103-1110A  
Alloying mechanism of beta stabilizers in a TiAl alloy. 1573-1589A  
Mechanical behavior and microstructure of a thermally stable bulk nanostructured Al alloy. 2335-2343A
- Ductility, Alloying effects**  
Optimization of mechanical properties of high-carbon pearlitic steels with Si and V additions. 1313-1324A  
Mechanical properties of Ir-Nb alloys containing Ni and Al. 1347-1353A
- Ductility, Composition effects**  
Microstructural factors affecting superplastic properties in magnesium-based composites. 923-929A  
Computational approach to designing ductile Nb-Ti-Cr-Al solid-solution alloys. 2475-2487A
- Ductility, Diffusion effects**  
Hydride formation and its effects on mechanical properties of Ti-5111. 1552-1556A
- Ductility, Environmental effects**  
Environment-sensitive fracture of iron aluminides under monotonic tensile loading. 557-567A
- Ductility, High temperature effects**  
Tensile ductility of several commercial aluminum alloys at elevated temperatures. 1119-1130A
- Ductility, Microstructural effects**  
Microstructural evolution in the superplastic-like deformation of Al-Al<sub>3</sub>Ni eutectic alloys with [111] fiber texture. 547-555A
- Dust, Recycling**  
Carbothermal reduction of zinc ferrite. 1033-1040B
- Dynamic mechanical properties, Microstructural effects**  
Effects of microstructural morphology on quasi-static and dynamic deformation behavior of Ti-6Al-4V alloy. 315-324A  
Effects of macroscopic defects on the damping behavior of aluminum and Zn-27 Pct Al alloy. 2657-2661A
- Efficiency**  
Carbon consumption and current efficiency in hall-heroult cell. 743-744B
- Elastic constants**  
Fracture toughness, fracture morphology, and crack-tip plastic zone of a Zr-based bulk amorphous alloy. 2819-2825A  
Nitrogen Redistribution, Microstructure, and Elastic Constant Evaluation Using Ultrasonics in Aged 316LN Stainless Steels. 2959-2968A
- Elastic constants, Composition effects**  
Elastic properties of a crossply SiC/Ti composite at elevated temperatures. 425-429A  
Computational approach to designing ductile Nb-Ti-Cr-Al solid-solution alloys. 2475-2487A
- Elastic deformation**  
Lattice plane response during tensile loading of an aluminum 2 percent magnesium alloy. 691-694A
- Electric arc furnaces**  
Carbothermal reduction of zinc ferrite. 1033-1040B
- Electric fields**  
Solidification of aluminum in electric field. 372-378B  
Effects of heating rate on densification and grain growth during field-assisted sintering of  $\alpha$ -Al<sub>2</sub>O<sub>3</sub> and MoSi<sub>2</sub> powders. 2633-2638A
- Electrical steels, Magnetic properties**  
Approach to saturation in textured soft magnetic materials. 2595-2603A
- Electrochemistry**  
Electrochemical interaction between silver and sulfur in sodium sulfide solutions. 895-901B
- Electrolysis**  
Cathodic deoxygenation of the alpha case on titanium and alloys in molten calcium chloride. 1041-1052B
- Electrolytes**  
An electrochemical investigation of the thermodynamic properties of the NaCl-AlCl<sub>3</sub> system at subliquidus temperatures. 669-677B  
Effect of thiourea on the copper cathode polarization behavior in acidic copper sulfate at 65°C. 887-893B
- Electrolytic cells**  
Carbon consumption and current efficiency in hall-heroult cell. 743-744B
- Electrolytic cells, Electrochemistry**  
Contribution to the understanding of cathodic carbon swelling under pressure. 233-238B
- Electromagnetic absorption**  
Absorption in a paraboloid of revolution-shaped welding or drilling cavity irradiated by a polarized laser beam. 603-614B
- Electromagnetic stirring**  
Modeling of temperature field for the induction skull melting process of Ti-47Ni-9Nb. 2895-2902A
- Electromagnetic testing**  
In situ detection of inclusions in liquid metals. I. Mathematical modeling of the behavior of particles traversing the electric sensing zone. 1067-1079B  
In situ detection of inclusions in liquid metals. II. Metallurgical applications of LIMCA systems. 1081-1093B
- Electrometallurgy**  
Effect of manganese(II) and boric acid on the electrowinning of cobalt from acidic sulfate solutions. 395-399B
- Electron beam heating**  
Microstructural modification and property improvement of boride/Ti-6Al-4V surface-alloyed materials fabricated by high-energy electron-beam irradiation. 2499-2508A
- Electron beam processing**  
Mathematical modeling of vapor-plume focusing in electron-beam evaporation. 1959-1966A
- Electron beam welding**  
Effect of boron segregation at grain boundaries on heat-affected zone cracking in wrought INCONEL 718. 931-939A  
Electron and laser beam welding of high strain rate superplastic Al-6061/SiC composites. 2575-2584A
- Electron beams**  
Improvement of the Hardness and Wear Resistance of (TiC, TiN)/Ti-6Al-4V Surface-Alloyed Materials Fabricated by High-Energy Electron-Beam Irradiation. 2995-3006A
- Electronic devices, Fabrication**  
Formation of intermetallic compounds in SnPbAg, SnAg, and SnAgCu solders on Ni/Au metallization. 2666-2668A
- Electronic structure**  
Computational approach to designing ductile Nb-Ti-Cr-Al solid-solution alloys. 2475-2487A
- Electroplating**  
Reaction synthesis of Ni-Al-based particle composite coatings. 379-390A

- Electrorefining**  
Effect of thiourea on the copper cathode polarization behavior in acidic copper sulfate at 65°C. 887-893B  
Microscopic characterization of a TiB<sub>2</sub>-carbon material composite raw materials, and composite characterization. 2649-2656A
- Electroslag refining**  
Behavior of ceria as an actinide surrogate in electroslag remelting and refining slags. 1119-1128B
- Electrowinning**  
Effect of manganese(II) and boric acid on the electrowinning of cobalt from acidic sulfate solutions. 395-399B
- Elongation, Alloying effects**  
Effects of heat treatment and alloying elements on the microstructures and mechanical properties of 0.15 wt.% C transformation-induced plasticity-aided cold-rolled steel sheets. 505-514A  
Effect of Sb on the microstructure and mechanical properties of AZ91 magnesium alloy. 787-794A
- Elongation, Composition effects**  
Correlation of abrasive wear with microstructure and mechanical properties of pressure die-cast aluminum hard-particle composite. 633-642A
- Elongation, Environmental effects**  
Environment-sensitive fracture of iron aluminides under monotonic tensile loading. 557-567A
- Elongation, Processing effects**  
Multistage sintering approach to prepare Ni<sub>3</sub>Al/α-Al<sub>2</sub>O<sub>3</sub> composites. 407-415A
- Elongation, Welding effects**  
Local properties of undermatched steel weld metal. 913-922A
- Emulsions, Physical properties**  
Effect of interfacial energy on the viscosities of two-phase mixtures—a physical modeling approach. 105-110B
- Energy consumption**  
Search for an economical and environmentally friendly iron-making process. 757-762B
- Engine components, Materials selection**  
Stability of Nb/Nb<sub>5</sub>Si<sub>3</sub> microlaminates at high temperatures. 2363-2371A
- Engineering**  
Why materials science and engineering is good for metallurgy. 197-204B  
Why materials science and engineering is good for metallurgy. 853-860A
- Entropy**  
Thermodynamics of B2 intermetallic compounds with triple defects: a Bragg-Williams model for (Ni,Co)Al. 2157-2166A
- Equal channel angular extrusion**  
Strain-path effects during hot working of Ti-6Al-4V with a colony-alpha microstructure. 1556-1559A  
Failure modes during equal channel angular extrusion of aluminum alloy 2024. 1869-1871A
- Equal channel angular pressing**  
An evaluation of the flow behavior during high strain rate superplasticity in an Al-Mg-Sc alloy. 707-716A  
Microstructural stability of ultrafine grained low-carbon steel containing vanadium fabricated by intense plastic straining. Shear, principal, and equivalent strains in equal-channel angular deformation. 2373-2381A  
Apparent grain growth behavior of submicrometer grained Al-3 Pct Mg during static annealing after fabrication by severe plastic straining. 2639-2647A  
2670-2672A
- Equiaxed structure**  
Effects of microstructural morphology on quasi-static and dynamic deformation behavior of Ti-6Al-4V alloy. 315-324A  
Measurements and modeling of the microstructural morphology during equiaxed solidification of Al-Cu alloys. 2049-2060A  
Modeling of Microstructural Evolution with Tracking of Equiaxed Grain Movement for Multicomponent Al-Si Alloy. 3065-3076A
- Equilibrium**  
Experimental study of phase equilibria and thermodynamic optimization of the Fe-Zn-O system. 643-657B  
Discussion of 'The role of manganese and copper in the eutectoid transformation of spheroidal graphite cast iron'. 2131-2135A  
Thermodynamic assessment of the Fe-Nb-Ti-C-N system. 2423-2439A
- Erosion**  
Cavitation erosion of copper and copper-based alloys. 1325-1333A  
Erosion-oxidation interaction in Ni and Ni-20Cr alloy. 1431-1451A
- Eutectics**  
The formation of lamellar-eutectic grains in thin samples. 2039-2048A  
Thermodynamic assessment of the Me-Co-C systems (Me = Ti, Ta, or Nb). 2167-2174A
- Eutectoids**  
Discussion of 'The role of manganese and copper in the eutectoid transformation of spheroidal graphite cast iron'. 2131-2135A  
Author's reply. 2133-2134A
- Evaluation**  
Carbon consumption and current efficiency in hall-heroult cell. 743-744B
- Evaporation**  
Mathematical modeling of vapor-plume focusing in electron-beam evaporation. 1959-1966A
- Exothermic reactions**  
Thermodynamics of extraction of ReO<sub>3</sub> from aqueous sulfuric acid media with tri-n-butyl phosphate dissolved in kerosene. 5-10B
- Expansion, Heating effects**  
Dimensional anisotropy in 18 pct Ni maraging steel. 1057-1061A
- Face centered cubic lattice**  
Determination of the crystallographic parameters of cubic-to-tetragonal martensitic transformation using the infinitesimal deformation approach and Wechsler, Lieberman, and Read theory. 247-250A
- Failure analysis**  
Failure behavior of heat-affected zones within HSLA-100 and HY-100 steel weldments. 2229-2237A
- Fatigue (materials)**  
Fatigue crack growth behavior of 2124/SiC/10p functionally graded materials. 1831-1839A  
Mean strain effects on the fatigue properties of superelastic NiTi. 1866-1869A  
An investigation of fracture and fatigue in a metal/polymer composite. 1997-2010A  
Fatigue-crack growth in Ti-6Al-4V-0.1Ru in air and seawater: Part I. Design of experiments, assessment, and crack-growth-rate curves. 2297-2314A  
Environment-sensitive fracture of iron aluminides during cyclic crack growth. 2345-2356A  
Effects of temperature on the fatigue crack growth behavior of cast gamma-based titanium aluminides. 2781-2794A  
Cyclic deformation behavior and microstructures of hydrided ZIRCALOY-4 under biaxial loading. 2841-2850A
- Fatigue (materials), Environmental effects**  
Fatigue-crack growth in Ti-6Al-4V-0.1Ru in air and seawater: Part II. Crack path and microstructure. 2315-2324A
- Fatigue (materials), Microstructural effects**  
Influence of martensite content and morphology on the toughness and fatigue behavior of high-martensite dual-phase steels. 2207-2217A
- Fatigue failure**  
Fatigue-crack growth behavior in the superelastic and shape-memory alloy Nitinol. 731-743A
- Fatigue failure, Microstructural effects**  
Mixed-mode, high-cycle fatigue-crack-growth thresholds in Ti-6Al-4V: role of bimodal and lamellar microstructures. 497-503A
- Fatigue failure, Processing effects**  
Continuously cast Cu-Al-Ni shape memory wires with a unidirectional morphology. 585-593A
- Fatigue life**  
An experimental investigation of fretting fatigue in Ti-6Al-4V: the role of contact conditions and microstructure. 1131-1146A  
Characterization of the temperature evolution during high-cycle fatigue of the ULTIMET superalloy: experiment and theoretical modeling. 2279-2296A  
Effect of hold time and waveform on the high-temperature, low-cycle fatigue properties of a Nb-A286 alloy. 2539-2546A  
Effect of fatigue damage on the dynamic fracture toughness of En-8-grade steel. 2547-2552A
- Fatigue life, Processing effects**  
Influence of casting technique and hot isostatic pressing on the fatigue of an Al-7Si-Mg alloy. 349-358A
- Fatigue limit**  
Effect of fatigue damage on the dynamic fracture toughness of En-8-grade steel. 2547-2552A
- Fatigue strength**  
An experimental investigation of fretting fatigue in Ti-6Al-4V: the role of contact conditions and microstructure. 1131-1146A  
Effects of welding and weld heat-affected zone simulation on the microstructure and mechanical behavior of a 2195 aluminum-lithium alloy. 2729-2741A  
The effect of ballistic impacts on the high-cycle fatigue properties of Ti-48Al-2Nb-2Cr (atomic percent). 2743-2758A  
Comparison of the fatigue and fracture of α + β and β titanium alloys. 2805-2818A  
Evaluation of a Threshold-based Model of the Elevated-Temperature Fatigue of Impact-Damaged γ-TiAl. 2975-2984A
- Fatigue tests**  
Evaluation of a Threshold-based Model of the Elevated-Temperature Fatigue of Impact-Damaged γ-TiAl. 2975-2984A
- FCC metals, Microstructure**  
Deformation banding and ferrite-type rolling textures. 125-134A
- Ferrite**  
Acicular ferrite morphologies in a medium-carbon microalloyed steel. 2187-2197A
- Ferrite, Crystal growth**  
Influence of magnetic field on the kinetics of proeutectoid ferrite transformation in iron alloys. 445-453A  
Simulation of paraequilibrium growth in multicomponent systems. 455-467A  
Nucleation sites for ultrafine ferrite produced by deformation of austenite during single-pass strip rolling. 1507-1517A
- Ferritic stainless steels, Forging**  
Correlation of microstructure and surface roughness of disc drums fabricated by hot forging of an AISI 430F stainless steel. 1111-1118A
- Ferritic stainless steels, Mechanical properties**  
Nanoindentation as a strength probe—a study on the hardness dependence of indent size for fine-grained and coarse-grained ferritic steel. 761-768A
- Ferritic transformations**  
Modeling of kinetics of austenite-to-allotriomorphic ferrite transformation in 0.37C-1.45Mn-0.11V microalloyed steel. 661-669A  
Modeling of kinetics of isothermal idiomorphic ferrite formation in a medium-carbon vanadium-titanium microalloyed steel. 1591-1597A
- Ferritic transformations, Alloying effects**  
Effects of Si and Al on acicular ferrite formation in C-Mn steel. 75-83A

- Ferritic transformations, Deformation effects**  
Nucleation sites for ultrafine ferrite produced by deformation of austenite during single-pass strip rolling. 1507-1517A
- Ferritic transformations, Diffusion effects**  
Simulation of paraequilibrium growth in multicomponent systems. 455-467A
- Ferritic transformations, Field effects**  
Influence of magnetic field on the kinetics of proeutectoid ferrite transformation in iron alloys. 445-453A
- Ferritic transformations, Welding effects**  
Spatially resolved X-ray diffraction mapping of phase transformations in the heat-affected zone of carbon-manganese steel arc welds. 1175-1187A
- Ferromanganese, Quality control**  
Inclusions in commercial low and medium carbon ferromanganese. 1049-1056A
- Ferromanganese, Reactions (chemical)**  
Dephosphorization of ferromanganese using BaCO<sub>3</sub>-based fluxes by submerged injection of powders: a preliminary kinetic study. 558-561B
- Ferrous alloys, Heat treatment**  
Reduction of porosity in oxide dispersion-strengthened alloys produced by powder metallurgy. 2077-2085A
- Ferrous alloys, Mechanical properties**  
Environment-sensitive fracture of iron aluminides under monotonic tensile loading. 557-567A  
Shape-memory effect and strengthening mechanism in a Nb and N-doped Fe-Mn-Si-based alloy. 1621-1628A  
Environment-sensitive fracture of iron aluminides during cyclic crack growth. 2345-2356A
- Ferrous alloys, Phase transformations**  
Phase transformations and phase equilibria in the Fe-N system at temperatures below 573K. 59-73A  
Movement of the  $\gamma/\epsilon$  interfaces and coalescence of  $\epsilon$  martensite variants under the tensile stress in an Fe-24 wt.% Mn alloy. 229-237A  
Determination of the crystallographic parameters of cubic-to-tetragonal martensitic transformation using the infinitesimal deformation approach and Wechsler, Lieberman, and Read theory. 247-250A  
Influence of magnetic field on the kinetics of proeutectoid ferrite transformation in iron alloys. 445-453A  
A dislocation-based model for variant selection during the  $\gamma$ -to- $\alpha'$  transformation. 889-901A
- Ferrous alloys, Recovering**  
Behavior of ceria as an actinide surrogate in electroslag remelting and refining slags. 1119-1128B
- Ferrous alloys, Structural hardening**  
Strain aging: Cribb/Reed-Hill's model applied to the FeMnAl-SiC austenitic system. 2271-2277A
- Ferrous alloys, Welding**  
An assessment of creep deformation and fracture behavior of 2.25Cr-1Mo similar and dissimilar weld joints. 115-124A
- Fiber composites, Casting**  
Numerical and experimental study of internal flow field for a carbon fiber tow pneumatic spreader. 329-339B
- Fiber composites, Mechanical properties**  
Tertiary compression creep of long-fiber composites: a model for fiber kinking and buckling. 183-196A  
Elastic properties of a crossply SiC/Ti composite at elevated temperatures. 425-429A  
Transverse behavior and acoustic-emission analysis of titanium metal-matrix composites under tensile loading. 1841-1849A  
In-situ observations of titanium metal-matrix composites under transverse tensile loading. 1851-1860A  
Strength Degradation of SiC Fiber during Manufacture of Titanium Matrix Composites by Plasma Spraying and Hot Pressing. 3133-3142A  
Application of the Cruciform Specimen Geometry to Obtain Transverse Interface-Property Data in a High-Fiber-Volume-Fraction SiC/Titanium Alloy Composite. 3143-3156A
- Fibrous structure**  
Microstructural evolution in the superplastic-like deformation of Al-Al<sub>3</sub>Ni eutectic alloys with [111] fiber texture. 547-555A  
Development of [111] transformation texture in interstitial-free steels. 2325-2334A
- Fibrous structure, Deformation effects**  
Structures and residual stresses of Cr fibers in Cu-15Cr in-situ composites. 1225-1232A
- Filler metal**  
Joint zone evolution in infrared bonded steels with copper filler. 1177-1183B
- Filler metal, Materials selection**  
Dilution control in gas-tungsten-arc welds involving super austenitic stainless steels and nickel-based alloys. 1171-1176B
- Filling**  
A computational and experimental study on mold filling. 69-78B
- Filtration**  
Influence of casting technique and hot isostatic pressing on the fatigue of an Al-7Si-Mg alloy. 349-358A
- Finite difference theory**  
A process model for friction stir welding of age hardening aluminum alloys. 1189-1200A
- Finite element method**  
Principles in cast rolling with liquid core of thin slab continuous casting. 459-464B
- Thermal analysis of the arc welding process: II. Effect of variation of thermophysical properties with temperature. 483-499B
- Flame spraying**  
Wear-resistant amorphous and nanocomposite steel coatings. 2615-2621A
- Flash smelting**  
A thermodynamic model of nickel smelting and direct high-grade nickel matte smelting processes. I. Model development and validation. 341-351B  
A thermodynamic model of nickel smelting and direct high-grade nickel matte smelting processes. II. Distribution behaviors of Ni, Cu, Co, Fe, As, Sb, and Bi. 353-361B  
Hennian activity coefficient of As in Cu-Fe mattes and white metal. 437-447B  
Experimental investigation and three-dimensional computational fluid-dynamics modeling of the flash-converting furnace shaft: Part II. Formulation of three-dimensional computational fluid-dynamics model incorporating the particle-cloud description. 869-886B
- Flaw detection**  
Transverse behavior and acoustic-emission analysis of titanium metal-matrix composites under tensile loading. 1841-1849A
- Fluid dynamics**  
Modeling study of the influence of turbulence inhibitors on the molten steel flow, tracer dispersion, and inclusion trajectories in tundishes. 615-627B  
Numerical study of high-velocity oxygen fuel thermal spraying process. Part I: Gas phase dynamics. 1609-1620A
- Fluid flow**  
Transient flow and heat transfer in a steelmaking ladle during the holding period. 733-741B  
Geometry of laser spot welds from dimensionless numbers. 941-947B  
In situ detection of inclusions in liquid metals. I. Mathematical modeling of the behavior of particles traversing the electric sensing zone. 1067-1079B  
Bubble formation during horizontal gas injection into downward-flowing liquid. 1143-1159B  
A new approach to the analysis of vessel residence time distribution curves. 1185-1193B  
The sensitivity of the interface heat-transfer coefficient to pressure and fluid flow. 1213-1215B  
Visualization of the material flow in AA2195 friction-stir welds using a marker insert technique. 2879-2884A
- Fluid flow, Field effects**  
Modeling of biased flow phenomena associated with the effects of static magnetic-field application and argon gas injection in slab continuous casting of steel. 1053-1066B
- Fluid mechanics**  
Experimental investigation and three-dimensional computational fluid-dynamics modeling of the flash-converting furnace shaft: Part II. Formulation of three-dimensional computational fluid-dynamics model incorporating the particle-cloud description. 869-886B  
Mathematical modeling of vapor-plume focusing in electron-beam evaporation. 1959-1966A
- Fluxes**  
Phase equilibria in the CaF<sub>2</sub>-CaO-P<sub>2</sub>O<sub>5</sub> system at 1623 K. 967-969B
- Fluxes, End uses**  
Dephosphorization of ferromanganese using BaCO<sub>3</sub>-based fluxes by submerged injection of powders: a preliminary kinetic study. 558-561B
- Foil, Composite materials**  
Microstructure evolution in metal-intermetallic laminate (MIL) composites synthesized by reactive foil sintering in air. 1493-1505A
- Formability**  
Forming-limit diagrams of aluminum tailor-welded blank weld material. 275-283A
- Formability, Heating effects**  
Optimizing continuous annealing of interstitial-free steels for improving deep drawability. 1989-1995A
- Forming**  
Forming-limit diagrams of aluminum tailor-welded blank weld material. 275-283A
- Forming dies, Design**  
Semisolid forming process—numerical simulation and experimental study. 363-371B
- Foundry practice**  
A computational and experimental study on mold filling. 69-78B  
Solidification of aluminum in electric field. 372-378B
- Fractography**  
Hot ductility and fracture mechanisms of a C-Mn-Nb-Al steel. 919-927B  
Fatigue-crack growth in Ti-6Al-4V-0.1Ru in air and seawater: Part II. Crack path and microstructure. 2315-2324A
- Fracture strength**  
In-situ observations of titanium metal-matrix composites under transverse tensile loading. 1851-1860A  
III. The tensile behavior of Ti-Al-Nb O + bcc orthorhombic alloys. 1977-1988A
- Fracture testing, Temperature effects**  
The effect of testing temperature on fracture toughness of austempered ductile iron. 295-303A
- Fracture toughness**  
An investigation of the effects of loading rate on resistance-curve behavior and toughening in cast lamellar gamma-based titanium aluminides. 325-337A  
Hydrogen thermal desorption relevant to delayed-fracture susceptibility of high-strength steels. 339-347A



- Discussion of 'An investigation of the effects of loading rate on resistance-curve behavior and toughening in cast lamellar gamma-based titanium aluminides'. 2136-2139A  
 Authors' reply. 2138-2139A  
 Influence of martensite content and morphology on the toughness and fatigue behavior of high-martensite dual-phase steels. 2207-2217A  
 Effect of fatigue damage on the dynamic fracture toughness of En-8-grade steel. 2547-2552A  
 Fracture toughness, fracture morphology, and crack-tip plastic zone of a Zr-based bulk amorphous alloy. 2819-2825A
- Fracture toughness, Alloying effects**  
 Effect of Sb on the microstructure and mechanical properties of AZ91 magnesium alloy. 787-794A  
 Ti<sub>3</sub>Si<sub>3</sub> whisker in-situ reinforced TiAl alloys. 1233-1244A  
 Effects of alloying additions and austenitizing treatments on secondary hardening and fracture behavior for martensitic steels containing both Mo and W. 1659-1670A
- Fracture toughness, Composition effects**  
 Mechanism of detrimental effects of carbon content on cleavage fracture toughness of low-alloy steel. 1081-1091A
- Fracture toughness, Environmental effects**  
 Environment-sensitive fracture of iron aluminides under monotonic tensile loading. 557-567A
- Fracture toughness, Heating effects**  
 A novel approach for optimizing the fracture toughness of precipitation-hardenable Al-SiCp composites. 433-436A  
 Influence of stepped austempering process on the fracture toughness of austempered ductile iron. 2509-2514A
- Fracture toughness, Microstructural effects**  
 Correlation of microstructure with the wear resistance and fracture toughness of duocast materials composed of high-chromium white cast iron and low-chromium steel. 515-524A  
 Dependency of fracture toughness on the inhomogeneity of coarse TiN particle distribution in a low alloy steel. 1147-1155A  
 Delineating brittle-phase embrittlement and ductile-phase toughening in Nb-based in-situ composites. 2717-2727A  
 Effect of microstructure on fracture characteristics of Ti-6Al-2Sn-2Zr-2Mo-2Cr-Si. 2795-2804A  
 Comparison of the fatigue and fracture of  $\alpha + \beta$  and  $\beta$  titanium alloys. 2805-2818A
- Fracture toughness, Temperature effects**  
 The effect of testing temperature on fracture toughness of austempered ductile iron. 295-303A
- Fracture toughness, Welding effects**  
 An investigation of the fracture behavior of coarse-grained heat-affected zones in A707 steel welds. 533-545A  
 Fracture toughness of alloy 600 and an EN82H weld in air and water. 1161-1174A
- Frames, Metal working**  
 Semisolid forming process—numerical simulation and experimental study. 363-371B
- Fretting**  
 An experimental investigation of fretting fatigue in Ti-6Al-4V: the role of contact conditions and microstructure. 1131-1146A
- Friction, Deformation effects**  
 A prediction of the friction factor for the forging process. 137-143B
- Friction stir welding**  
 Microtexture in the friction-stir weld of an aluminum alloy. 941-948A  
 A process model for friction stir welding of age hardening aluminum alloys. 1189-1200A  
 Heterogeneity of crystallographic texture in friction stir welds of aluminum. 2869-2877A  
 Visualization of the material flow in AA2195 friction-stir welds using a marker insert technique. 2879-2884A  
 Distribution of Tensile Property and Microstructure in Friction Stir Weld of 6063 Aluminum. 3023-3032A  
 Microstructural Factors Governing Hardness in Friction-Stir Welds of Solid-Solution-Hardened Al Alloys. 3033-3042A
- Frictional wear**  
 Dry sliding friction and wear in plain carbon dual phase steel. 359-367A
- Functionally gradient materials, Mechanical properties**  
 Steady-state creep behavior in an isotropic functionally graded material rotating disc of Al-SiC composite. 1679-1685A  
 Fatigue crack growth behavior of 2124/SiC/10p functionally graded materials. 1831-1839A
- Furnace brazing**  
 Joint zone evolution in infrared bonded steels with copper filler. 1177-1183B
- Fused salts**  
 An electrochemical investigation of the thermodynamic properties of the NaCl-AlCl<sub>3</sub> system at subliquidus temperatures. 669-677B  
 Cathodic deoxygenation of the alpha phase on titanium and alloys in molten calcium chloride. 1041-1052B
- Fused salts, Electrochemistry**  
 Thermodynamic evaluation and optimization of the LiCl-NaCl-KCl-RbCl-CsCl-MgCl<sub>2</sub>-CaCl<sub>2</sub> system using the modified quasi-chemical model. 1381-1403A  
 Thermodynamic evaluation and optimization of the LiF-NaF-KF-MgF<sub>2</sub>-CaF<sub>2</sub> system using the modified quasi-chemical model. 1405-1416A  
 Thermodynamic evaluation and optimization of the Li, Na, K, Mg, Ca/F, Cl reciprocal system using the modified quasi-chemical model. 1417-1430A
- Fused salts, Reactions (chemical)**  
 Occlusion and ion exchange in the molten (lithium chloride-potassium chloride-alkali metal chloride) salt-zeolite 4A system with alkali metal chlorides of sodium, rubidium, and cesium. 429-435B
- Gallium, Welding**  
 Geometry of laser spot welds from dimensionless numbers. 941-947B
- Gallium base alloys, Physical properties**  
 Surface energy, adsorption, and wetting transitions in ternary liquid alloys. 2851-2858A
- Galvanizing**  
 Galvanizability of high-strength steels for automotive applications. 2905-2906A
- Gas metal arc welding**  
 Effect of shield gas composition on surface tension of steel droplets in a gas-metal-arc welding arc. 313-318B  
 Effects of surface active elements on weld pool fluid flow and weld penetration in gas metal arc welding. 501-515B  
 Microstructural, Compositional, and Microhardness Variations across a Gas-Metal Arc Weldment Made with an Ultralow-Carbon Consumable. 3043-3054A
- Gas tungsten arc welding**  
 Modeling of the effects of surface-active elements on flow patterns and weld penetration. 145-161B  
 Order-of-magnitude scaling of the cathode region in an axisymmetric transferred electric arc. 547-554B  
 Dilution control in gas-tungsten-arc welds involving super austenitic stainless steels and nickel-based alloys. 1171-1176B  
 Spatially resolved X-ray diffraction mapping of phase transformations in the heat-affected zone of carbon-manganese steel arc welds. 1175-1187A  
 Modeling of the mechanical effects induced by the tungsten inert-gas welding of the IN718 superalloy. 1713-1725A  
 Effects of welding and weld heat-affected zone simulation on the microstructure and mechanical behavior of a 2195 aluminum-lithium alloy. 2729-2741A
- Gating and risering**  
 A computational and experimental study on mold filling. 69-78B  
 Influence of casting technique and hot isostatic pressing on the fatigue of an Al-7Si-Mg alloy. 349-358A
- Geometry**  
 Absorption in a paraboloid of revolution-shaped welding or drilling cavity irradiated by a polarized laser beam. 603-614B  
 Determination of interface heat-transfer coefficients for permanent-mold casting of Ti-6Al-4V. 685-695B  
 Prediction of laser-spot-weld shape by numerical analysis and neural network. 723-732B
- Glass transition temperature**  
 Preparation and thermal stability of Zr-Ti-Al-Ni-Cu amorphous powders by mechanical alloying technique. 1777-1786A
- Glissile dislocations**  
 A dislocation-based model for variant selection during the  $\gamma$ -to- $\alpha'$  transformation. 889-901A
- Gold, Extraction**  
 Investigative study into the hydrodynamics of heap leaching processes. 763-776B  
 A kinetic study that compares the leaching of gold in the cyanide, thiosulfate, and chloride systems. 979-986B
- Gold, Reactions (chemical)**  
 Formation of intermetallic compounds in SnPbAg, SnAg, and SnAgCu solders on Ni/Au metallization. 2666-2668A
- Grain boundaries**  
 Precipitation behavior and its effect on strengthening of an HSLA-Nb/Ti steel. 1635-1647A  
 Relationship between crystallographic orientation at the boundaries and brittle crack propagation in Mn-Mo-Ni low alloy steel. 2139-2142A  
 Microstructural investigation on the precipitation of  $\alpha'$  nitrides and  $\alpha \rightarrow \gamma'$  nitride transformation in ion-nitrided pure iron. 2681-2688A  
 The Effects of Deformation and Pre-Heat-Treatment on Abnormal Grain Growth in RENE 88 Superalloy. 3077-3090A  
 Grain Growth of Nanocrystalline Ni Powders Prepared by Cryomilling. 3109-3116A
- Grain boundaries, Diffusion**  
 Discontinuous precipitation at [001] twist boundaries in Cu-0.75 wt pct Be alloy bicrystals. 1075-1079A
- Grain boundary migration, Welding effects**  
 The effect of the surface on grain boundary migration in austenite stainless steel weld metal. 1453-1458A
- Grain boundary sliding**  
 Grain boundary sliding and component shape distortion during liquid-phase sintering. 2087-2095A
- Grain boundary sliding, Impurity effects**  
 Effect of impurity type in boundary sliding behavior in the superplastic Zn-22%Al alloy. 103-113A
- Grain growth**  
 Discussion of 'thermal and grain-structure simulation in a land-based turbine blade directionally solidified with the liquid metal cooling process'. 1212-1213B  
 Authors' reply [to preceding article "Discussion of 'Thermal and grain-structure simulation in a land-based turbine blade directionally solidified with the liquid metal cooling process'"]. 1213B  
 Characterization of the kinetic and mechanistic differences between free-surface and bulk grain growth in WC-Co materials. 1261-1270A  
 Abnormal grain growth in bulk Cu. The dependence on initial grain size and annealing temperature. 1911-1926A  
 Measurements and modeling of the microstructural morphology during equiaxed solidification of Al-Cu alloys. 2049-2060A  
 New kinetic model for primary recrystallization of pure metals. 2465-2473A  
 Separation of scales for growth of an alloy needle crystal. 2669-2670A



- Grain Growth of Nanocrystalline Ni Powders Prepared by Cryomilling. 3109-3116A
- Grain growth, Cooling effects**  
Solidification of undercooled molten Ni-based alloys. 449-457B
- Grain growth, Heating effects**  
The dependence of normal and abnormal grain growth in silver on annealing temperature and atmosphere. 469-475A  
The Effects of Deformation and Pre-Heat-Treatment on Abnormal Grain Growth in RENE 88 Superalloy. 3077-3090A
- Grain growth, Processing effects**  
Development of cermet microstructures during sintering. 85-94A  
Segregation of molybdenum atoms to the liquid-solid interfaces in liquid phase sintering of W-8%Mo-7%Ni-3%Fe. 95-101A  
Three-dimensional Monte Carlo simulation of grain growth in zone-refined iron. 1195-1201B  
Apparent grain growth behavior of submicrometer grained Al-3 Pct Mg during static annealing after fabrication by severe plastic straining. 2670-2672A
- Grain refinement, Alloying effects**  
Microstructural refinement and mechanical properties improvement of elemental powder metallurgy processed Ti-46.6Al-1.4Mn-2Mo alloy by carbon addition. 251-259A
- Grain refinement, Cooling effects**  
Solidification of undercooled molten Ni-based alloys. 449-457B
- Grain size**  
Three-dimensional Monte Carlo simulation of grain growth in zone-refined iron. 1195-1201B  
Modeling of kinetics of isothermal idiomorphic ferrite formation in a medium-carbon vanadium-titanium microalloyed steel. 1591-1597A  
Crystallization characteristics of the  $Ti_{53}Cu_{47}$  amorphous alloy. 1599-1608A  
Shape-memory effect and strengthening mechanism in a Nb and N-doped Fe-Mn-Si-based alloy. 1621-1628A  
Simple model of microsegregation during solidification of steels. 1755-1767A  
Effect of dispersed particles on microstructure evolved in iron under mechanical milling followed by consolidating rolling. 1769-1776A  
Modeling of recrystallization after inhomogeneous deformation. Development of {111} transformation texture in interstitial-free steels. 2199-2206A  
Microstructural stability of ultrafine grained low-carbon steel containing vanadium fabricated by intense plastic straining. 2373-2381A  
Apparent grain growth behavior of submicrometer grained Al-3 Pct Mg during static annealing after fabrication by severe plastic straining. 2670-2672A  
An analysis of cavitation occurring in near- $\gamma$  titanium aluminide during superplastic deformation. 2769-2779A
- Grain size, Deformation effects**  
Abnormal grain growth in bulk Cu. The dependence on initial grain size and annealing temperature. 1911-1926A
- Grain size, Processing effects**  
Microstructural size effects in high-strength high-conductivity Cu-Cr-Nb alloys. 1211-1224A
- Grain structure**  
Modeling of recrystallization after inhomogeneous deformation. Microstructure and texture evolution under strain-path changes in low-carbon interstitial-free steel. 2199-2206A  
New Discoveries in Deformed Metals. 2527-2538A  
2917-2936A
- Grain structure, Cooling effects**  
Solidification of undercooled molten Ni-based alloys. 449-457B
- Graphite, Additives**  
Dry sliding wear behavior of plasma-sprayed aluminum hybrid composite coatings. 2383-2392A
- Graphite, Composite materials**  
Friction and wear behavior of a centrifugally cast lead-free copper alloy containing graphite particles. 2115-2125A
- Grit blasting**  
The effect of grit blasting on the oxidation behavior of a platinum-modified nickel-aluminide coating. 1467-1478A
- Growth rate**  
The Effect of Composition and Milling Conditions on the Structure of Mechanically Alloyed Mg-Al Based Alloys. 3099-3108A
- Guinier Preston zone**  
The effect of Cu additions on the precipitation kinetics in an Al-Mg-Si alloy with excess Si. 239-246A
- Guinier Preston zone, Alloying effects**  
Influence of zirconium and copper on the early stages of aging in Al-Zn-Mg alloys. 1063-1073A
- Hall Heroult process**  
Contribution to the understanding of cathodic carbon swelling under pressure. 233-238B  
An electrochemical investigation of the thermodynamic properties of the NaCl-AlCl<sub>3</sub> system at subliquidus temperatures. 669-677B  
Carbon consumption and current efficiency in hall-heroult cell. 743-744B
- Hardness**  
Effects of carbon and chromium additions on the wear resistance and surface roughness of cast high-speed steel rolls. 2515-2525A  
Postweld heat-treatment response of simulated coarse-grained heat-affected zones in a new ferritic steel. 2585-2594A  
Distribution of Tensile Property and Microstructure in Friction Stir Weld of 6063 Aluminum. 3023-3032A  
Microstructural Factors Governing Hardness in Friction-Stir Welds of Solid-Solution-Hardened Al Alloys. 3033-3042A
- Hardness, Alloying effects**  
The effect of Cu additions on the precipitation kinetics in an Al-Mg-Si alloy with excess Si. 239-246A
- Hardness, Coating effects**  
Hardness-depth profiling on nanometer scale. 1201-1209A
- Hardness, Composition effects**  
Correlation of abrasive wear with microstructure and mechanical properties of pressure die-cast aluminum hard-particle composite. 633-642A
- Hardness, Welding effects**  
An assessment of creep deformation and fracture behavior of 2.25Cr-1Mo similar and dissimilar weld joints. 115-124A
- Hardness tests**  
Hardness-depth profiling on nanometer scale. 1201-1209A
- Heap leaching**  
Investigative study into the hydrodynamics of heap leaching processes. 763-776B
- Heat affected zone**  
Electron and laser beam welding of high strain rate superplastic Al-6061/SiC composites. 2575-2584A  
Postweld heat-treatment response of simulated coarse-grained heat-affected zones in a new ferritic steel. 2585-2594A  
Effects of welding and weld heat-affected zone simulation on the microstructure and mechanical behavior of a 2195 aluminum-lithium alloy. 2729-2741A
- Heat affected zone, Mechanical properties**  
An assessment of creep deformation and fracture behavior of 2.25Cr-1Mo similar and dissimilar weld joints. 115-124A  
An investigation of the fracture behavior of coarse-grained heat-affected zones in A707 steel welds. 533-545A  
Effects of alloying elements on mechanical and fracture properties of base metals and simulated heat-affected zones of SA 508 steels. 903-911A
- Heat affected zone, Phase transformations**  
Spatially resolved X-ray diffraction mapping of phase transformations in the heat-affected zone of carbon-manganese steel arc welds. 1175-1187A
- Heat of adhesion**  
A model of work of adhesion for reactive metal/ceramic systems. 2033-2038A
- Heat of formation**  
Enthalpy of formation of B2-Fe<sub>1-x</sub>Al<sub>x</sub> and B2-(Ni,Fe)<sub>1-x</sub>Al<sub>x</sub>. Thermodynamics of B2 intermetallic compounds with triple defects: a Bragg-Williams model for (Ni,Co)Al. 913-918B  
2157-2166A
- Heat resistant steels, Welding**  
Postweld heat-treatment response of simulated coarse-grained heat-affected zones in a new ferritic steel. 2585-2594A
- Heat transfer**  
Instantaneous interfacial heat fluxes during the 4 to 8 m/min casting of carbon steels in a twin-roll caster. 55-67B  
Effects of substrate surface conditions on heat transfer and shell morphology in the solidification of a copper alloy. 111-118B  
Determination of interface heat-transfer coefficients for permanent-mold casting of Ti-6Al-4V. 685-695B  
Transient flow and heat transfer in a steelmaking ladle during the holding period. 733-741B  
Influence of surface morphology, water flow rate, and sample thermal history on the boiling-water heat transfer during direct-chill casting of commercial aluminum alloys. 929-939B  
Geometry of laser spot welds from dimensionless numbers. 941-947B  
The sensitivity of the interface heat-transfer coefficient to pressure and fluid flow. 1213-1215B  
The nature of surface cracking in direct chill cast aluminum alloy ingots. 2908-2910A  
Interface Heat Transfer in Investment Casting of Aluminum Alloys. 3055-3063A
- Heat transfer, Welding effects**  
A process model for friction stir welding of age hardening aluminum alloys. 1189-1200A
- Heat transmission**  
Instantaneous interfacial heat fluxes during the 4 to 8 m/min casting of carbon steels in a twin-roll caster. 55-67B
- Heat transmission, Welding effects**  
A process model for friction stir welding of age hardening aluminum alloys. 1189-1200A
- Heating rate**  
Effects of heating rate on densification and grain growth during field-assisted sintering of  $\alpha$ -Al<sub>2</sub>O<sub>3</sub> and MoSi<sub>2</sub> powders. 2633-2638A  
Determination of activation energy of phase transformation and recrystallization using a modified Kissinger method. 2903-2904A
- High carbon steels, Composite materials**  
An investigation of fracture and fatigue in a metal/polymer composite. 1997-2010A
- High carbon steels, Mechanical properties**  
Optimization of mechanical properties of high-carbon pearlitic steels with Si and V additions. 1313-1324A
- High cycle fatigue**  
Characterization of the temperature evolution during high-cycle fatigue of the ULTIMET superalloy: experiment and theoretical modeling. 2279-2296A  
The effect of ballistic impacts on the high-cycle fatigue properties of Ti-48Al-2Nb-2Cr (atomic percent). 2743-2758A  
Comparison of the fatigue and fracture of  $\alpha + \beta$  and  $\beta$  titanium alloys. 2805-2818A
- High strength low alloy steels, Mechanical properties**  
Mechanism of detrimental effects of carbon content on cleavage fracture toughness of low-alloy steel. 1081-1091A  
Failure behavior of heat-affected zones within HSLA-100 and HY-100 steel weldments. 2229-2237A  
Influence of tempering on the microstructure and mechanical

## High strength low alloy steels, Microstructure

properties of HSLA-100 steel plates.	2259-2270A	steels.	2325-2334A
Damage Accumulation and Failure of HY-100 Steel.	2985-2994A		
<b>High strength low alloy steels, Microstructure</b>		<b>Hot rolling, Composition effects</b>	
Precipitation behavior and its effect on strengthening of an HSLA-Nb/Ti steel.	1635-1647A	The influence of $Al_2Zr$ dispersoids on the recrystallization of hot-deformed AA 7010 alloys.	625-632A
Snoek relaxation and dislocation damping in aged Fe-Cu-Ni steel.	1671-1677A		
The effects of thermomechanical processing on the precipitation in an industrial dual-phase steel microalloyed with titanium.	1939-1947A	<b>Hot working</b>	
		Constitutive relationship for AlZnMg, AlZnMgCr, and AlZnMgZr alloys.	769-776A
		Effect of texture changes on flow softening during hot working of Ti-6Al-4V.	1871-1875A
<b>High strength low alloy steels, Phase transformations</b>		<b>Humidity</b>	
Modeling of kinetics of isothermal idiomorphic ferrite formation in a medium-carbon vanadium-titanium microalloyed steel.	1591-1597A	Environment-sensitive fracture of iron aluminides during cyclic crack growth.	2345-2356A
<b>High strength low alloy steels, Powder technology</b>		<b>HVOF spraying</b>	
Modeling of spray-formed plates using an X-Y moving substrate.	831-840A	Numerical study of high-velocity oxygen fuel thermal spraying process. Part I: Gas phase dynamics.	1609-1620A
<b>High strength low alloy steels, Welding</b>		<b>Hydrides, Crystal growth</b>	
Local properties of undermatched steel weld metal.	913-922A	Thermodynamic characterization of hydride phase growth in $ZrNiH_2$ .	29-38A
Microstructural, Compositional, and Microhardness Variations across a Gas-Metal Arc Weldment Made with an Ultralow-Carbon Consumable.	3043-3054A		
<b>High strength steels, Mechanical properties</b>		<b>Hydrodynamics</b>	
Hydrogen thermal desorption relevant to delayed-fracture susceptibility of high-strength steels.	339-347A	Investigative study into the hydrodynamics of heap leaching processes.	763-776B
Relationship between crystallographic orientation at the boundaries and brittle crack propagation in Mn-Mo-Ni low alloy steel.	2139-2142A	<b>Hydrogen, Diffusion</b>	
		Hydrogen-induced internal-stress plasticity in titanium.	841-843A
<b>High strength steels, Microstructure</b>		Hydride formation and its effects on mechanical properties of Ti-5111.	1552-1556A
Microstructures of hot-rolled high-strength steels with significant differences in edge formability.	745-760A	<b>Hydrogen, Sorption</b>	
		Hydrogen thermal desorption relevant to delayed-fracture susceptibility of high-strength steels.	339-347A
<b>High temperature</b>		The effect of strain on the trapping of hydrogen at grain-boundary carbides in Ni-Cr-Fe alloys.	369-377A
Oxidation of metals with highly reactive vapors: extension of Wagner theory.	903-911B	<b>Hydrogen embrittlement</b>	
Effects of Pt incorporation on the isothermal oxidation behavior of chemical vapor deposition aluminide coatings.	1727-1741A	Hydrogen thermal desorption relevant to delayed-fracture susceptibility of high-strength steels.	339-347A
Deformation and strength behavior of two nickel-base turbine disk alloys at 650°C.	2021-2032A	Hydride formation and its effects on mechanical properties of Ti-5111.	1552-1556A
Isothermal oxidation of TiAl alloy.	2357-2361A	<b>Hydrogen storage</b>	
Effects of carbon and chromium additions on the wear resistance and surface roughness of cast high-speed steel rolls.	2515-2525A	Thermodynamic characterization of hydride phase growth in $ZrNiH_2$ .	29-38A
Effect of hold time and waveform on the high-temperature, low-cycle fatigue properties of a Nb-A286 alloy.	2539-2546A	<b>Hydrogenation</b>	
Stress and temperature dependence of creep in alloy 600 in primary water.	2553-2560A	Phase transformations in Ti-6Al-4V-xH alloys.	2453-2463A
Evaluation of a Threshold-Based Model of the Elevated-Temperature Fatigue of Impact-Damaged $\gamma$ -TiAl.	2975-2984A	Cyclic deformation behavior and microstructures of hydrided ZIRCALOY-4 under biaxial loading.	2841-2850A
Formation Kinetics and Rupture Strain of Ni-Cr-Fe Alloy Corrosion Films Formed in High-Temperature Water.	3015-3022A	<b>Hydrometallurgy</b>	
<b>Homogeneity</b>		Anion-exchange separation in hydrochloric acid solutions for the ultrahigh purification of cobalt.	573-582B
Modeling of structural and compositional homogenization of plutonium-1 weight percent gallium alloys.	649-659A	Investigative study into the hydrodynamics of heap leaching processes.	763-776B
Effect of Die Shape on the Deformation Behavior in Equal-Channel Angular Pressing.	3007-3014A	Intensification of iron removal rate during oxygen leaching through gas-liquid mass-transfer enhancement.	961-963B
<b>Homogenizing</b>		A kinetic study that compares the leaching of gold in the cyanide, thiosulfate, and chloride systems.	979-986B
$M_{23}C_6$ carbide dissolution mechanisms during heat treatment of ASTM F-75 implant alloys.	979-984A	<b>Hypereutectic structures</b>	
Two-way shape memory effect of NiTi alloy induced by constraint aging treatment at room temperature.	1629-1634A	The formation of lamellar-eutectic grains in thin samples.	2039-2048A
Decomposition of Fe-intermetallics in Sr-modified cast 6XXX type aluminum alloys for automotive skin.	2061-2075A	<b>Hysteresis</b>	
<b>Hot dip coating</b>		Stress-strain hysteresis and damping in MnCu and NiTi alloys.	2489-2498A
Galvanizability of high-strength steels for automotive applications.	2905-2906A	<b>Ilmenite, Extraction</b>	
<b>Hot extrusion</b>		Intensification of iron removal rate during oxygen leaching through gas-liquid mass-transfer enhancement.	961-963B
Dimensional anisotropy in 18 pct Ni maraging steel.	1057-1061A	<b>Image analysis</b>	
<b>Hot forging</b>		Visualization of the material flow in AA2195 friction-stir welds using a marker insert technique.	2879-2884A
Correlation of microstructure and surface roughness of disc drums fabricated by hot forging of an AISI 430F stainless steel.	1111-1118A	<b>Impact strength</b>	
<b>Hot isostatic pressing</b>		Secondary hardening and impact fracture behavior in isothermally aged Mo, W, and Mo-W steels.	1862-1866A
Influence of casting technique and hot isostatic pressing on the fatigue of an Al-7Si-Mg alloy.	349-358A	Influence of martensite content and morphology on the toughness and fatigue behavior of high-martensite dual-phase steels.	2207-2217A
Plastic flow and microstructure evolution during thermomechanical processing of laser-deposited Ti-6Al-4V preforms.	1787-1797A	Influence of tempering on the microstructure and mechanical properties of HSLA-100 steel plates.	2259-2270A
Simulation of the creep expansion of porous sandwich structures.	1813-1821A	Effect of fatigue damage on the dynamic fracture toughness of En-8-grade steel.	2547-2552A
Evolution and Coarsening of $Al_2O_3$ Dispersoids at 500°C to 600°C in a Mechanically Alloyed Al-Ti-O Based Material.	2937-2946A	Stress-induced martensitic transformation and impact toughness of cast irons and high-carbon Fe-Ni-C steel.	2695-2708A
<b>Hot pressing</b>		The effect of ballistic impacts on the high-cycle fatigue properties of Ti-48Al-2Nb-2Cr (atomic percent).	2743-2758A
Strength Degradation of SiC Fiber during Manufacture of Titanium Matrix Composites by Plasma Spraying and Hot Pressing.	3133-3142A	<b>Impact strength, Alloying effects</b>	
<b>Hot rolling</b>		Effect of Sb on the microstructure and mechanical properties of AZ91 magnesium alloy.	787-794A
Principles in cast rolling with liquid core of thin slab continuous casting.	459-464B	<b>Impact strength, Heating effects</b>	
Microstructures of hot-rolled high-strength steels with significant differences in edge formability.	745-760A	Effects of alloying elements on mechanical and fracture properties of base metals and simulated heat-affected zones of SA 508 steels.	903-911A
Dimensional anisotropy in 18 pct Ni maraging steel.	1057-1061A	<b>Impact strength, Microstructural effects</b>	
Effect of dispersed particles on microstructure evolved in iron under mechanical milling followed by consolidating rolling.	1769-1776A	Effects of alloying additions and austenitizing treatments on secondary hardening and fracture behavior for martensitic steels containing both Mo and W.	1659-1670A
Effect of texture and slip mode on the anisotropy of plastic flow and flow softening during hot working of Ti-6Al-4V.	1801-1811A	<b>Impact velocity</b>	
Simulation of the creep expansion of porous sandwich structures.	1813-1821A	Dynamic deformation behavior of an oxide-dispersed tungsten heavy alloy fabricated by mechanical alloying.	2011-2020A
The effects of thermomechanical processing on the precipitation in an industrial dual-phase steel microalloyed with titanium.	1939-1947A	<b>Inclusions</b>	
Development of {111} transformation texture in interstitial-free		Capillary interaction between inclusion particles on the 16Cr stainless steel melt surface.	629-641B
		In situ detection of inclusions in liquid metals. I. Mathematical modeling of the behavior of particles traversing the electric sensing zone.	1067-1079B

- In situ detection of inclusions in liquid metals. II. Metallurgical applications of LIMCA systems. Effects of macroscopic defects on the damping behavior of aluminum and Zn-27 Pct Al alloy. 1081-1093B
- Indentation**  
Nanoindentation as a strength probe—a study on the hardness dependence of indent size for fine-grained and coarse-grained ferritic steel. 761-768A
- Induction melting**  
Molding of temperature field for the induction skull melting process of Ti-47Ni-9Nb. 2895-2902A
- Infiltration**  
Characteristics of AA6061/BN composite fabricated by pressureless infiltration technique. 1007-1018A  
The effect of wetting kinetics on the penetration of a layered capillary. 2663-2666A
- Infrared analysis**  
Characterization of the temperature evolution during high-cycle fatigue of the ULTIMET superalloy: experiment and theoretical modeling. 2279-2296A
- Infrared heating**  
Joint zone evolution in infrared bonded steels with copper filler. 1177-1183B
- Ingot casting**  
Solidification of aluminum in electric field. Effects of microstructural evolution on superplastic deformation characteristics of a rapidly solidified Al-Li alloy. 372-378B  
The nature of surface cracking in direct chill cast aluminum alloy ingots. 1649-1658A
- Injection**  
Dephosphorization of ferromanganese using BaCO<sub>3</sub>-based fluxes by submerged injection of powders: a preliminary kinetic study. 2908-2910A
- Interface reactions**  
Numerical and experimental study of internal flow field for a carbon fiber tow pneumatic spreader. 558-561B  
Formation of intermetallic compounds in SnPbAg, SnAg, and SnAgCu solders on Ni/Au metallization. 329-339B
- Interface reactions, Composition effects**  
Methodology to design the interfaces in SiC/Al composites. 2666-2668A
- Interfaces**  
A model of work of adhesion for reactive metal/ceramic systems. 1541-1550A  
Role of large-scale slip in mode II fracture of bimaterial interface produced by diffusion bonding. 2033-2038A  
Tensile properties of 5052 Al matrix composites reinforced with B<sub>4</sub>C particles. 2109-2114A  
Microstructural investigation on the precipitation of  $\alpha''$  nitrides and  $\alpha \rightarrow \gamma'$  nitride transformation in ion-nitrided pure iron. 2142-2147A  
Heterogeneity of crystallographic texture in friction stir welds of aluminum. 2681-2688A  
Interface Heat Transfer in Investment Casting of Aluminum Alloys. 2869-2877A
- Intergranular corrosion**  
Localized corrosion susceptibility of Al-Li-Cu-Mg-Zn alloy AF/C458 due to interrupted quenching from solutionizing temperatures. 3055-3063A
- Intergranular fracture**  
Deformation and fracture in martensitic carbon steels tempered at low temperatures. 861-877A  
Effect of microstructure on fracture characteristics of Ti-6Al-2Sn-2Zr-2Mo-2Cr-Si. 2795-2804A
- Intergranular fracture, Alloying effects**  
Effect of Sb on the microstructure and mechanical properties of AZ91 magnesium alloy. 787-794A
- Intergranular fracture, Heating effects**  
Deformation and fracture in martensitic carbon steels tempered at low temperatures. 205-221B
- Intergranular structure**  
Precipitation behavior and its effect on strengthening of an HSLA-Nb/Ti steel. 1635-1647A  
Effect of dispersed particles on microstructure evolved in iron under mechanical milling followed by consolidating rolling. 1769-1776A
- Intermetallic phases**  
Phase equilibria and intermetallic phases in the Ni-Si-Mg ternary system. 5-18A  
Enthalpy of formation of B2-Fe<sub>1-x</sub>Al<sub>x</sub> and B2-(Ni,Fe)<sub>1-x</sub>Al<sub>x</sub>. 913-918B  
Phase equilibria investigations on the aluminum-rich part of the binary system Ti-Al. 1037-1047A  
Alloying mechanism of beta stabilizers in a TiAl alloy. 1573-1589A  
Influence of Cu additions on the morphology of GeSi precipitates in an Al-Ge-Si alloy. 1949-1958A  
Decomposition of Fe-intermetallics in Sr-modified cast 6XXX type aluminum alloys for automotive skin. 2061-2075A  
Determination of the CoTi congruent melting point and thermodynamic reassessment of the Co-Ti system. 2175-2186A  
Effective approach to describe growth of binary intermediate phases with narrow ranges of homogeneity. 2396-2400A  
Formation of intermetallic compounds in SnPbAg, SnAg, and SnAgCu solders on Ni/Au metallization. 2666-2668A
- Intermetallic phases, Crystal growth**  
The precipitation of the Q phase in an AA6111 alloy. 213-218A  
Reaction synthesis of Ni-Al-based particle composite coatings. 379-390A  
Effect of growth velocity on the growth temperature of the Al-Al<sub>3</sub>Fe eutectic in Al-2.85Fe-0.12V alloy. 1251-1253A
- Intermetallic phases, Temperature effects**  
Thermodynamics of B2 intermetallic compounds with triple defects: a Bragg-Williams model for (Ni,Co)Al. 2157-2166A
- Intermetallics, Coatings**  
Effects of Pt incorporation on the isothermal oxidation behavior of chemical vapor deposition aluminide coatings. 1727-1741A
- Intermetallics, Composite materials**  
Study of Ni<sub>3</sub>Al-Cr<sub>3</sub>C<sub>2</sub> composite materials fabricated by self-propagating high-temperature synthesis casting route. 1823-1830A  
Role of large-scale slip in mode II fracture of bimaterial interface produced by diffusion bonding. 2109-2114A
- Intermetallics, Heat treatment**  
Two-way shape memory effect of NiTi alloy induced by constraint aging treatment at room temperature. 1629-1634A
- Intermetallics, Mechanical properties**  
Fatigue-crack growth behavior in the superelastic and shape-memory alloy Nitinol. 731-743A  
Mean strain effects on the fatigue properties of superelastic NiTi. 1866-1869A  
Discussion of 'An investigation of the effects of loading rate on resistance-curve behavior and toughening in cast lamellar gamma-based titanium aluminides'. 2136-2139A  
Authors' reply. 2138-2139A  
Environment-sensitive fracture of iron aluminides during cyclic crack growth. 2345-2356A  
Stress-strain hysteresis and damping in MnCu and NiTi alloys. 2489-2498A  
Evaluation of a Threshold-based Model of the Elevated-Temperature Fatigue of Impact-Damaged  $\gamma$ -TiAl. 2975-2984A
- Intermetallics, Microstructure**  
Discontinuous coarsening of the lamellar structure of  $\gamma$ -TiAl-based intermetallic alloys and its control. 1927-1938A
- Intermetallics, Oxidation**  
Isothermal oxidation of TiAl alloy. 2357-2361A
- Intermetallics, Phase transformations**  
Thermodynamic characterization of hydride phase growth in Zr-Ni-H<sub>2</sub>. 29-38A  
A relaxed-constraint model for the tensile behavior of polycrystalline shape-memory alloy wires. 305-313A  
Deformation of NiTiCu shape memory single crystals in compression. 477-489A  
Plastic straining effects on the microstructure of a Ti-rich NiTi shape memory alloy. 717-729A  
Texture, strain, and phase-fraction measurements during mechanical cycling in superelastic NiTi. 777-786A  
Martensitic transformations, microstructure, and mechanics workability of TiPt. 1881-1886A
- Intermetallics, Physical properties**  
Ridge direction of thermal conductivity contours in ternary CoAl phase. 2135-2136A
- Intermetallics, Welding**  
Effect of CO<sub>2</sub> laser welding on the shape-memory and corrosion characteristics of TiNi alloys. 569-576A
- Internal friction**  
Snoek relaxation and dislocation damping in aged Fe-Cu-Ni steel. 1671-1677A  
Effects of macroscopic defects on the damping behavior of aluminum and Zn-27 Pct Al alloy. 2657-2661A
- Internal friction, Composition effects**  
Elastic properties of a crossply SiC/Ti composite at elevated temperatures. 425-429A
- Interstitial free steels, Heat treatment**  
Optimizing continuous annealing of interstitial-free steels for improving deep drawability. 1989-1995A
- Interstitial free steels, Microstructure**  
Development of {111} transformation texture in interstitial-free steels. 2325-2334A  
Microstructure and texture evolution under strain-path changes in low-carbon interstitial-free steel. 2527-2538A
- Intragranular structure**  
A methodology for determining average lattice orientation and its application to the characterization of grain substructure. 1967-1975A
- Investment casting**  
Interface Heat Transfer in Investment Casting of Aluminum Alloys. 3055-3063A
- Ion exchanging**  
Anion-exchange separation in hydrochloric acid solutions for the ultrahigh purification of cobalt. 573-582B
- Ion implantation**  
Liquid Titanium Solute Diffusion Measured by Pulsed Ion-Beam Melting. 2969-2974A
- Ion nitriding**  
Microstructural investigation on the precipitation of  $\alpha''$  nitrides and  $\alpha \rightarrow \gamma'$  nitride transformation in ion-nitrided pure iron. 2681-2688A
- Iridium base alloys, Mechanical properties**  
Mechanical properties of Ir-Nb alloys containing Ni and Al. 1347-1353A
- Iron, Alloying additive**  
Ti<sub>3</sub>Si<sub>3</sub> whisker in-situ reinforced TiAl alloys. 1233-1244A
- Iron, Binary systems**  
Phase transformations and phase equilibria in the Fe-N system at temperatures below 573K. 59-73A  
Enthalpy of formation of B2-Fe<sub>1-x</sub>Al<sub>x</sub> and B2-(Ni,Fe)<sub>1-x</sub>Al<sub>x</sub>. 913-918B
- Iron, Composite materials**  
In situ formed (TiW)C phase in iron matrix. 431-433A
- Iron, Extraction**  
Liquidus surface of FeO-Fe<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-CaO slag containing Al<sub>2</sub>O<sub>3</sub>, MgO, and Cu<sub>2</sub>O at intermediate oxygen partial pressures. 583-592B  
Thermodynamic observations of the molten FeS-FeO system



- and its vicinity at 1473 K.  
Review of experimental data and modeling of the viscosities of fully liquid slags in the  $Al_2O_3$ -CaO-FeO-SiO<sub>2</sub> system. 831-837B  
Modeling of viscosities of the partly crystallized slags in the  $Al_2O_3$ -CaO-FeO-SiO<sub>2</sub> system. 1015-1025B  
Kinetics of carbide formation from reduced iron in CO-H<sub>2</sub>-H<sub>2</sub>S mixtures. 1027-1032B  
1161-1170B
- Iron, Heat treatment**  
Effect of constitutional supercooling on the numerical solution of species concentration distribution in laser surface alloying. 969-972B
- Iron, Impurities**  
Effect of impurity type in boundary sliding behavior in the superplastic Zn-22%Al alloy. 103-113A
- Iron, Machining**  
Absorption in a paraboloid of revolution-shaped welding or drilling cavity irradiated by a polarized laser beam. 603-614B
- Iron, Microstructure**  
Microstructural investigation on the precipitation of  $\alpha''$  nitrides and  $\alpha \rightarrow \gamma$  nitride transformation in iron-nitrided pure iron. 2681-2688A
- Iron, Powder technology**  
Electrosintering of iron powder compacts. 811-819A  
Effect of dispersed particles on microstructure evolved in iron under mechanical milling followed by consolidating rolling. 1769-1776A
- Iron, Quaternary systems**  
Coupled experimental and thermodynamic study of the Zn-Fe-Si-O system. 793-800B
- Iron, Quinary systems**  
Thermodynamic assessment of the Fe-Nb-Ti-C-N system. 2423-2439A
- Iron, Reactions (chemical)**  
Thermodynamic description for concentrated metallic solutions using interaction parameters. 87-103B
- Iron, Refining**  
Evaluation of the reduction of iron oxide from liquid slags using a graphite rotating disk.  
Three-dimensional Monte Carlo simulation of grain growth in zone-refined iron. 821-830B  
1195-1201B
- Iron, Sorption**  
Thermodynamics of surfaces and adsorption in the Fe-O and Fe-O-N systems at 1823K. 423-427B
- Iron, Surface properties**  
Calculation of the interfacial energy of B1-type carbides and nitrides with austenite. 267-274A
- Iron, Ternary systems**  
Experimental study of phase equilibria and thermodynamic optimization of the Fe-Zn-O system. 643-657B
- Iron, Welding**  
Geometry of laser spot welds from dimensionless numbers. 941-947B
- Iron and steel making**  
Effects of transition metals on the kinetics of slag-refractory reactions. 25-29B  
Measurement of FeO activity and solubility of MgO in smelting slags. 31-36B  
Experimental studies of the viscosities in CaO-MnO-SiO<sub>2</sub> and CaO-Fe<sub>2</sub>O<sub>3</sub>-MnO-SiO<sub>2</sub> slags. 181-186B  
Thermodynamic behavior of Na<sub>2</sub>O-B<sub>2</sub>O<sub>3</sub> melt. 297-303B  
Thermodynamics of the Ca-CaO-CaF<sub>2</sub> system. 305-311B  
Study of the deoxidation of steel with aluminum wire injection in a gas-stirred ladle. 319-328B  
Kinetic analysis of NaF vaporization in SiF<sub>4</sub>-Ar mixture. 401-407B  
Search for an economical and environmentally friendly iron-making process. 757-762B  
Coal char reactivity and structural evolution during combustion - factors influencing blast furnace pulverized coal injection operation. 811-820B  
Phase equilibria in the CaF<sub>2</sub>-CaO-P<sub>2</sub>O<sub>5</sub> system at 1623 K. 967-969B  
Thermodynamics of TiCN and TiC in Fe-C<sub>sat</sub> melts. 1203-1205B
- Iron and steel making, Quality control**  
Inclusions in commercial low and medium carbon ferromanganese. 1049-1056A
- Iron compounds, Crystal growth**  
Phase transformations and phase equilibria in the Fe-N system at temperatures below 573K. 59-73A
- Iron compounds, Mechanical properties**  
Environment-sensitive fracture of iron aluminides under monotonic tensile loading. 557-567A
- Iron ores, Reduction (chemical)**  
Characterization of phases formed in the iron carbide process by x-ray diffraction, Mossbauer, x-ray photoelectron spectroscopy, and Raman spectroscopy analyses. 839-845B  
Kinetics of carbide formation from reduced iron in CO-H<sub>2</sub>-H<sub>2</sub>S mixtures. 1161-1170B
- Iron oxides, Reduction (chemical)**  
Search for an economical and environmentally friendly iron-making process. 757-762B  
Evaluation of the reduction of iron oxide from liquid slags using a graphite rotating disk. 821-830B
- Ironmaking**  
Characterization of phases formed in the iron carbide process by x-ray diffraction, Mossbauer, x-ray photoelectron spectroscopy, and Raman spectroscopy analyses. 839-845B
- Isostatic pressing**  
Particle Rearrangement during Powder Compaction. 3117-3124A
- Isothermal annealing**  
Snoek relaxation and dislocation damping in aged Fe-Cu-Ni steel. 1671-1677A
- Isothermal treatment, Alloying effects**  
Effects of heat treatment and alloying elements on the microstructures and mechanical properties of 0.15 wt.% C transformation-induced plasticity-aided cold-rolled steel sheets. 505-514A
- Killed steels, Microstructure**  
Microstructure and texture evolution under strain-path changes in low-carbon interstitial-free steel. 2527-2538A
- Kinetics**  
Soda-ash roasting of chromite minerals: kinetics considerations. 593-602B  
Evaluation of the reduction of iron oxide from liquid slags using a graphite rotating disk. 821-830B  
Experimental investigation and three-dimensional computational fluid-dynamics modeling of the flash-converting furnace shaft: Part II. Formulation of three-dimensional computational fluid-dynamics model incorporating the particle-cloud description. 869-886B  
A kinetic study that compares the leaching of gold in the cyanide, thiosulfate, and chloride systems. 979-986B  
The soda-ash roasting of chromite ore processing residue for the reclamation of chromium. 987-995B  
Modeling of kinetics of isothermal idiomorphic ferrite formation in a medium-carbon vanadium-titanium microalloyed steel. 1591-1597A  
Crystallization characteristics of the Ti<sub>53</sub>Cu<sub>47</sub> amorphous alloy. 1599-1608A  
New kinetic model for primary recrystallization of pure metals. 2465-2473A  
Formation Kinetics and Rupture Strain of Ni-Cr-Fe Alloy Corrosion Films Formed in High-Temperature Water. 3015-3022A
- Ladle metallurgy**  
Study of the deoxidation of steel with aluminum wire injection in a gas-stirred ladle. 319-328B  
Modeling study of the influence of turbulence inhibitors on the molten steel flow, tracer dispersion, and inclusion trajectories in tundishes. 615-627B  
Transient flow and heat transfer in a steelmaking ladle during the holding period. 733-741B
- Lamellar structure**  
Mixed-mode, high-cycle fatigue-crack-growth thresholds in Ti-6Al-4V: role of bimodal and lamellar microstructures. 497-503A  
Discontinuous coarsening of the lamellar structure of  $\gamma$ -TiAl-based intermetallic alloys and its control. 1927-1938A  
The formation of lamellar-eutectic grains in thin samples. 2039-2048A  
Comparison of the fatigue and fracture of  $\alpha + \beta$  and  $\beta$  titanium alloys. 2805-2818A
- Lamellar structure, Alloying effects**  
Microstructural refinement and mechanical properties improvement of elemental powder metallurgy processed Ti-46.6Al-1.4Mn-2Mo alloy by carbon addition. 251-259A  
Alloying mechanism of beta stabilizers in a TiAl alloy. 1573-1589A
- Laminates, Corrosion**  
Stability of Nb/Nb<sub>5</sub>Si<sub>3</sub> microlaminates at high temperatures. 2363-2371A
- Laminates, Microstructure**  
Microstructure evolution in metal-intermetallic laminate (MIL) composites synthesized by reactive foil sintering in air. 1493-1505A
- Lap joints, Mechanical properties**  
Joint zone evolution in infrared bonded steels with copper filler. 1177-1183B
- Laser beam cutting**  
Investigation of striation formation in thin stainless steel tube during pulsed Nd:YAG laser cutting process by numerical simulation. 2623-2632A
- Laser beam heating**  
Effect of constitutional supercooling on the numerical solution of species concentration distribution in laser surface alloying. 969-972B  
Particle formation in the rapidly solidified zone of alloy 600 surface melted by a CO<sub>2</sub> laser beam. 1248-1251A
- Laser beam melting**  
Numerical simulation of the molten-pool formation during the laser surface-melting process. 949-959B  
Particle formation in the rapidly solidified zone of alloy 600 surface melted by a CO<sub>2</sub> laser beam. 1248-1251A
- Laser beam welding**  
Weld metal composition change during conduction mode laser welding of aluminum alloy 5182. 163-172B  
Effect of CO<sub>2</sub> laser welding on the shape-memory and corrosion characteristics of TiNi alloys. 569-576A  
Prediction of laser-spot-weld shape by numerical analysis and neural network. 723-732B  
Geometry of laser spot welds from dimensionless numbers. 941-947B  
Electron and laser beam welding of high strain rate superplastic Al-6061/SiC composites. 2575-2584A
- Laser machining**  
Absorption in a paraboloid of revolution-shaped welding or drilling cavity irradiated by a polarized laser beam. 603-614B
- Laser processing**  
Plastic flow and microstructure evolution during thermomechanical processing of laser-deposited Ti-6Al-4V preforms. 1787-1797A
- Latent heat**  
A generalized formulation for evaluation of latent heat functions in enthalpy-based macroscopic models for convection-diffusion phase change processes. 562-564B
- Lattice parameters**  
Alloying mechanism of beta stabilizers in a TiAl alloy. 1573-1589A  
Stabilization of thermosoluble convective instabilities in Ni-based single-crystal superalloys: carbon additions and freckle formation. 1743-1753A  
Solid solubility of carbon in a mechanically alloyed Cu-29.7 At. Pct Zn alloy. 1861-1862A  
Structural properties and stability of metastable phases in the



- Zr-Nb system. I. Systematics of quenching-and-aging experiments. 1903-1910A
- A methodology for determining average lattice orientation and its application to the characterization of grain substructure. 1967-1975A
- Uniaxial tensile deformation of uranium 6 wt pct niobium: a neutron diffraction study of deformation twinning. 2219-2228A
- Layers**
- Plastic flow and microstructure evolution during thermomechanical processing of laser-deposited Ti-6Al-4V preforms. Stability of Nb/Nb<sub>5</sub>Si<sub>3</sub> microlaminates at high temperatures. 1787-1797A  
2363-2371A
- Leaching**
- Particle suspension in air-agitated Pachuca tanks: investigation of hysteresis and a novel split air injection technique. Kinetics of chlorination and microstructural changes of xenotime by carbon tetrachloride. 223-231B
- Intensification of iron removal rate during oxygen leaching through gas-liquid mass-transfer enhancement. 785-791B
- A kinetic study that compares the leaching of gold in the cyanide, thiosulfate, and chloride systems. 961-963B  
979-986B
- Lead (metal), Extraction**
- Experimental study of phase equilibria in the PbO-MgO-SiO<sub>2</sub> system. 11-16B
- Measurement of oxygen potentials in Ag-Pb system employing oxygen sensor. 417-421B
- Experimental study of phase equilibria in the PbO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub> system. 997-1005B
- Lead (metal), Quaternary systems**
- Prediction of the thermodynamic properties of multicomponent liquid alloys by binary infinite dilute activity coefficients. 1205-1211B
- Lead base alloys, Phase transformations**
- Macrosegregation and Sedimentation in Liquid-Phase Sintering. 3091-3098A
- Lead base alloys, Powder technology**
- Thermal analysis of isothermal solidification kinetics during transient liquid-phase sintering. 971-978A
- Liquid core reduction**
- Principles in cast rolling with liquid core of thin slab continuous casting. 459-464B
- Liquid flow**
- Modeling of the effects of surface-active elements on flow patterns and weld penetration. 145-161B
- Dynamics and control of solidification of molten metal flows. Dimensionless correlations for forced convection in liquid metals. I. Single-phase flow. 173-179B
- Dimensionless correlations for forced convection in liquid metals. II. Two-phase flow. 239-246B
- Turbulent flow of liquid steel and argon bubbles in slide-gate tundish nozzles. I. Model development and validation. 247-252B
- Turbulent flow of liquid steel and argon bubbles in slide-gate tundish nozzles. II. Effect of operation conditions and nozzle design. 253-267B
- Numerical and experimental study of internal flow field for a carbon fiber tow pneumatic spreader. 269-284B  
329-339B
- Liquid metals**
- In situ detection of inclusions in liquid metals. I. Mathematical modeling of the behavior of particles traversing the electric sensing zone. 1067-1079B
- In situ detection of inclusions in liquid metals. II. Metallurgical applications of LIMCA systems. 1081-1093B
- The solubility of nitrogen in liquid pure nickel. 1095-1101B
- Solubility of nitrogen in liquid nickel-based alloys. 1103-1112B
- Prediction of the thermodynamic properties of multicomponent liquid alloys by binary infinite dilute activity coefficients. 1205-1211B
- Liquid metals, Chemical analysis**
- Measurement of oxygen potentials in Ag-Pb system employing oxygen sensor. 417-421B
- Liquid metals, Physical properties**
- Effect of interfacial energy on the viscosities of two-phase mixtures—a physical modeling approach. 105-110B
- Dynamics and control of solidification of molten metal flows. Dimensionless correlations for forced convection in liquid metals. I. Single-phase flow. 173-179B
- Dimensionless correlations for forced convection in liquid metals. II. Two-phase flow. 239-246B
- Turbulent flow of liquid steel and argon bubbles in slide-gate tundish nozzles. I. Model development and validation. 247-252B
- Turbulent flow of liquid steel and argon bubbles in slide-gate tundish nozzles. II. Effect of operation conditions and nozzle design. 253-267B
- Surface energy, adsorption, and wetting transitions in ternary liquid alloys. 269-284B  
2851-2858A
- Liquid metals, Reactions (chemical)**
- Thermodynamic description for concentrated metallic solutions using interaction parameters. 87-103B
- Liquid metals, Rheological properties**
- A new approach to the analysis of vessel residence time distribution curves. 1185-1193B
- Liquid metals, Sorption**
- Thermodynamics of surfaces and adsorption in the Fe-O and Fe-O-N systems at 1823K. 423-427B
- Liquid metals, Surface properties**
- Effect of shield gas composition on surface tension of steel droplets in a gas-metal-arc welding arc. 313-318B
- Liquid phase sintering**
- Segregation of molybdenum atoms to the liquid-solid interfaces in liquid phase sintering of W-6%Mo-7%Ni-3%Fe. 95-101A
- Microstructure effect on dihedral angle in liquid-phase sintering. 165-169A
- Role of solid-state skeletal sintering during processing of Mo-Cu composites. 605-613A
- Thermal analysis of isothermal solidification kinetics during transient liquid-phase sintering. 971-978A
- Grain boundary sliding and component shape distortion during liquid-phase sintering. 2087-2095A
- Presintering effects on ground-based and microgravity liquid phase sintering. 2097-2107A
- Macrosegregation and Sedimentation in Liquid-Phase Sintering. 3091-3098A
- Liquid phases, Powder technology**
- Rearrangement Densification in Liquid-Phase Sintering. 3125-3132A
- Liquidus**
- Experimental study of the viscosities of Al<sub>2</sub>O<sub>3</sub>-CaO-FeO slags. 679-684B
- Coupled experimental and thermodynamic study of the Zn-Fe-Si-O system. 793-800B
- Thermodynamic assessment of the Me-Co-C systems (Me = Ti, Ta, or Nb). 2167-2174A
- Localized corrosion**
- Localized corrosion susceptibility of Al-Li-Cu-Mg-Zn alloy AF/C458 due to interrupted quenching from solutionizing temperatures. 2561-2573A
- Low alloy steels, Mechanical properties**
- Deformation and fracture in martensitic carbon steels tempered at low temperatures. 205-221B
- Deformation and fracture in martensitic carbon steels tempered at low temperatures. 861-877A
- Dependency of fracture toughness on the inhomogeneity of coarse TiN particle distribution in a low alloy steel. 1147-1155A
- Relationship between crystallographic orientation at the boundaries and brittle crack propagation in Mn-Mo-Ni low alloy steel. 2139-2142A
- Influence of martensite content and morphology on the toughness and fatigue behavior of high-martensite dual-phase steels. 2207-2217A
- Low alloy steels, Microstructure**
- Acicular ferrite morphologies in a medium-carbon microalloyed steel. 2187-2197A
- Low alloy steels, Phase transformations**
- A model for interphase precipitation in V-microalloyed structural steels. 39-50A
- Simulation of paraequilibrium growth in multicomponent systems. 455-467A
- Low alloy steels, Structural hardening**
- On strengthening mechanisms in commercial Nb-Ti hot strip steels. 1245-1248A
- Low carbon steels, Casting**
- Instantaneous interfacial heat fluxes during the 4 to 8 m/min casting of carbon steels in a twin-roll caster. 55-67B
- Principles in cast rolling with liquid core of thin slab continuous casting. 459-464B
- Low carbon steels, Coating**
- Numerical modeling of multiphase diffusion in the process of homogenizing in binary alloys. 681-690A
- Low carbon steels, Joining**
- Joint zone evolution in infrared bonded steels with copper filler. 1177-1183B
- Low carbon steels, Microstructure**
- Formation of the Cottrell atmosphere during strain aging of bake-hardenable steels. 417-423A
- Microstructural stability of ultrafine grained low-carbon steel containing vanadium fabricated by intense plastic straining. 2373-2381A
- Low carbon steels, Phase transformations**
- The effect of industrial composition variations on the transformation behavior of ultralow-carbon steels. 219-227A
- Determination of activation energy of phase transformation and recrystallization using a modified Kissinger method. 2903-2904A
- Low carbon steels, Steel making**
- Behavior of alumina-magnesia complex inclusions and magnesia inclusions on the surface of molten low-carbon steels. 79-85B
- Correction to Metall. Mater. Trans. B, October 2000, vol. 31B, pp. 1013-1021 "Behavior of nonmetallic inclusions in front of the solid-liquid interface in low-carbon steels" by Sei Kimura, Y. Nabeshima, K. Nakajima, and S. Mizoguchi. 187B
- Low carbon steels, Welding**
- Spatially resolved X-ray diffraction mapping of phase transformations in the heat-affected zone of carbon-manganese steel arc welds. 1175-1187A
- Low cycle fatigue**
- Effect of hold time and waveform on the high-temperature, low-cycle fatigue properties of a Nb-A286 alloy. 2539-2546A
- Machinability, Deformation effects**
- Correlation of microstructure and surface roughness of disc drums fabricated by hot forging of an AISI 430F stainless steel. 1111-1118A
- Magnesite refractories, Reactions (chemical)**
- Experimental study of phase equilibria in the PbO-MgO-SiO<sub>2</sub> system. 11-16B
- Magnesium, Alloying elements**
- Role of Mg in the stress corrosion cracking of an Al-Mg alloy. 1699-1711A
- Magnesium, Quality control**
- In situ detection of inclusions in liquid metals. II. Metallurgical applications of LIMCA systems. 1081-1093B
- Magnesium, Ternary systems**
- Phase equilibria and intermetallic phases in the Ni-Si-Mg ter-

- nary system. 5-18A
- Magnesium base alloys, Composite materials**  
Microstructural factors affecting superplastic properties in magnesium-based composites. 923-929A
- Magnesium base alloys, Mechanical properties**  
Effect of Sb on the microstructure and mechanical properties of AZ91 magnesium alloy. 787-794A  
Qualitative model for creep of AZ91D magnesium alloy. 1335-1345A
- Magnesium oxide, Composite materials**  
Microstructural factors affecting superplastic properties in magnesium-based composites. 923-929A
- Magnetic fields**  
Influence of magnetic field on the kinetics of proeutectoid ferrite transformation in iron alloys. 445-453A  
Modeling of biased flow phenomena associated with the effects of static magnetic-field application and argon gas injection in slab continuous casting of steel. 1053-1066B
- Magnetic permeability, Anisotropy**  
Approach to saturation in textured soft magnetic materials. 2595-2603A
- Magnetization, Microstructural effects**  
Approach to saturation in textured soft magnetic materials. 2595-2603A
- Magnetoresistivity, Heating effects**  
Effects of annealing on the microstructure and giant magnetoresistance of Co-Cu-based spin valves. 577-584A
- Manganese, Alloying additive**  
Effects of heat treatment and alloying elements on the microstructures and mechanical properties of 0.15 wt.% C transformation-induced plasticity-aided cold-rolled steel sheets. 505-514A
- Manganese, Electrochemistry**  
Effect of manganese(II) and boric acid on the electrowinning of cobalt from acidic sulfate solutions. 395-399B
- Manganese, Solubility**  
Nitrogen solubility in liquid manganese and ferromanganese alloys. 659-668B
- Manganese base alloys, Solubility**  
Nitrogen solubility in liquid manganese and ferromanganese alloys. 659-668B
- Manganese compounds, Mechanical properties**  
Stress-strain hysteresis and damping in MnCu and NiTi alloys. 2489-2498A
- Manganese nodules, Extraction**  
Simultaneous leaching of a deep-sea manganese nodule and chalcocopyrite in hydrochloric acid. 777-784B
- Manganese steels, Casting**  
Hot ductility and fracture mechanisms of a C-Mn-Nb-Al steel. 919-927B
- Manganese steels, Mechanical properties**  
The effect of twinning and slip on the Bauschinger effect of Hadfield steel single crystals. 695-706A
- Manganese steels, Phase transformations**  
Modeling of kinetics of isothermal idiomorphic ferrite formation in a medium-carbon vanadium-titanium microalloyed steel. 1591-1597A
- Maraging steels, Heat treatment**  
Dimensional anisotropy in 18 pct Ni maraging steel. 1057-1061A
- Martensite**  
The effects of thermomechanical processing on the precipitation in an industrial dual-phase steel microalloyed with titanium. 1939-1947A  
Influence of martensite content and morphology on the toughness and fatigue behavior of high-martensite dual-phase steels. 2207-2217A  
New model to explain the unusual tensile behavior of high martensite dual-phase steels. 2400-2403A
- Martensite, Crystal growth**  
Formation of nanosized martensite particles in stainless steels. 261-265A
- Martensitic stainless steels, Mechanical properties**  
Hydrogen thermal desorption relevant to delayed-fracture susceptibility of high-strength steels. 339-347A  
Effects of alloying additions and austenitizing treatments on secondary hardening and fracture behavior for martensitic steels containing both Mo and W. 1659-1670A
- Martensitic stainless steels, Phase transformations**  
Complex carbide growth, dissolution, and coarsening in a modified 12% chromium steel—an experimental and theoretical study. 19-27A
- Martensitic transformations**  
Determination of the crystallographic parameters of cubic-to-tetragonal martensitic transformation using the infinitesimal deformation approach and Wechsler, Lieberman, and Read theory. 247-250A  
Formation of nanosized martensite particles in stainless steels. 261-265A  
Fatigue-crack growth behavior in the superelastic and shape-memory alloy Nitinol. 731-743A  
Differential scanning calorimetry study and computer modeling of  $\beta \rightarrow \alpha$  phase transformation in a Ti-6Al-4V alloy. 879-887A  
A dislocation-based model for variant selection during the  $\gamma \rightarrow \alpha'$  transformation. 889-901A  
Martensitic transformations, microstructure, and mechanics workability of TiPt. 1881-1886A  
Transformation behavior in a thermomechanically cycled TiNiCu alloy. 2689-2693A
- Martensitic transformations, Deformation effects**  
Movement of the  $\gamma/\epsilon$  interfaces and coalescence of  $\epsilon$  martensite variants under the tensile stress in an Fe-24 wt.% Mn alloy. 229-237A  
Plastic straining effects on the microstructure of a Ti-rich NiTi shape memory alloy. 717-729A
- Texture, strain, and phase-fraction measurements during mechanical cycling in superelastic NiTi. 777-786A
- Martensitic transformations, Heating effects**  
Martensitic phase transformations in IMI 550 (Ti-4Al-4Mo-2Sn-0.5Si). 671-679A
- Martensitic transformations, Processing effects**  
Continuously cast Cu-Al-Ni shape memory wires with a unidirectional morphology. 585-593A
- Martensitic transformations, Stress effects**  
A relaxed-constraint model for the tensile behavior of polycrystalline shape-memory alloy wires. 305-313A  
Deformation of NiTiCu shape memory single crystals in compression. 477-489A  
Stress-induced martensitic transformation and impact toughness of cast irons and high-carbon Fe-Ni-C steel. 2695-2708A  
On the influence of interactions between phases on the mechanical stability of retained austenite in transformation-induced plasticity multiphase steels. 2759-2768A
- Martensitic transformations, Welding effects**  
Effect of CO<sub>2</sub> laser welding on the shape-memory and corrosion characteristics of TiNi alloys. 569-576A
- Mass transfer**  
Evaluation of the reduction of iron oxide from liquid slags using a graphite rotating disk. 821-830B  
Intensification of iron removal rate during oxygen leaching through gas-liquid mass-transfer enhancement. 961-963B  
Mathematical modeling of vapor-plume focusing in electron-beam evaporation. 1959-1966A
- Master alloys, Additives**  
Thermodynamics of TiCN and TiC in Fe-C<sub>sat</sub> melts. 1203-1205B
- Mathematical analysis**  
Thermodynamic description for concentrated metallic solutions using interaction parameters. 87-103B  
A prediction of the friction factor for the forging process. 137-143B  
Microstructure effect on dihedral angle in liquid-phase sintering. 165-169A  
Criterion for judging the homogeneous and heterogeneous nucleation. 391-395A  
Freckle criteria for the upward directional solidification of alloys. 397-406A  
Formation of the Cottrell atmosphere during strain aging of bake-hardenable steels. 417-423A  
Thermodynamics of surfaces and adsorption in the Fe-O and Fe-O-N systems at 1823K. 423-427B
- Mathematical models**  
The oxidation of zinc vapor in CO-CO<sub>2</sub>-N<sub>2</sub> gas mixtures. 37-45B  
A model for interphase precipitation in V-microalloyed structural steels. 39-50A  
Effect of interfacial energy on the viscosities of two-phase mixtures—a physical modeling approach. 105-110B  
A study on solutions for avoiding liquid segregation phenomena in thixotropic process. I. Constitutive modeling and finite element method simulations for die design. 119-127B  
Deformation banding and ferrite-type rolling textures. 125-134A  
A study on solutions for avoiding liquid segregation phenomena in thixotropic process. II. Net shape manufacturing of automotive scroll component. 129-136B  
Modeling of the effects of surface-active elements on flow patterns and weld penetration. 145-161B  
Weld metal composition change during conduction mode laser welding of aluminum alloy 5182. 163-172B  
Dynamics and control of solidification of molten metal flows. 173-179B  
Tertiary compression creep of long-fiber composites: a model for fiber kinking and buckling. 183-196A  
A simple model for determining alloy composition with large glass forming ability in ternary alloys. 200-202A  
Simulating the initiation of a channel during directional solidification of a superalloy. 202-207A  
Contribution to the understanding of cathodic carbon swelling under pressure. 233-238B  
Dimensionless correlations for forced convection in liquid metals. I. Single-phase flow. 239-246B  
Dimensionless correlations for forced convection in liquid metals. II. Two-phase flow. 247-252B  
Turbulent flow of liquid steel and argon bubbles in slide-gate tundish nozzles. I. Model development and validation. 253-267B  
Turbulent flow of liquid steel and argon bubbles in slide-gate tundish nozzles. II. Effect of operation conditions and nozzle design. 269-284B  
The evaporation rates and mechanisms of cadmium from a bubble-stirred molten copper bath. 285-295B  
A relaxed-constraint model for the tensile behavior of polycrystalline shape-memory alloy wires. 305-313A  
Study of the degradation of steel with aluminum wire injection in a gas-stirred ladle. 319-328B  
Numerical and experimental study of internal flow field for a carbon fiber low pneumatic spreader. 329-339B  
A thermodynamic model of nickel smelting and direct high-grade nickel matte smelting processes. I. Model development and validation. 341-351B  
A thermodynamic model of nickel smelting and direct high-grade nickel matte smelting processes. II. Distribution behaviors of Ni, Cu, Co, Fe, As, Sb, and Bi. 353-361B  
Semisolid forming process—numerical simulation and experimental study. 363-371B  
Theoretical models of mercury dissolution from dental amalgams in neutral and acidic flows. 409-416B  
Simulation of paraequilibrium growth in multicomponent systems. 455-467A  
Principles in cast rolling with liquid core of thin slab continuous

- casting.  
Kinetic modeling of titania reduction by a methane-hydrogen-argon gas mixture.  
Modeling of oxidation of molybdenum particles during plasma spray deposition.  
Thermal analysis of the arc welding process: II. Effect of variation of thermophysical properties with temperature.  
Effects of surface active elements on weld pool fluid flow and weld penetration in gas metal arc welding.  
The effect of particle size and morphology on the in-flight behavior of particles during high-velocity oxyfuel thermal spraying.  
Numerical model for the minimization of intermixed round bars in a four line continuous caster.  
Order-of-magnitude scaling of the cathode region in an axisymmetric transferred electric arc.  
A generalized formulation for evaluation of latent heat functions in enthalpy-based macroscopic models for convection-diffusion phase change processes.  
Numerical modeling for peritectic solidification of RE123 high  $T_c$  oxide superconductors.  
Absorption in a paraboloid of revolution-shaped welding or drilling cavity irradiated by a polarized laser beam.  
Modeling study of the influence of turbulence inhibitors on the molten steel flow, tracer dispersion, and inclusion trajectories in tundishes.  
Modeling of kinetics of austenite-to-allotriomorphic ferrite transformation in 0.37C-1.45Mn-0.11V microalloyed steel.  
Numerical modeling of multiphase diffusion in the process of homogenizing in binary alloys.  
Determination of interface heat-transfer coefficients for permanent-mold casting of Ti-6Al-4V.  
Lattice plane response during tensile loading of an aluminum 2 percent magnesium alloy.  
Prediction of laser-spot-weld shape by numerical analysis and neural network.  
Transient flow and heat transfer in a steelmaking ladle during the holding period.  
Undercooling of copper in refractory porcelain crucible.  
Electrosintering of iron powder compacts.  
Modeling of spray-formed plates using an X-Y moving substrate.  
Experimental investigation and three-dimensional computational fluid-dynamics modeling of the flash-converting furnace shaft: Part II. Formulation of three-dimensional computational fluid-dynamics model incorporating the particle-cloud description.  
Differential scanning calorimetry study and computer modeling of  $\beta \rightarrow \alpha$  phase transformation in a Ti-6Al-4V alloy.  
A dislocation-based model for variant selection during the  $\gamma$ -to- $\alpha'$  transformation.  
Oxidation of metals with highly reactive vapors: extension of Wagner theory.  
Geometry of laser spot welds from dimensionless numbers.  
Equilibrium at stationary solid-liquid interface during phase-field modeling of alloy solidification.  
Effect of constitutional supercooling on the numerical solution of species concentration distribution in laser surface alloying.  
Review of experimental data and modeling of the viscosities of fully liquid slags in the  $Al_2O_3$ -CaO-FeO-SiO<sub>2</sub> system.  
Modeling of viscosities of the partly crystallized slags in the  $Al_2O_3$ -CaO-FeO-SiO<sub>2</sub> system.  
The solubility of nitrogen in liquid pure nickel.  
Solubility of nitrogen in liquid nickel-based alloys.  
A unified microscale-parameter approach to solidification-transport phenomena-based macrosegregation modeling for dendritic solidification. I. mixture average-based analysis.  
Capture of positron by dislocations in metals: diffusion model.  
A new approach to the analysis of vessel residence time distribution curves.  
A process model for friction stir welding of age hardening aluminum alloys.  
Prediction of the thermodynamic properties of multicomponent liquid alloys by binary infinite dilute activity coefficients.  
Influence of pearlite morphology and heating rate on the kinetics of continuously heated austenite formation in a eutectoid steel.  
Qualitative model for creep of AZ91D magnesium alloy.  
The modified quasi-chemical model: II. Multicomponent solutions.  
The modified quasi-chemical model: III. Two sublattices.  
The modified quasi-chemical model: IV. Two-sublattice quadruplet approximation.  
Thermodynamic evaluation and optimization of the LiCl-NaCl-KCl-RbCl-CsCl-MgCl<sub>2</sub>-CaCl<sub>2</sub> system using the modified quasi-chemical model.  
Thermodynamic evaluation and optimization of the LiF-NaF-KF-MgF<sub>2</sub>-CaF<sub>2</sub> system using the modified quasi-chemical model.  
Thermodynamic evaluation and optimization of the Li, Na, K, Mg, Ca/F, Cl reciprocal system using the modified quasi-chemical model.  
Numerical simulation of deformation-induced segregation in continuous casting of steel.  
Methodology to design the interfaces in SiC/Al composites.  
Numerical study of high-velocity oxygen fuel thermal spraying process. Part I: Gas phase dynamics.  
Steady-state creep behavior in an isotropic functionally graded material rotating disc of Al-SiC composite.  
Simple model of microsegregation during solidification of steels.  
Simulation of the creep expansion of porous sandwich structures.
- 459-464B  
465-473B  
475-481B  
483-499B  
501-515B  
525-535B  
537-546B  
547-554B  
562-564B  
595-604A  
603-614B  
615-627B  
661-669A  
681-690A  
685-695B  
691-694A  
723-732B  
733-741B  
744-747B  
811-819A  
831-840A  
869-886B  
879-887A  
889-901A  
903-911B  
941-947B  
961-969A  
969-972B  
1015-1025B  
1027-1032B  
1095-1101B  
1103-1112B  
1129-1141B  
1157-1160A  
1185-1193B  
1189-1200A  
1205-1211B  
1283-1291A  
1335-1345A  
1355-1360A  
1361-1371A  
1373-1380A  
1381-1403A  
1405-1416A  
1417-1430A  
1479-1491A  
1541-1550A  
1609-1620A  
1679-1685A  
1755-1767A  
1813-1821A
- Effect of texture changes on flow softening during hot working of Ti-6Al-4V.  
Mathematical modeling of vapor-plume focusing in electron-beam evaporation.  
A methodology for determining average lattice orientation and its application to the characterization of grain substructure.  
Deformation and strength behavior of two nickel-base turbine disk alloys at 650°C.  
A model of work of adhesion for reactive metal/ceramic systems.  
Measurements and modeling of the microstructural morphology during equiaxed solidification of Al-Cu alloys.  
Grain boundary sliding and component shape distortion during liquid-phase sintering.  
Friction and wear behavior of a centrifugally cast lead-free copper alloy containing graphite particles.  
Discussion of 'An investigation of the effects of loading rate on resistance-curve behavior and toughening in cast lamellar gamma-based titanium aluminides'.  
Authors' reply.  
Thermodynamics of B2 intermetallic compounds with triple defects: a Bragg-Williams model for (Ni,Co)Al.  
Thermodynamic assessment of the Me-Co-C systems (Me = Ti, Ta, or Nb).  
Effect of precipitates on plastic anisotropy for polycrystalline aluminum alloys.  
Strain aging: Cribb/Reed-Hill's model applied to the FeMnAl-SiC austenitic system.  
Characterization of the temperature evolution during high-cycle fatigue of the ULTIMET superalloy: experiment and theoretical modeling.  
Effective approach to describe growth of binary intermediate phases with narrow ranges of homogeneity.  
New model to explain the unusual tensile behavior of high martensite dual-phase steels.  
On the microstructural instability of an experimental nickel-based single-crystal superalloy.  
Thermodynamic assessment of the Fe-Nb-Ti-C-N system.  
New kinetic model for primary recrystallization of pure metals.  
Computational approach to designing ductile Nb-Ti-Cr-Al solid-solution alloys.  
Stress-strain hysteresis and damping in MnCu and NiTi alloys.  
Approach to saturation in textured soft magnetic materials.  
Shear, principal, and equivalent strains in equal-channel angular deformation.  
Separation of scales for growth of an alloy needle crystal.  
Apparent grain growth behavior of submicrometer grained Al-3 Pct Mg during static annealing after fabrication by severe plastic straining.  
Stress-induced martensitic transformation and impact toughness of cast irons and high-carbon Fe-Ni-C steel.  
Thermal-tempering analysis of bulk metallic glass plates using an instant-freezing model.  
Delineating brittle-phase embrittlement and ductile-phase toughening in Nb-based in-situ composites.  
An analysis of cavitation occurring in near- $\gamma$  titanium aluminide during superplastic deformation.  
Surface energy, adsorption, and wetting transitions in ternary liquid alloys.  
Modeling of temperature field for the induction skull melting process of Ti-47Ni-9Nb.  
Determination of activation energy of phase transformation and recrystallization using a modified Kissinger method.  
Modeling of Microstructural Evolution with Tracking of Equiaxed Grain Movement for Multicomponent Al-Si Alloy.  
Particle Rearrangement during Powder Compaction.
- 1871-1875A  
1959-1966A  
1967-1975A  
2021-2032A  
2033-2038A  
2049-2060A  
2087-2095A  
2115-2125A  
2136-2139A  
2138-2139A  
2157-2166A  
2167-2174A  
2239-2247A  
2271-2277A  
2279-2296A  
2396-2400A  
2400-2403A  
2409-2421A  
2423-2439A  
2465-2473A  
2475-2487A  
2489-2498A  
2595-2603A  
2639-2647A  
2669-2670A  
2670-2672A  
2695-2708A  
2709-2715A  
2717-2727A  
2769-2779A  
2851-2858A  
2895-2902A  
2903-2904A  
3065-3076A  
3117-3124A  
831-837B  
313-318B  
805-810A  
821-829A  
1777-1786A  
2077-2085A  
2885-2893A  
2937-2946A  
3099-3108A  
3109-3116A  
777-784B  
839-845B  
949-959B  
961-963B
- Mattes**  
Thermodynamic observations of the molten Fe-FeO system and its vicinity at 1473 K.  
**Measurement**  
Effect of shield gas composition on surface tension of steel droplets in a gas-metal-arc welding arc.  
**Mechanical alloying**  
Effects of Si and Ni powder refining on the formation mechanism of nickel silicides induced by mechanical alloying.  
Mechanical milling of gas-atomized Al-Ni-Mn (Mn-misch metal) alloy powders.  
Preparation and thermal stability of Zr-Ti-Al-Ni-Cu amorphous powders by mechanical alloying technique.  
Reduction of porosity in oxide dispersion-strengthened alloys produced by powder metallurgy.  
Densification and structural change of mechanically alloyed W-Cu composites.  
Evolution and Coarsening of Al<sub>2</sub>O<sub>3</sub> Dispersoids at 500°C to 600°C in a Mechanically Alloyed Al-Ti-O Based Material.  
The Effect of Composition and Milling Conditions on the Structure of Mechanically Alloyed Mg-Al Based Alloys.  
Grain Growth of Nanocrystalline Ni Powders Prepared by Cryomilling.  
**Mechanisms**  
Simultaneous leaching of a deep-sea manganese nodule and chalcophyllite in hydrochloric acid.  
Characterization of phases formed in the iron carbide process by x-ray diffraction, Mossbauer, x-ray photoelectron spectroscopy, and Raman spectroscopy analyses.  
Numerical simulation of the molten-pool formation during the laser surface-melting process.  
Intensification of iron removal rate during oxygen leaching through gas-liquid mass-transfer enhancement.  
A unified microscale-parameter approach to solidification-transport phenomena-based macrosegregation modeling for



- dendritic solidification. I. mixture average-based analysis. 1129-1141B
- Modeling of kinetics of isothermal idiomorphic ferrite formation in a medium-carbon vanadium-titanium microalloyed steel. 1591-1597A
- Stabilization of thermosoluble convective instabilities in Ni-based single-crystal superalloys: carbon additions and freckle formation. 1743-1753A
- Transverse behavior and acoustic-emission analysis of titanium metal-matrix composites under tensile loading. 1841-1849A
- The formation of lamellar-eutectic grains in thin samples. 2039-2048A
- Role of large-scale slip in mode II fracture of bimaterial interface produced by diffusion bonding. 2109-2114A
- Author's reply. 2133-2134A
- Discussion of 'An investigation of the effects of loading rate on resistance-curve behavior and toughening in cast lamellar gamma-based titanium aluminides'. 2136-2139A
- Authors' reply. 2138-2139A
- Effect of fatigue damage on the dynamic fracture toughness of En-8-grade steel. 2547-2552A
- Stress and temperature dependence of creep in alloy 600 in primary water. 2553-2560A
- Effects of temperature on the fatigue crack growth behavior of cast gamma-based titanium aluminides. 2781-2794A
- Stress corrosion cracking of sensitized AA5083 (Al-4.5Mg-1.0Mn). 2859-2867A
- Medium carbon steels, Mechanical properties**
- Effect of fatigue damage on the dynamic fracture toughness of En-8-grade steel. 2547-2552A
- Medium carbon steels, Microstructure**
- Acicular ferrite morphologies in a medium-carbon microalloyed steel. 2187-2197A
- Medium carbon steels, Phase transformations**
- Modeling of kinetics of austenite-to-allotriomorphic ferrite transformation in 0.37C-1.45Mn-0.11V microalloyed steel. 661-669A
- Medium carbon steels, Quality control**
- Largest-extreme-value distribution analysis of multiple inclusion types in determining steel cleanliness. 517-523B
- Melting points**
- Determination of the CoTi congruent melting point and thermodynamic reassessment of the Co-Ti system. 2175-2186A
- Melts**
- Density and solidification shrinkage of hypoeutectic aluminum-silicon alloys. 2605-2613A
- Melts, Reactions (chemical)**
- Thermodynamic behavior of  $\text{Na}_2\text{O}-\text{B}_2\text{O}_3$  melt. 297-303B
- Thermodynamics of the Ca-CaO-CaF<sub>2</sub> system. 305-311B
- Mercury, Reactions (chemical)**
- Theoretical models of mercury dissolution from dental amalgams in neutral and acidic fluids. 409-416B
- Metal fibers, Mechanical properties**
- Tertiary compression creep of long-fiber composites: a model for fiber kinking and buckling. 183-196A
- Metal matrix composites, Mechanical properties**
- An investigation of fracture and fatigue in a metal/polymer composite. 1997-2010A
- Metal powders, Chemical analysis**
- Grain Growth of Nanocrystalline Ni Powders Prepared by Cryomilling. 3109-3116A
- Metal powders, Synthesis**
- Particle Rearrangement during Powder Compaction. 3117-3124A
- Metallic glasses, Mechanical properties**
- Thermal-tempering analysis of bulk metallic glass plates using an instant-freezing model. 2709-2715A
- Fracture toughness, fracture morphology, and crack-tip plastic zone of a Zr-based bulk amorphous alloy. 2819-2825A
- Metallic glasses, Phase transformations**
- A simple model for determining alloy composition with large glass forming ability in ternary alloys. 200-202A
- Metallurgy**
- Why materials science and engineering is good for metallurgy. 197-204B
- Why materials science and engineering is good for metallurgy. 853-860A
- Metastable phases**
- Kinetics of carbide formation from reduced iron in  $\text{CO}-\text{H}_2-\text{H}_2\text{S}$  mixtures. 1161-1170B
- Stabilization mechanisms of retained austenite in transformation-induced plasticity steel. 1527-1539A
- A diffraction study of the  $\gamma'$  phase in INCONEL 718 superalloy. 1887-1901A
- Structural properties and stability of metastable phases in the Zr-Nb system. I. Systematics of quenching-and-aging experiments. 1903-1910A
- Influence of Cu additions on the morphology of GeSi precipitates in an Al-Ge-Si alloy. 1949-1958A
- Densification and structural change of mechanically alloyed W-Cu composites. 2885-2893A
- Metastable phases, Crystal growth**
- Formation of nanosized martensite particles in stainless steels. 261-265A
- Effect of growth velocity on the growth temperature of the Al-Al<sub>3</sub>Fe eutectic in Al-2.85Fe-0.12V alloy. 1251-1253A
- Microalloying**
- Precipitation behavior and its effect on strengthening of an HSLA-Nb/Ti steel. 1635-1647A
- Microgravity**
- Interfacial criterion of spontaneous and forced engulfment of reinforcing particles by an advancing solid/liquid interface. 993-1005A
- Microgravity, Environment**
- Presintering effects on ground-based and microgravity liquid phase sintering. 2097-2107A
- Microhardness**
- Joint zone evolution in infrared bonded steels with copper filler. 1177-1183B
- Study of  $\text{Ni}_3\text{Al}-\text{Cr}_2\text{C}_2$  composite materials fabricated by self-propagating high-temperature synthesis casting route. 1823-1830A
- Phase transformations in Ti-6Al-4V-xH alloys. 2453-2463A
- Electron and laser beam welding of high strain rate superplastic Al-6061/SiC composites. 2575-2584A
- Effects of welding and weld heat-affected zone simulation on the microstructure and mechanical behavior of a 2195 aluminum-lithium alloy. 2729-2741A
- Microstructural, Compositional, and Microhardness Variations across a Gas-Metal Arc Weldment Made with an Ultralow-Carbon Consumable. 3043-3054A
- Microhardness, Microstructural effects**
- Production of bulk cementite and its characterization. 2127-2131A
- Microhardness, Processing effects**
- Mechanical milling of gas-atomized Al-Ni-Mn (Mn=misch metal) alloy powders. 821-829A
- Microhardness, Welding effects**
- Local properties of undermatched steel weld metal. 913-922A
- Microscopy**
- Microstructural, Compositional, and Microhardness Variations across a Gas-Metal Arc Weldment Made with an Ultralow-Carbon Consumable. 3043-3054A
- Modulus of elasticity**
- Modeling of the mechanical effects induced by the tungsten inert-gas welding of the IN718 superalloy. 1713-1725A
- Molybdenum, Coatings**
- Modeling of oxidation of molybdenum particles during plasma spray deposition. 475-481B
- Molybdenum, Composite materials**
- Role of large-scale slip in mode II fracture of bimaterial interface produced by diffusion bonding. 2109-2114A
- Molybdenum base alloys, Powder technology**
- Role of solid-state skeletal sintering during processing of Mo-Cu composites. 605-613A
- Molybdenum compounds, Brazing**
- Residual stresses and interface strengths in  $\text{MoSi}_2$ /stainless steel 316L joints produced by metallic-glass brazing. 1459-1465A
- Molybdenum disilicide, Powder technology**
- Effects of heating rate on densification and grain growth during field-assisted sintering of  $\alpha\text{-Al}_2\text{O}_3$  and  $\text{MoSi}_2$  powders. 2633-2638A
- Molybdenum steels, Mechanical properties**
- Effects of alloying additions and austenitizing treatments on secondary hardening and fracture behavior for martensitic steels containing both Mo and W. 1659-1670A
- Secondary hardening and impact fracture behavior in isothermally aged Mo, W, and Mo-W steels. 1862-1866A
- Monitoring**
- Visualization of the material flow in AA2195 friction-stir welds using a marker insert technique. 2879-2884A
- Morphology**
- Effects of microstructural morphology on quasi-static and dynamic deformation behavior of Ti-6Al-4V alloy. 315-324A
- The effect of particle size and morphology on the in-flight behavior of particles during high-velocity oxyfuel thermal spraying. 525-535B
- Snoek relaxation and dislocation damping in aged Fe-Cu-Ni steel. 1671-1677A
- Steady-state creep behavior in an isotropic functionally graded material rotating disc of Al-SiC composite. 1679-1685A
- Effect of dispersed particles on microstructure evolved in iron under mechanical milling followed by consolidating rolling. 1769-1776A
- Fatigue crack growth behavior of 2124/SiC/10p functionally graded materials. 1831-1839A
- A diffraction study of the  $\gamma'$  phase in INCONEL 718 superalloy. 1887-1901A
- Influence of Cu additions on the morphology of GeSi precipitates in an Al-Ge-Si alloy. 1949-1958A
- III. The tensile behavior of Ti-Al-Nb O + bcc orthorhombic alloys. 1977-1988A
- Deformation and strength behavior of two nickel-base turbine disk alloys at 650°C. 2021-2032A
- Measurements and modeling of the microstructural morphology during equiaxed solidification of Al-Cu alloys. 2049-2060A
- Decomposition of Fe-intermetallics in Sr-modified cast 6XXX type aluminum alloys for automotive skin. 2061-2075A
- Presintering effects on ground-based and microgravity liquid phase sintering. 2097-2107A
- Production of bulk cementite and its characterization. 2127-2131A
- Acicular ferrite morphologies in a medium-carbon microalloyed steel. 2187-2197A
- Influence of martensite content and morphology on the toughness and fatigue behavior of high-martensite dual-phase steels. 2207-2217A
- Strain aging: Cribb/Reed-Hill's model applied to the FeMnAl-SiC austenitic system. 2271-2277A
- New model to explain the unusual tensile behavior of high martensite dual-phase steels. 2400-2403A
- Influence of stepped austempering process on the fracture toughness of austempered ductile iron. 2509-2514A
- Effect of fatigue damage on the dynamic fracture toughness of En-8-grade steel. 2547-2552A
- Effects of heating rate on densification and grain growth during field-assisted sintering of  $\alpha\text{-Al}_2\text{O}_3$  and  $\text{MoSi}_2$  powders. 2633-2638A
- Delineating brittle-phase embrittlement and ductile-phase toughening in Nb-based in-situ composites. 2717-2727A
- Effect of microstructure on fracture characteristics of Ti-6Al-2Sn-2Zr-2Mo-2Cr-Si. 2795-2804A

- Comparison of the fatigue and fracture of  $\alpha + \beta$  and  $\beta$  titanium alloys.  
Densification and structural change of mechanically alloyed W-Cu composites. 2805-2818A
- Morphology, Alloying effects**  
Discontinuous coarsening of the lamellar structure of  $\gamma$ -TiAl-based intermetallic alloys and its control. 1927-1938A
- Morphology, Coating effects**  
Morphological evolution during the early stages of aluminide coating growth on a single-crystal nickel superalloy surface. 615-624A
- Morphology, Composition effects**  
Eutectic nucleation and growth in hypoeutectic Al-Si alloys at different strontium levels.  
Shape-memory effect and strengthening mechanism in a Nb and N-doped Fe-Mn-Si-based alloy.  
Stabilization of thermosoluble convective instabilities in Ni-based single-crystal superalloys: carbon additions and freckle formation. 949-960A  
1621-1628A  
1743-1753A
- Morphology, Cooling effects**  
Simple model of microsegregation during solidification of steels.  
Cooling precipitation and strengthening study in powder metallurgy superalloy U720LI. 1755-1767A  
2441-2452A
- Morphology, Deformation effects**  
Microstructures of hot-rolled high-strength steels with significant differences in edge formability.  
Development of {111} transformation texture in interstitial-free steels.  
Effect of hold time and waveform on the high-temperature, low-cycle fatigue properties of a Nb-A286 alloy. 745-760A  
2325-2334A  
2539-2546A
- Morphology, Heating effects**  
 $M_{23}C_6$  carbide dissolution mechanisms during heat treatment of ASTM F-75 implant alloys.  
Reduction of porosity in oxide dispersion-strengthened alloys produced by powder metallurgy. 979-984A  
2077-2085A
- Morphology, Processing effects**  
Development of cermet microstructures during sintering.  
In situ formed (TiW)C phase in iron matrix.  
Microstructure evolution in metal-intermetallic laminate (MIL) composites synthesized by reactive foil sintering in air.  
Effects of microstructural evolution on superplastic deformation characteristics of a rapidly solidified Al-Li alloy.  
Plastic flow and microstructure evolution during thermomechanical processing of laser-deposited Ti-6Al-4V preforms.  
Effect of texture changes on flow softening during hot working of Ti-6Al-4V.  
The effects of thermomechanical processing on the precipitation in an industrial dual-phase steel microalloyed with titanium.  
Optimizing continuous annealing of interstitial-free steels for improving deep drawability.  
Microstructural stability of ultrafine grained low-carbon steel containing vanadium fabricated by intense plastic straining.  
Postweld heat-treatment response of simulated coarse-grained heat-affected zones in a new ferritic steel. 85-94A  
431-433A  
1493-1505A  
1649-1658A  
1787-1797A  
1871-1875A  
1939-1947A  
1989-1995A  
2373-2381A  
2585-2594A
- Morphology, Welding effects**  
Effects of welding and weld heat-affected zone simulation on the microstructure and mechanical behavior of a 2195 aluminum-lithium alloy.  
Heterogeneity of crystallographic texture in friction stir welds of aluminum. 2729-2741A  
2869-2877A
- Multilayers, Magnetic properties**  
Effects of annealing on the microstructure and giant magnetoresistance of Co-Cu-based spin valves. 577-584A
- Multilayers, Mechanical properties**  
Role of large-scale slip in mode II fracture of bimaterial interface produced by diffusion bonding. 2109-2114A
- Nanomaterials, Coatings**  
Wear-resistant amorphous and nanocomposite steel coatings. 2615-2621A
- Nanostructure**  
Mechanical behavior and microstructure of a thermally stable bulk nanostructured Al alloy. 2335-2343A
- Nanostructure, Deformation effects**  
A new route to bulk nanostructured metals. 1559-1562A
- Near net shaping**  
A study on solutions for avoiding liquid segregation phenomena in thixoforming process. I. Constitutive modeling and finite element method simulations for die design. 119-127B  
A study on solutions for avoiding liquid segregation phenomena in thixoforming process. II. Net shape manufacturing of automotive scroll component.  
Modeling of spray-formed plates using an X-Y moving substrate.  
Correlation of microstructure and surface roughness of disc drums fabricated by hot forging of an AISI 430F stainless steel. 129-136B  
831-840A  
1111-1118A
- Neutron diffraction**  
In-situ characterization of  $\gamma/\gamma'$  lattice stability in a nickel-base superalloy by neutron diffraction. 1551-1552A
- Nickel, Alloying additive**  
Mechanical properties of Ir-Nb alloys containing Ni and Al. 1347-1353A
- Nickel, Binary systems**  
Enthalpy of formation of B2-Fe<sub>1-x</sub>Al<sub>x</sub> and B2-(Ni,Fe)<sub>1-x</sub>Al<sub>x</sub>.  
Effective approach to describe growth of binary intermediate phases with narrow ranges of homogeneity. 913-918B  
2396-2400A
- Nickel, Coating**  
Reaction synthesis of Ni-Al-based particle composite coatings. 379-390A
- Nickel, Extraction**  
A thermodynamic model of nickel smelting and direct high-grade nickel matte smelting processes. I. Model development and validation. 341-351B  
A thermodynamic model of nickel smelting and direct high-grade nickel matte smelting processes. II. Distribution behaviors of Ni, Cu, Co, Fe, As, Sb, and Bi. 353-361B  
Correction to Metall. Mater. Trans. B., December 2000, vol. 31B, pp. 1231-1239. "Phase equilibrium and minor-element distribution between Ni<sub>2</sub>S<sub>2</sub>-FeS matte and calcium ferrite slag under high partial pressures of SO<sub>2</sub>" by J.M. Font, M. Hino, and K. Itagaki. 379B
- Nickel, Powder technology**  
Grain Growth of Nanocrystalline Ni Powders Prepared by Cryomilling. 3109-3116A
- Nickel, Reactions (chemical)**  
Formation of intermetallic compounds in SnPbAg, SnAg, and SnAgCu solders on Ni/Au metallization. 2666-2668A
- Nickel, Solubility**  
The solubility of nitrogen in liquid pure nickel. 1095-1101B
- Nickel, Ternary systems**  
Phase equilibria and intermetallic phases in the Ni-Si-Mg ternary system.  
Thermodynamics of B2 intermetallic compounds with triple defects: a Bragg-Williams model for (Ni,Co)Al. 5-18A  
2157-2166A
- Nickel base alloys, Casting**  
Discussion of thermal and grain-structure simulation in a land-based turbine blade directionally solidified with the liquid metal cooling process.  
Authors' reply [to preceding article "Discussion of Thermal and grain-structure simulation in a land-based turbine blade directionally solidified with the liquid metal cooling process"]. 1212-1213B  
1213B
- Nickel base alloys, Coating**  
Morphological evolution during the early stages of aluminide coating growth on a single-crystal nickel superalloy surface.  
Effects of Pt incorporation on the isothermal oxidation behavior of chemical vapor deposition aluminide coatings. 615-624A  
1727-1741A
- Nickel base alloys, Coatings**  
Reaction synthesis of Ni-Al-based particle composite coatings. 379-390A
- Nickel base alloys, Composite materials**  
Tertiary compression creep of long-fiber composites: a model for fiber kinking and buckling.  
Multistage sintering approach to prepare Ni<sub>3</sub>Al/ $\alpha$ -Al<sub>2</sub>O<sub>3</sub> composites.  
An investigation of fracture and fatigue in a metal/polymer composite. 183-196A  
407-415A  
1997-2010A
- Nickel base alloys, Corrosion**  
Formation Kinetics and Rupture Strain of Ni-Cr-Fe Alloy Corrosion Films Formed in High-Temperature Water. 3015-3022A
- Nickel base alloys, Crystal growth**  
Solidification of undercooled molten Ni-based alloys.  
Equilibrium at stationary solid-liquid interface during phase-field modeling of alloy solidification. 449-457B  
961-969A
- Nickel base alloys, Directional solidification**  
Simulating the initiation of a channel during directional solidification of a superalloy. 202-207A
- Nickel base alloys, End uses**  
Dilution control in gas-tungsten-arc welds involving super austenitic stainless steels and nickel-based alloys. 1171-1176B
- Nickel base alloys, Heat treatment**  
Particle formation in the rapidly solidified zone of alloy 600 surface melted by a CO<sub>2</sub> laser beam.  
Cooling precipitation and strengthening study in powder metallurgy superalloy U720LI. 1248-1251A  
2441-2452A
- Nickel base alloys, Mechanical properties**  
Fatigue-crack growth behavior in the superelastic and shape-memory alloy NiTiNi.  
Creep crack growth in the absence of grain boundary precipitates in UDIMET 520.  
Creep-rupture behavior of a directionally solidified nickel-base superalloy.  
Erosion-oxidation interaction in Ni and Ni-20Cr alloy.  
Deformation and strength behavior of two nickel-base turbine disk alloys at 650°C.  
Stress and temperature dependence of creep in alloy 600 in primary water.  
Features and Effect Factors of Creep of Single-Crystal Nickel-Base Superalloys. 731-743A  
795-804A  
1103-1110A  
1431-1451A  
2021-2032A  
2553-2560A  
2947-2958A
- Nickel base alloys, Metallography**  
In-situ characterization of  $\gamma/\gamma'$  lattice stability in a nickel-base superalloy by neutron diffraction. 1551-1552A
- Nickel base alloys, Microstructure**  
Stabilization of thermosoluble convective instabilities in Ni-based single-crystal superalloys: carbon additions and freckle formation.  
A diffraction study of the  $\gamma'$  phase in INCONEL 718 superalloy.  
On the microstructural instability of an experimental nickel-based single-crystal superalloy.  
The Effects of Deformation and Pre-Heat-Treatment on Abnormal Grain Growth in RENE 88 Superalloy. 1743-1753A  
1887-1901A  
2409-2421A  
3077-3090A
- Nickel base alloys, Phase transformations**  
A relaxed-constraint model for the tensile behavior of polycrystalline shape-memory alloy wires.  
Deformation of NiTiCu shape memory single crystals in compression.  
Plastic straining effects on the microstructure of a Ti-rich NiTi shape memory alloy. 305-313A  
477-489A  
717-729A

- Texture, strain, and phase-fraction measurements during mechanical cycling in superelastic NiTi. 777-786A  
Phase precipitation and phase stability in Nimonic 263. 1271-1282A
- Nickel base alloys, Physical properties**  
The effect of strain on the trapping of hydrogen at grain-boundary carbides in Ni-Cr-Fe alloys. 369-377A
- Nickel base alloys, Rolling**  
Nucleation sites for ultrafine ferrite produced by deformation of austenite during single-pass strip rolling. 1507-1517A
- Nickel base alloys, Solubility**  
Solubility of nitrogen in liquid nickel-based alloys. 1103-1112B
- Nickel base alloys, Welding**  
Effect of CO<sub>2</sub> laser welding on the shape-memory and corrosion characteristics of TiNi alloys. 569-576A  
Effect of boron segregation at grain boundaries on heat-affected zone cracking in wrought INCONEL 718. 931-939A  
Fracture toughness of alloy 600 and an EN82H weld in air and water. 1161-1174A  
Modeling of the mechanical effects induced by the tungsten inert-gas welding of the IN718 superalloy. 1713-1725A
- Nickel chromium molybdenum steels, Mechanical properties**  
Relationship between crystallographic orientation at the boundaries and brittle crack propagation in Mn-Mo-Ni low alloy steel. 2139-2142A  
Failure behavior of heat-affected zones within HSLA-100 and HY-100 steel weldments. 2229-2237A  
Damage Accumulation and Failure of HY-100 Steel. 2985-2994A
- Nickel chromium molybdenum steels, Welding**  
Effects of alloying elements on mechanical and fracture properties of base metals and simulated heat-affected zones of SA 508 steels. 903-911A  
Local properties of undermatched steel weld metal. 913-922A
- Nickel chromium steels, Heat treatment**  
Effects of Ni additions and austenitizing temperature on secondary hardening behavior in high Co-Ni steels. 2393-2396A
- Nickel compounds, Coatings**  
Reaction synthesis of Ni-Al-based particle composite coatings. Morphological evolution during the early stages of aluminate coating growth on a single-crystal nickel superalloy surface. The effect of grit blasting on the oxidation behavior of a platinum-modified nickel-aluminate coating. 379-390A  
615-624A  
1467-1478A
- Nickel compounds, Composite materials**  
Tertiary compression creep of long-fiber composites: a model for fiber kinking and buckling. 183-196A  
Multistage sintering approach to prepare Ni<sub>3</sub>Al/ $\alpha$ -Al<sub>2</sub>O<sub>3</sub> composites. 407-415A  
Study of Ni<sub>3</sub>Al-Cr<sub>2</sub>C<sub>3</sub> composite materials fabricated by self-propagating high-temperature synthesis casting route. 1823-1830A  
Role of large-scale slip in mode II fracture of bimaterial interface produced by diffusion bonding. 2109-2114A
- Nickel compounds, Heat treatment**  
Two-way shape memory effect of NiTi alloy induced by constraint aging treatment at room temperature. 1629-1634A
- Nickel compounds, Mechanical properties**  
Fatigue-crack growth behavior in the superelastic and shape-memory alloy Nitinol. 731-743A  
Mean strain effects on the fatigue properties of superelastic NiTi. 1866-1869A  
Stress-strain hysteresis and damping in MnCu and NiTi alloys. 2489-2498A
- Nickel compounds, Phase transformations**  
Thermodynamic characterization of hydride phase growth in ZrNi-H<sub>2</sub>. 29-38A  
A relaxed-constraint model for the tensile behavior of polycrystalline shape-memory alloy wires. 305-313A  
Deformation of NiTiCu shape memory single crystals in compression. 477-489A  
Plastic straining effects on the microstructure of a Ti-rich NiTi shape memory alloy. 717-729A  
Texture, strain, and phase-fraction measurements during mechanical cycling in superelastic NiTi. 777-786A
- Nickel compounds, Powder technology**  
Effects of Si and Ni powder refining on the formation mechanism of nickel silicides induced by mechanical alloying. 805-810A
- Nickel compounds, Welding**  
Effect of CO<sub>2</sub> laser welding on the shape-memory and corrosion characteristics of TiNi alloys. 569-576A
- Nickel mattes, Reactions (chemical)**  
A thermodynamic model of nickel smelting and direct high-grade nickel matte smelting processes. I. Model development and validation. 341-351B  
A thermodynamic model of nickel smelting and direct high-grade nickel matte smelting processes. II. Distribution behaviors of Ni, Cu, Co, Fe, As, Sb, and Bi. 353-361B  
Correction to Metall. Mater. Trans. B., December 2000, vol. 31B, pp. 1231-1239. "Phase equilibrium and minor-element distribution between Ni<sub>3</sub>S<sub>2</sub>-FeS matte and calcium ferrite slag under high partial pressures of SO<sub>2</sub>" by J.M. Font, M. Hino, and K. Itagaki. 379B
- Niobium, Alloying additive**  
Ti<sub>5</sub>Si<sub>3</sub> whisker in-situ reinforced TiAl alloys. 1233-1244A
- Niobium, Alloying elements**  
Structural properties and stability of metastable phases in the Zr-Nb system. I. Systematics of quenching-and-aging experiments. 1903-1910A  
Uniaxial tensile deformation of uranium 6 wt pct niobium: a neutron diffraction study of deformation twinning. 2219-2228A  
Effect of hold time and waveform on the high-temperature, low-cycle fatigue properties of a Nb-A286 alloy. 2539-2546A
- Niobium, Composite materials**  
Stability of Nb/Nb<sub>5</sub>Si<sub>3</sub> microlaminates at high temperatures. 2363-2371A
- Niobium, Dopants**  
Shape-memory effect and strengthening mechanism in a Nb and N-doped Fe-Mn-Si-based alloy. 1621-1628A  
Precipitation behavior and its effect on strengthening of an HSLA-Nb/Ti steel. 1635-1647A
- Niobium, Quinary systems**  
Thermodynamic assessment of the Fe-Nb-Ti-C-N system. 2423-2439A
- Niobium, Ternary systems**  
Thermodynamic assessment of the Me-Co-C systems (Me = Ti, Ta, or Nb). 2167-2174A
- Niobium base alloys, Mechanical properties**  
Computational approach to designing ductile Nb-Ti-Cr-Al solid-solution alloys. 2475-2487A  
Delineating brittle-phase embrittlement and ductile-phase toughening in Nb-based in-situ composites. 2717-2727A
- Niobium base alloys, Microstructure**  
Dislocation structures in a deformed Nb-Cr-Ti solid solution alloy. 1023-1027A
- Nitrides, Crystal growth**  
Phase transformations and phase equilibria in the Fe-N system at temperatures below 573K. 59-73A
- Nitrides, Surface properties**  
Calculation of the interfacial energy of B1-type carbides and nitrides with austenite. 267-274A
- Nitrogen, Alloying elements**  
Nitrogen Redistribution, Microstructure, and Elastic Constant Evaluation Using Ultrasonics in Aged 316L Stainless Steels. 2959-2968A
- Nitrogen, Binary systems**  
Phase transformations and phase equilibria in the Fe-N system at temperatures below 573K. 59-73A
- Nitrogen, Dopants**  
Shape-memory effect and strengthening mechanism in a Nb and N-doped Fe-Mn-Si-based alloy. 1621-1628A
- Nitrogen, Quinary systems**  
Thermodynamic assessment of the Fe-Nb-Ti-C-N system. 2423-2439A
- Nitrogen, Solubility**  
Nitrogen solubility in liquid manganese and ferromanganese alloys. 659-668B  
The solubility of nitrogen in liquid pure nickel. 1095-1101B  
Solubility of nitrogen in liquid nickel-based alloys. 1103-1112B
- Nitrogen, Sorption**  
Thermodynamics of surfaces and adsorption in the Fe-O and Fe-O-N systems at 1823K. 423-427B
- Nodular iron, Heat treatment**  
Influence of stepped austempering process on the fracture toughness of austempered ductile iron. 2509-2514A
- Nodular iron, Mechanical properties**  
The effect of testing temperature on fracture toughness of austempered ductile iron. 295-303A
- Nodular iron, Phase transformations**  
Discussion of 'The role of manganese and copper in the eutectoid transformation of spheroidal graphite cast iron'. Author's reply. 2131-2135A  
2133-2134A
- Nonferrous castings, Crystal growth**  
Solidification of aluminum in electric field. 372-378B
- Nonferrous metals, Extraction**  
Particle suspension in air-agitated Pachuca tanks: investigation of hysteresis and a novel split air injection technique. 223-231B
- Nonmetallic inclusions**  
Behavior of alumina-magnesia complex inclusions and magnesia inclusions on the surface of molten low-carbon steels. 79-85B  
Correction to Metall. Mater. Trans. B., October 2000, vol. 31B, pp. 1013-1021 "Behavior of nonmetallic inclusions in front of the solid-liquid interface in low-carbon steels" by Sei Kimura, Y. Nabeshima, K. Nakajima, and S. Mizoguchi. 187B  
Largest-extreme-value distribution analysis of multiple inclusion types in determining steel cleanliness. 517-523B  
Inclusions in commercial low and medium carbon ferromanganese. 1049-1056A
- Nonmetallic inclusions, Crystal growth**  
MnS precipitation in association with manganese silicate inclusions in Si/Mn deoxidized steel. 1519-1525A
- Notch toughness**  
Influence of tempering on the microstructure and mechanical properties of HSLA-100 steel plates. 2259-2270A
- Nozzles**  
Effects of clogging, argon injection, and continuous casting conditions on flow and air aspiration in submerged entry nozzles. 707-722B
- Nozzles, Design**  
Bubble formation during horizontal gas injection into downward-flowing liquid. 1143-1159B
- Nuclear reactor components, Physical properties**  
The effect of strain on the trapping of hydrogen at grain-boundary carbides in Ni-Cr-Fe alloys. 369-377A
- Nuclear reactor components, Recycling**  
Behavior of ceria as an actinide surrogate in electrosilag remelting and refining slags. 1119-1128B
- Nuclear reactor components, Welding**  
Effects of alloying elements on mechanical and fracture prop-



- erties of base metals and simulated heat-affected zones of SA 508 steels. 903-911A
- Fracture toughness of alloy 600 and an EN82H weld in air and water. 1161-1174A
- Nucleation**
- Criterion for judging the homogeneous and heterogeneous nucleation. 391-395A
- New kinetic model for primary recrystallization of pure metals. 2465-2473A
- Nucleation, Deformation effects**
- Nucleation sites for ultrafine ferrite produced by deformation of austenite during single-pass strip rolling. 1507-1517A
- Offshore structures, Materials selection**
- Fatigue-crack growth in Ti-6Al-4V-0.1Ru in air and seawater: Part I. Design of experiments, assessment, and crack-growth-rate curves. 2297-2314A
- Optical measurements**
- Visualization of the material flow in AA2195 friction-stir welds using a marker insert technique. 2879-2884A
- Optimization**
- Numerical study of high-velocity oxygen fuel thermal spraying process. Part I: Gas phase dynamics. 1609-1620A
- Optimizing continuous annealing of interstitial-free steels for improving deep drawability. 1989-1995A
- Analysis and prevention of cracking during strip casting of AISI 304 stainless steel. 2249-2258A
- Orientation**
- A methodology for determining average lattice orientation and its application to the characterization of grain substructure. Relationship between crystallographic orientation at the boundaries and brittle crack propagation in Mn-Mo-Ni low alloy steel. 1967-1975A
- Effect of precipitates on plastic anisotropy for polycrystalline aluminum alloys. 2139-2142A
- Development of {111} transformation texture in interstitial-free steels. 2239-2247A
- 2325-2334A
- Orientation, Deformation effects**
- Microstructure and texture evolution under strain-path changes in low-carbon interstitial-free steel. 2527-2538A
- Orientation relationships**
- Discontinuous precipitation at [001] twist boundaries in Cu-0.75 wt pct Be alloy bicrystals. 1075-1079A
- A diffraction study of the  $\gamma'$  phase in INCONEL 718 superalloy. 1887-1901A
- Microstructural investigation on the precipitation of  $\alpha'$  nitrides and  $\alpha \rightarrow \gamma'$  nitride transformation in ion-nitrided pure iron. 2681-2688A
- Outokumpu flash smelting process**
- Experimental investigation and three-dimensional computational fluid-dynamics modeling of the flash-converting furnace shaft: Part I. Experimental observation of copper converting reactions in terms of converting rate, converting quality, changes in particle size, morphology, and mineralogy. 847-868B
- Oxidation**
- Erosion-oxidation interaction in Ni and Ni-20Cr alloy. 1431-1451A
- Oxidation rate**
- Isothermal oxidation of TiAl alloy. 2357-2361A
- Oxidation rate, Processing effects**
- The effect of grit blasting on the oxidation behavior of a platinum-modified nickel-aluminide coating. 1467-1478A
- Oxidation resistance**
- Interdiffusion in the  $\text{TiO}_2$  oxidation product of  $\text{Ti}_3\text{Al}$ . 491-495A
- Stability of Nb/ $\text{Nb}_2\text{Si}_3$  microlaminates at high temperatures. 2363-2371A
- Oxidation resistance, Coating effects**
- Effects of Pt incorporation on the isothermal oxidation behavior of chemical vapor deposition aluminide coatings. 1727-1741A
- Oxidation resistance, Processing effects**
- The effect of grit blasting on the oxidation behavior of a platinum-modified nickel-aluminide coating. 1467-1478A
- Oxide coatings**
- Cathodic deoxygenation of the alpha case on titanium and alloys in molten calcium chloride. 1041-1052B
- Oxides, Additives**
- Effect of dispersed particles on microstructure evolved in iron under mechanical milling followed by consolidating rolling. 1769-1776A
- Oxidizing atmospheres**
- Oxidation of metals with highly reactive vapors: extension of Wagner theory. 903-911B
- Oxygen, Chemical analysis**
- Measurement of oxygen potentials in Ag-Pb system employing oxygen sensor. 417-421B
- Oxygen, Quaternary systems**
- Coupled experimental and thermodynamic study of the Zn-Fe-Si-O system. 793-800B
- Oxygen, Reactions (chemical)**
- Modeling of oxidation of molybdenum particles during plasma spray deposition. 475-481B
- Oxygen, Sorption**
- Thermodynamics of surfaces and adsorption in the Fe-O and Fe-O-N systems at 1823K. 423-427B
- Oxygen, Ternary systems**
- Experimental study of phase equilibria and thermodynamic optimization of the Fe-Zn-O system. 643-657B
- Pachucas, Design**
- Particle suspension in air-agitated Pachuca tanks: investigation of hysteresis and a novel split air injection technique. 223-231B
- Partial pressure**
- Nitrogen solubility in liquid manganese and ferromanganese alloys. 659-668B
- Oxidation of metals with highly reactive vapors: extension of Wagner theory. 903-911B
- Particle size**
- The effect of particle size and morphology on the in-flight behavior of particles during high-velocity oxyfuel thermal spraying. 525-535B
- Particle size distribution**
- Correlation of microstructure with the wear resistance and fracture toughness of duocast materials composed of high-chromium white cast iron and low-chromium steel. 515-524A
- Particles, Crystal growth**
- Formation of nanosized martensite particles in stainless steels. 261-265A
- Particulate composites, Casting**
- In situ formed (TiW)C phase in iron matrix. 431-433A
- Correlation of abrasive wear with microstructure and mechanical properties of pressure die-cast aluminum hard-particle composite. 633-642A
- Characteristics of AA6061/BN composite fabricated by pressureless infiltration technique. 1007-1018A
- Particulate composites, Crystal growth**
- Interfacial criterion of spontaneous and forced engulfment of reinforcing particles by an advancing solid/liquid interface. 993-1005A
- Particulate composites, Mechanical properties**
- A novel approach for optimizing the fracture toughness of precipitation-hardenable Al-SiCp composites. 433-436A
- Microstructural factors affecting superplastic properties in magnesium-based composites. 923-929A
- Steady-state creep behavior in an isotropic functionally graded material rotating disc of Al-SiC composite. 1679-1685A
- Friction and wear behavior of a centrifugally cast lead-free copper alloy containing graphite particles. 2115-2125A
- Tensile properties of 5052 Al matrix composites reinforced with  $\text{B}_4\text{C}$  particles. 2142-2147A
- Particulate composites, Powder technology**
- Multistage sintering approach to prepare  $\text{Ni}_3\text{Al}/\alpha\text{-Al}_2\text{O}_3$  composites. 407-415A
- Study of  $\text{Ni}_3\text{Al}-\text{Cr}_7\text{C}_3$  composite materials fabricated by self-propagating high-temperature synthesis casting route. 1823-1830A
- Evolution and Coarsening of  $\text{Al}_2\text{O}_3$  Dispersoids at 500°C to 600°C in a Mechanically Alloyed Al-Ti-O Based Material. 2937-2946A
- Particulate composites, Reactions (chemical)**
- Methodology to design the interfaces in SiC/Al composites. 1541-1550A
- Particulate composites, Welding**
- Electron and laser beam welding of high strain rate superplastic Al-6061/SiC composites. 2575-2584A
- Penetration**
- Dynamic deformation behavior of an oxide-dispersed tungsten heavy alloy fabricated by mechanical alloying. 2011-2020A
- The effect of wetting kinetics on the penetration of a layered capillary. 2663-2666A
- Permanent mold casting**
- Determination of interface heat-transfer coefficients for permanent-mold casting of Ti-6Al-4V. 685-695B
- Peroxides, Environment**
- Localized corrosion susceptibility of Al-Li-Cu-Mg-Zn alloy AF/C458 due to interrupted quenching from solutionizing temperatures. 2561-2573A
- Phase boundary**
- Phase transformations in Ti-6Al-4V-xH alloys. 2453-2463A
- Phase decomposition, Composition effects**
- Phase transformations in Ti-6Al-4V-xH alloys. 2453-2463A
- Phase diagram reactions**
- Structural properties and stability of metastable phases in the Zn-Nb system. I. Systematics of quenching-and-aging experiments. 1903-1910A
- Effective approach to describe growth of binary intermediate phases with narrow ranges of homogeneity. 2396-2400A
- Macrosegregation and Sedimentation in Liquid-Phase Sintering. 3091-3098A
- Phase diagram reactions, Composition effects**
- Discussion of 'The role of manganese and copper in the eutectoid transformation of spheroidal graphite cast iron'. 2131-2135A
- Author's reply. 2133-2134A
- Phase diagrams**
- Liquidus surface of  $\text{FeO}-\text{Fe}_2\text{O}_3-\text{SiO}_2-\text{CaO}$  slag containing  $\text{Al}_2\text{O}_3$ , MgO, and  $\text{Cu}_2\text{O}$  at intermediate oxygen partial pressures. 583-592B
- Experimental study of phase equilibria and thermodynamic optimization of the Fe-Zn-O system. 643-657B
- Coupled experimental and thermodynamic study of the Zn-Fe-Si-O system. 793-800B
- Phase equilibria in the  $\text{CaF}_2-\text{CaO}-\text{P}_2\text{O}_5$  system at 1623 K. 967-969B
- Experimental study of phase equilibria in the  $\text{PbO}-\text{Al}_2\text{O}_3-\text{SiO}_2$  system. 997-1005B
- Phase equilibria investigations on the aluminum-rich part of the binary system Ti-Al. 1037-1047A
- Thermodynamic evaluation and optimization of the LiCl-NaCl-KCl-RbCl-CsCl-MgCl<sub>2</sub>-CaCl<sub>2</sub> system using the modified quasi-chemical model. 1381-1403A
- Thermodynamic evaluation and optimization of the LiF-NaF-KF-MgF<sub>2</sub>-CaF<sub>2</sub> system using the modified quasi-chemical model. 1405-1416A
- Thermodynamic evaluation and optimization of the Li, Na, K, Mg, Ca/F, Cl reciprocal system using the modified quasi-

- chemical model.  
Thermodynamic assessment of the Me-Co-C systems (Me = Ti, Ta, or Nb).  
Thermodynamic assessment of the Fe-Nb-Ti-C-N system.  
The Effect of Composition and Milling Conditions on the Structure of Mechanically Alloyed Mg-Al Based Alloys. 1417-1430A
- Phase ratio**  
Modeling of kinetics of isothermal idiomorphic ferrite formation in a medium-carbon vanadium-titanium microalloyed steel. 1591-1597A  
Structural properties and stability of metastable phases in the Zr-Nb system. I. Systematics of quenching-and-aging experiments. 1903-1910A  
Discontinuous coarsening of the lamellar structure of  $\gamma$ -TiAl-based intermetallic alloys and its control. 1927-1938A  
The effects of thermomechanical processing on the precipitation in an industrial dual-phase steel microalloyed with titanium. 1939-1947A  
Acicular ferrite morphologies in a medium-carbon microalloyed steel. 2187-2197A  
Influence of martensite content and morphology on the toughness and fatigue behavior of high-martensite dual-phase steels. 2207-2217A  
New model to explain the unusual tensile behavior of high martensite dual-phase steels. 2400-2403A  
On the microstructural instability of an experimental nickel-based single-crystal superalloy. 2409-2421A  
Thermodynamic assessment of the Fe-Nb-Ti-C-N system. 2423-2439A
- Phase separation**  
Delineating brittle-phase embrittlement and ductile-phase toughening in Nb-based in-situ composites. 2717-2727A
- Phase stability**  
Enthalpy of formation of B2-Fe<sub>3</sub>Al<sub>2</sub> and B2-(Ni,Fe)<sub>3</sub>Al<sub>2</sub>. 913-918B  
Experimental study of phase equilibria in the PbO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub> system. 997-1005B  
Phase equilibria investigations on the aluminum-rich part of the binary system Ti-Al. 1037-1047A  
Determination of standard Gibbs energies of formation of Cr<sub>2</sub>N and CrN. 1113-1118B  
Phase precipitation and phase stability in Nimonic 263. 1271-1282A  
Stabilization mechanisms of retained austenite in transformation-induced plasticity steel. 1527-1539A  
Preparation and thermal stability of Zr-Ti-Al-Ni-Cu amorphous powders by mechanical alloying technique. 1777-1786A  
Martensitic transformations, microstructure, and mechanics workability of TiPt. 1881-1886A  
Discontinuous coarsening of the lamellar structure of  $\gamma$ -TiAl-based intermetallic alloys and its control. 1927-1938A  
On the microstructural instability of an experimental nickel-based single-crystal superalloy. 2409-2421A  
Stress-induced martensitic transformation and impact toughness of cast irons and high-carbon Fe-Ni-C steel. 2695-2708A
- Phase stability, Composition effects**  
On the influence of interactions between phases on the mechanical stability of retained austenite in transformation-induced plasticity multiphase steels. 2759-2768A
- Phase transformations**  
A generalized formulation for evaluation of latent heat functions in enthalpy-based macroscopic models for convection-diffusion phase change processes. 562-564B
- Physical chemistry**  
Thermodynamic description for concentrated metallic solutions using interaction parameters. 87-103B  
Thermodynamic behavior of Na<sub>2</sub>O-B<sub>2</sub>O<sub>3</sub> melt. 297-303B  
Thermodynamics of the Ca-CaO-CaF<sub>2</sub> system. 305-311B  
Thermodynamics of surfaces and adsorption in the Fe-O and Fe-O-N systems at 1823K. 423-427B  
Occlusion and ion exchange in the molten (lithium chloride-potassium chloride-alkali metal chloride) salt-zeolite 4A system with alkali metal chlorides of sodium, rubidium, and cesium. 429-435B  
Henrian activity coefficient of As in Cu-Fe mattes and white metal. 437-447B  
The modified quasi-chemical model: II. Multicomponent solutions. 1355-1360A  
The modified quasi-chemical model: III. Two sublattices. 1361-1371A  
The modified quasi-chemical model: IV. Two-sublattice quadruplet approximation. 1373-1380A  
Thermodynamic evaluation and optimization of the LiCl-NaCl-KCl-RbCl-CsCl-MgCl<sub>2</sub>-CaCl<sub>2</sub> system using the modified quasi-chemical model. 1381-1403A  
Thermodynamic evaluation and optimization of the LiF-NaF-KF-MgF<sub>2</sub>-CaF<sub>2</sub> system using the modified quasi-chemical model. 1405-1416A  
Thermodynamic evaluation and optimization of the Li, Na, K, Mg, Ca/F, Cl reciprocal system using the modified quasi-chemical model. 1417-1430A
- Physical simulation**  
Effect of interfacial energy on the viscosities of two-phase mixtures—a physical modeling approach. 105-110B  
The formation of lamellar-eutectic grains in thin samples. 2039-2048A
- Physical vapor deposition**  
Mathematical modeling of vapor-plume focusing in electron-beam evaporation. 1959-1966A
- Plasma spraying**  
Modeling of oxidation of molybdenum particles during plasma spray deposition. 475-481B  
Dry sliding wear behavior of plasma-sprayed aluminum hybrid composite coatings. 2383-2392A  
Wear-resistant amorphous and nanocomposite steel coatings. 2615-2621A  
Strength Degradation of SiC Fiber during Manufacture of Titanium Matrix Composites by Plasma Spraying and Hot Pressing. 3133-3142A
- Plastic deformation**  
The effect of strain on the trapping of hydrogen at grain-boundary carbides in Ni-Cr-Fe alloys. 369-377A  
Plastic straining effects on the microstructure of a Ti-rich NiTi shape memory alloy. 717-729A  
Dislocation structures in a deformed Nb-Cr-Ti solid solution alloy. 1023-1027A  
The evolution of grain boundary character during superplastic deformation of an Al-6 pct Cu-0.4 pct Zr alloy. 1093-1102A  
Cyclic creep and cyclic deformation of high-strength spring steels and the evaluation of the sag effect: Part I. Cyclic plastic deformation behavior. 1687-1698A  
Simulation of the creep expansion of porous sandwich structures. 1813-1821A  
Failure modes during equal channel angular extrusion of aluminum alloy 2024. 1869-1871A  
Effect of texture changes on flow softening during hot working of Ti-6Al-4V. 1871-1875A  
New Discoveries in Deformed Metals. 2917-2936A
- Plastic deformation, Anisotropy**  
Effect of texture and slip mode on the anisotropy of plastic flow and flow softening during hot working of Ti-6Al-4V. 1801-1811A
- Plastic deformation, Microstructural effects**  
Effects of microstructural morphology on quasi-static and dynamic deformation behavior of Ti-6Al-4V alloy. 315-324A  
Microstructural evolution in the superplastic-like deformation of Al-Al<sub>3</sub>Ni eutectic alloys with [111] fiber texture. 547-555A  
Effect of precipitates on plastic anisotropy for polycrystalline aluminum alloys. 2239-2247A
- Plastic flow**  
An evaluation of the flow behavior during high strain rate superplasticity in an Al-Mg-Sc alloy. 707-716A  
Strain-path effects during hot working of Ti-6Al-4V with a colony-alpha microstructure. 1556-1559A
- Plasticity**  
Plastic flow and microstructure evolution during thermomechanical processing of laser-deposited Ti-6Al-4V preforms. 1787-1797A
- Plasticity, Diffusion effects**  
Hydrogen-induced internal-stress plasticity in titanium. 841-843A
- Platinum, Additives**  
Effects of Pt incorporation on the isothermal oxidation behavior of chemical vapor deposition aluminide coatings. 1727-1741A
- Platinum compounds, Phase transformations**  
Martensitic transformations, microstructure, and mechanics workability of TiPt. 1881-1886A
- Plugging**  
Effects of clogging, argon injection, and continuous casting conditions on flow and air aspiration in submerged entry nozzles. 707-722B
- Plutonium base alloys, Phases (state of matter)**  
Modeling of structural and compositional homogenization of plutonium-1 weight percent gallium alloys. 649-659A
- Point defects**  
Thermodynamics of B2 intermetallic compounds with triple defects: a Bragg-Williams model for (Ni,Co)Al. 2157-2166A
- Pole figures**  
Deformation banding and ferrite-type rolling textures. 125-134A  
Forming-limit diagrams of aluminum tailor-welded blank weld material. 275-283A  
Effect of dispersed particles on microstructure evolved in iron under mechanical milling followed by consolidating rolling. 1769-1776A  
Plastic flow and microstructure evolution during thermomechanical processing of laser-deposited Ti-6Al-4V preforms. 1787-1797A  
Effect of texture and slip mode on the anisotropy of plastic flow and flow softening during hot working of Ti-6Al-4V. 1801-1811A  
Effect of texture changes on flow softening during hot working of Ti-6Al-4V. 1871-1875A  
A methodology for determining average lattice orientation and its application to the characterization of grain substructure. 1967-1975A  
Relationship between crystallographic orientation at the boundaries and brittle crack propagation in Mn-Mo-Ni low alloy steel. 2139-2142A  
Microstructural investigation on the precipitation of  $\alpha''$  nitrides and  $\alpha \rightarrow \gamma'$  nitride transformation in ion-nitrided pure iron. 2681-2688A  
Heterogeneity of crystallographic texture in friction stir welds of aluminum. 2869-2877A
- Pollution abatement**  
Search for an economical and environmentally friendly iron-making process. 757-762B
- Porosity**  
Reduction of porosity in oxide dispersion-strengthened alloys produced by powder metallurgy. 2077-2085A  
Presintering effects on ground-based and microgravity liquid phase sintering. 2097-2107A
- Porous metals**  
Simulation of the creep expansion of porous sandwich structures. 1813-1821A
- Postheating**  
Effects of alloying elements on mechanical and fracture properties of base metals and simulated heat-affected zones of SA 508 steels. 903-911A
- Powder blending**  
Study of Ni<sub>3</sub>Al-Cr<sub>2</sub>C<sub>3</sub> composite materials fabricated by self-propagating high-temperature synthesis casting route. 1823-1830A
- Powder metallurgy**

- Dynamic deformation behavior of an oxide-dispersed tungsten heavy alloy fabricated by mechanical alloying. 2011-2020A
- Powder metallurgy parts, Heat treatment**  
Reduction of porosity in oxide dispersion-strengthened alloys produced by powder metallurgy. 2077-2085A
- Powder metallurgy parts, Mechanical properties**  
Deformation and strength behavior of two nickel-base turbine disk alloys at 650°C. 2021-2032A  
Mechanical behavior and microstructure of a thermally stable bulk nanostructured Al alloy. 2335-2343A
- Powder spraying**  
Plastic flow and microstructure evolution during thermomechanical processing of laser-deposited Ti-6Al-4V preforms. 1787-1797A
- Powders, Reactions (chemical)**  
Thermal and carbothermic decomposition of  $\text{Na}_2\text{CO}_3$  and  $\text{Li}_2\text{CO}_3$ . 17-24B
- Precipitates**  
Creep crack growth in the absence of grain boundary precipitates in UDIMET 520. 795-804A  
In-situ observation of TiN precipitates at stainless steel/CaO- $\text{Al}_2\text{O}_3$ -MgO-SiO<sub>2</sub> interface. 963-967B  
Effects of alloying additions and austenitizing treatments on secondary hardening and fracture behavior for martensitic steels containing both Mo and W. 1659-1670A  
Stabilization of thermosoluble convective instabilities in Ni-based single-crystal superalloys: carbon additions and freckle formation. 1743-1753A  
A diffraction study of the  $\gamma'$  phase in INCONEL 718 superalloy. The effects of thermomechanical processing on the precipitation in an industrial dual-phase steel microalloyed with titanium. 1887-1901A  
Deformation and strength behavior of two nickel-base turbine disk alloys at 650°C. 1939-1947A  
Decomposition of Fe-intermetallics in Sr-modified cast 6XXX type aluminum alloys for automotive skin. 2021-2032A  
Effect of precipitates on plastic anisotropy for polycrystalline aluminum alloys. 2061-2075A  
Microstructural stability of ultrafine grained low-carbon steel containing vanadium fabricated by intense plastic straining. 2239-2247A  
Effect of microstructure on fracture characteristics of Ti-6Al-2Sn-2Zr-2Mo-2Cr-Si. 2373-2381A  
2795-2804A
- Precipitates, Crystal growth**  
A model for interphase precipitation in V-microalloyed structural steels. 39-50A  
Phase transformations and phase equilibria in the Fe-N system at temperatures below 573K. 59-73A  
Precipitation and aging in Al-Si-Ge-Cu. 197-199A  
The precipitation of the Q phase in an AA6111 alloy. 213-218A
- Precipitation**  
A model for interphase precipitation in V-microalloyed structural steels. 39-50A  
Phase transformations and phase equilibria in the Fe-N system at temperatures below 573K. 59-73A  
Precipitation and aging in Al-Si-Ge-Cu. 197-199A  
The precipitation of the Q phase in an AA6111 alloy. 213-218A  
The effect of Cu additions on the precipitation kinetics in an Al-Mg-Si alloy with excess Si. 239-246A  
Creep crack growth in the absence of grain boundary precipitates in UDIMET 520. 795-804A  
Discontinuous precipitation at [001] twist boundaries in Cu-0.75 wt pct Be alloy bicrystals. 1075-1079A  
Phase precipitation and phase stability in Nimonic 263. 1271-1282A  
Metastable phases in an Al-Mg-Si alloy containing copper. 1293-1299A  
MnS precipitation in association with manganese silicate inclusions in Si/Mn deoxidized steel. 1519-1525A  
Role of Mg in the stress corrosion cracking of an Al-Mg alloy. 1699-1711A  
Influence of Cu additions on the morphology of GeSi precipitates in an Al-Ge-Si alloy. 1949-1958A  
On the microstructural instability of an experimental nickel-based single-crystal superalloy. 2409-2421A  
Cooling precipitation and strengthening study in powder metallurgy superalloy U720LI. 2441-2452A  
Delineating brittle-phase embrittlement and ductile-phase toughening in Nb-based in-situ composites. 2717-2727A  
Nitrogen Redistribution, Microstructure, and Elastic Constant Evaluation Using Ultrasonics in Aged 316LN Stainless Steels. 2959-2968A
- Precipitation, Alloying effects**  
Influence of zirconium and copper on the early stages of aging in Al-Zn-Mg alloys. 1063-1073A
- Precipitation hardening**  
On strengthening mechanisms in commercial Nb-Ti hot strip steels. 1245-1248A  
Precipitation behavior and its effect on strengthening of an HSLA-Nb/Ti steel. 1635-1647A  
A diffraction study of the  $\gamma'$  phase in INCONEL 718 superalloy. 1887-1901A
- Precipitation hardening steels, Phase transformations**  
Simulation of paraequilibrium growth in multicomponent systems. 455-467A
- Presintering**  
Presintering effects on ground-based and microgravity liquid phase sintering. 2097-2107A
- Pressure vessels, Materials selection**  
Microstructural instability and superplasticity in a Zr-2.5 Wt pct Nb pressure-tube alloy. 2827-2840A
- Pressure vessels, Welding**  
Effects of alloying elements on mechanical and fracture properties of base metals and simulated heat-affected zones of SA 508 steels. 903-911A
- Process control**  
Capillary interaction between inclusion particles on the 16Cr stainless steel melt surface. 629-641B
- Process parameters**  
Anion-exchange separation in hydrochloric acid solutions for the ultrahigh purification of cobalt. 573-582B  
Effects of clogging, argon injection, and continuous casting conditions on flow and air aspiration in submerged entry nozzles. 707-722B  
Undercooling of copper in refractory porcelain crucible. Kinetics of chlorination and microstructural changes of xenotime by carbon tetrachloride. 744-747B  
Studies on the kinetics of carbon tetrachloride chlorination of tantalum pentoxide. 785-791B  
Experimental investigation and three-dimensional computational fluid-dynamics modeling of the flash-converting furnace shaft: Part I. Experimental observation of copper converting reactions in terms of converting rate, converting quality, changes in particle size, morphology, and mineralogy. 801-810B  
Effect of thiourea on the copper cathode polarization behavior in acidic copper sulfate at 65°C. 847-868B  
Numerical study of high-velocity oxygen fuel thermal spraying process. Part I: Gas phase dynamics. 887-893B  
Simulation of the creep expansion of porous sandwich structures. 1609-1620A  
Study of  $\text{Ni}_3\text{Al-Cr}_2\text{C}_3$  composite materials fabricated by self-propagating high-temperature synthesis casting route. 1813-1821A  
Failure modes during equal channel angular extrusion of aluminum alloy 2024. 1823-1830A  
Optimizing continuous annealing of interstitial-free steels for improving deep drawability. 1869-1871A  
Reduction of porosity in oxide dispersion-strengthened alloys produced by powder metallurgy. 1989-1995A  
Analysis and prevention of cracking during strip casting of AISI 304 stainless steel. 2077-2085A  
Effects of Ni additions and austenitizing temperature on secondary hardening behavior in high Co-Ni steels. 2249-2258A  
Influence of stepped austempering process on the fracture toughness of austempered ductile iron. 2393-2396A  
Localized corrosion susceptibility of Al-Li-Cu-Mg-Zn alloy AF/C458 due to interrupted quenching from solutionizing temperatures. 2509-2514A  
Postweld heat-treatment response of simulated coarse-grained heat-affected zones in a new ferritic steel. 2561-2573A  
Investigation of striation formation in thin stainless steel tube during pulsed Nd:YAG laser cutting process by numerical simulation. 2585-2594A  
Interface Heat Transfer in Investment Casting of Aluminum Alloys. 2623-2632A  
3055-3063A
- Pseudoelasticity, Welding effects**  
Effect of  $\text{CO}_2$  laser welding on the shape-memory and corrosion characteristics of TiNi alloys. 569-576A
- Purification**  
The evaporation rates and mechanisms of cadmium from a bubble-stirred molten copper bath. 285-295B
- Pyrometallurgy**  
Entrained-flow chlorination of titaniferous slag to produce titanium tetrachloride. 389-393B  
Liquidus surface of  $\text{FeO-Fe}_2\text{O}_3\text{-SiO}_2\text{-CaO}$  slag containing  $\text{Al}_2\text{O}_3$ , MgO, and  $\text{Cu}_2\text{O}$  at intermediate oxygen partial pressures. 583-592B  
Soda-ash roasting of chromite minerals: kinetics considerations. 593-602B  
The soda-ash roasting of chromite ore processing residue for the reclamation of chromium. 987-995B  
Experimental study of phase equilibria in the  $\text{PbO-Al}_2\text{O}_3\text{-SiO}_2$  system. 997-1005B  
Microstructural studies and carbobchlorination kinetics of xenotime ore. 1007-1013B  
Carbothermal reduction of zinc ferrite. 1033-1040B
- Quaternary systems, Phases (state of matter)**  
Coupled experimental and thermodynamic study of the Zn-Fe-Si-O system. 793-800B  
Prediction of the thermodynamic properties of multicomponent liquid alloys by binary infinite dilute activity coefficients. 1205-1211B
- Quenching (cooling)**  
The effect of solution heat treatment and quenching rates on mechanical properties and microstructures in AISiMg foundry alloys. 525-532A  
Structural properties and stability of metastable phases in the Zr-Nb system. I. Systematics of quenching-and-aging experiments. 1903-1910A  
Cooling precipitation and strengthening study in powder metallurgy superalloy U720LI. 2441-2452A  
Influence of stepped austempering process on the fracture toughness of austempered ductile iron. 2509-2514A  
Localized corrosion susceptibility of Al-Li-Cu-Mg-Zn alloy AF/C458 due to interrupted quenching from solutionizing temperatures. 2561-2573A
- Quinary systems, Phases (state of matter)**  
Thermodynamic assessment of the Fe-Nb-Ti-C-N system. 2423-2439A
- Radioactive waste**  
Occlusion and ion exchange in the molten (lithium chloride-potassium chloride-alkali metal chloride) salt-zeolite 4A system with alkali metal chlorides of sodium, rubidium, and cesium. 429-435B
- Rapid solidification**



- Effects of microstructural evolution on superplastic deformation characteristics of a rapidly solidified Al-Li alloy. 1649-1658A
- Rare earth metals, Extraction**
- Kinetics of chlorination and microstructural changes of xenotime by carbon tetrachloride. 785-791B
- Microstructural studies and carbochlorination kinetics of xenotime ore. 1007-1013B
- Reaction kinetics**
- Thermal dependence of austempering transformation kinetics of compacted graphite cast iron. 51-58A
- Entrained-flow chlorination of titaniferous slag to produce titanium tetrachloride. 389-393B
- Kinetic analysis of NaF vaporization in SiF<sub>4</sub>-Ar mixture. 401-407B
- Henrian activity coefficient of As in Cu-Fe mattes and white metal. 437-447B
- Kinetic modeling of titania reduction by a methane-hydrogen-argon gas mixture. 465-473B
- Modeling of kinetics of austenite-to-allotriomorphic ferrite transformation in 0.37C-1.45Mn-0.11V microalloyed steel. 661-669A
- Studies on the kinetics of carbon tetrachloride chlorination of tantalum pentoxide. 801-810B
- Experimental investigation and three-dimensional computational fluid-dynamics modeling of the flash-converting furnace shaft: Part I. Experimental observation of copper converting reactions in terms of converting rate, converting quality, changes in particle size, morphology, and mineralogy. 847-868B
- Differential scanning calorimetry study and computer modeling of  $\beta \rightarrow \alpha$  phase transformation in a Ti-6Al-4V alloy. 879-887A
- Microstructural studies and carbochlorination kinetics of xenotime ore. 1007-1013B
- Kinetics of carbide formation from reduced iron in CO-H<sub>2</sub>-H<sub>2</sub>S mixtures. 1161-1170B
- Influence of pearlite morphology and heating rate on the kinetics of continuously heated austenite formation in a eutectoid steel. 1283-1291A
- Reaction kinetics, Field effects**
- Influence of magnetic field on the kinetics of proeutectoid ferrite transformation in iron alloys. 445-453A
- Reaction mechanisms**
- Thermodynamics of extraction of ReO<sub>4</sub><sup>-</sup> from aqueous sulfuric acid media with tri-n-butyl phosphate dissolved in kerosene. 5-10B
- Thermal and carbothermic decomposition of Na<sub>2</sub>CO<sub>3</sub> and Li<sub>2</sub>CO<sub>3</sub>. 17-24B
- The oxidation of zinc vapor in CO-CO<sub>2</sub>-N<sub>2</sub> gas mixtures. 37-45B
- A thermodynamic study on cobalt containing calcium ferrite and calcium iron silicate slags at 1573K. 47-54B
- The evaporation rates and mechanisms of cadmium from a bubble-stirred molten copper bath. 285-295B
- Entrained-flow chlorination of titaniferous slag to produce titanium tetrachloride. 389-393B
- Kinetic analysis of NaF vaporization in SiF<sub>4</sub>-Ar mixture. 401-407B
- Kinetic modeling of titania reduction by a methane-hydrogen-argon gas mixture. 465-473B
- Carbon consumption and current efficiency in hall-heroult cell. On strengthening mechanisms in commercial Nb-Ti hot strip steels. 743-744B
- Particle formation in the rapidly solidified zone of alloy 600 surface melted by a CO<sub>2</sub> laser beam. 1245-1248A
- Reaction mechanisms, Composition effects**
- Methodology to design the interfaces in SiC/Al composites. 1248-1251A
- Reactive processing**
- Study of Ni-Al-Cr-C<sub>2</sub> composite materials fabricated by self-propagating high-temperature synthesis casting route. 1541-1550A
- A model of work of adhesion for reactive metal/ceramic systems. 1823-1830A
- Recrystallization**
- Abnormal grain growth in bulk Cu. The dependence on initial grain size and annealing temperature. 2033-2038A
- Reduction of porosity in oxide dispersion-strengthened alloys produced by powder metallurgy. 1911-1926A
- Modeling of recrystallization after inhomogeneous deformation. 2077-2085A
- New kinetic model for primary recrystallization of pure metals. 2199-2206A
- Determination of activation energy of phase transformation and recrystallization using a modified Kissinger method. 2465-2473A
- Microstructural Factors Governing Hardness in Friction-Stir Welds of Solid-Solution-Hardened Al Alloys. 2903-2904A
- Recrystallization, Composition effects**
- The influence of Al<sub>2</sub>Zr dispersoids on the recrystallization of hot-deformed AA 7010 alloys. 3033-3042A
- Recrystallization, Deformation effects**
- Structures and residual stresses of Cr fibers in Cu-15Cr in-situ composites. 625-632A
- Recrystallization, Heating effects**
- The dependence of normal and abnormal grain growth in silver on annealing temperature and atmosphere. 1225-1232A
- Reducing atmospheres**
- Modeling of viscosities of the partly crystallized slags in the Al<sub>2</sub>O<sub>3</sub>-CaO-FeO-SiO<sub>2</sub> system. 469-475A
- Refractories, Service life**
- Thermodynamics of TiCN and TiC in Fe-C<sub>sat</sub> melts. 1027-1032B
- Residual stress**
- A relaxed-constraint model for the tensile behavior of polycrystalline shape-memory alloy wires. 1203-1205B
- Residual stresses and interface strengths in MoSi<sub>2</sub>/stainless steel 316L joints produced by metallic-glass brazing. 305-313A
- Modeling of the mechanical effects induced by the tungsten inert-gas welding of the IN718 superalloy. 1459-1465A
- 1713-1725A
- Fatigue crack growth behavior of 2124/SiC/10p functionally graded materials. 1831-1839A
- Thermal-tempering analysis of bulk metallic glass plates using an instant-freezing model. 2709-2715A
- Features and Effect Factors of Creep of Single-Crystal Nickel-Base Superalloys. 2947-2958A
- Application of the Cruciform Specimen Geometry to Obtain Transverse Interface-Property Data in a High-Fiber/Volume-Fraction SiC/Titanium Alloy Composite. 3143-3156A
- Residual stress, Deformation effects**
- Structures and residual stresses of Cr fibers in Cu-15Cr in-situ composites. 1225-1232A
- Residual stress, Diffusion effects**
- Hydrogen-induced internal-stress plasticity in titanium. 841-843A
- Resistivity**
- Production of bulk cementite and its characterization. 2127-2131A
- Resistivity, Deformation effects**
- Strength and conductivity of Cu-9Fe-1.2X (X=Ag or Cr) filamentary microcomposite wires. 985-991A
- Resistivity, Processing effects**
- Microstructural size effects in high-strength high-conductivity Cu-Cr-Nb alloys. 1211-1224A
- Retained austenite**
- Stabilization mechanisms of retained austenite in transformation-induced plasticity steel. 1527-1539A
- Acicular ferrite morphologies in a medium-carbon microalloyed steel. 2187-2197A
- Influence of stepped austempering process on the fracture toughness of austempered ductile iron. 2509-2514A
- On the influence of interactions between phases on the mechanical stability of retained austenite in transformation-induced plasticity multiphase steels. 2759-2768A
- Retained austenite, Alloying effects**
- Effects of heat treatment and alloying elements on the microstructures and mechanical properties of 0.15 wt.% C transformation-induced plasticity-aided cold-rolled steel sheets. 505-514A
- Rhenium, Extraction**
- Thermodynamics of extraction of ReO<sub>4</sub><sup>-</sup> from aqueous sulfuric acid media with tri-n-butyl phosphate dissolved in kerosene. 5-10B
- Rheocasting**
- Solidification of aluminum in electric field. 372-378B
- Roasting**
- Thermodynamics of extraction of ReO<sub>4</sub><sup>-</sup> from aqueous sulfuric acid media with tri-n-butyl phosphate dissolved in kerosene. 5-10B
- Soda-ash roasting of chromite minerals: kinetics considerations. 593-602B
- The soda-ash roasting of chromite ore processing residue for the reclamation of chromium. 987-995B
- Rockwell hardness**
- Shape-memory effect and strengthening mechanism in a Nb and N-doped Fe-Mn-Si-based alloy. 1621-1628A
- Rockwell hardness, Heating effects**
- Effects of alloying additions and austenitizing treatments on secondary hardening and fracture behavior for martensitic steels containing both Mo and W. 1659-1670A
- Snoek relaxation and dislocation damping in aged Fe-Cu-Ni steel. 1671-1677A
- Secondary hardening and impact fracture behavior in isothermally aged Mo, W, and Mo-W steels. 1862-1866A
- Effects of Ni additions and austenitizing temperature on secondary hardening behavior in high Co-Ni steels. 2393-2396A
- Rolling friction**
- Effects of carbon and chromium additions on the wear resistance and surface roughness of cast high-speed steel rolls. 2515-2525A
- Rolling mill rolls, Mechanical properties**
- Effects of carbon and chromium additions on the wear resistance and surface roughness of cast high-speed steel rolls. 2515-2525A
- Rolling texture**
- Deformation banding and ferrite-type rolling textures. 125-134A
- Microstructures of hot-rolled high-strength steels with significant differences in edge formability. 745-760A
- Effect of texture and slip mode on the anisotropy of plastic flow and flow softening during hot working of Ti-6Al-4V. 1801-1811A
- Effect of texture changes on flow softening during hot working of Ti-6Al-4V. 1871-1875A
- Effect of precipitates on plastic anisotropy for polycrystalline aluminum alloys. 2239-2247A
- Development of {111} transformation texture in interstitial-free steels. 2325-2334A
- Roughness, Deformation effects**
- Correlation of microstructure and surface roughness of disc drums fabricated by hot forging of an AISI 430F stainless steel. 1111-1118A
- Ruthenium, Additives**
- Fatigue-crack growth in Ti-6Al-4V-0.1Ru in air and seawater: Part I. Design of experiments, assessment, and crack-growth-rate curves. 2297-2314A
- Fatigue-crack growth in Ti-6Al-4V-0.1Ru in air and seawater: Part II. Crack path and microstructure. 2315-2324A
- Rutile, Extraction**
- Intensification of iron removal rate during oxygen leaching through gas-liquid mass-transfer enhancement. 961-963B
- Sag**
- Cyclic creep and cyclic deformation of high-strength spring steels and the evaluation of the sag effect: Part I. Cyclic plastic deformation behavior. 1687-1698A

- Salt baths**  
An electrochemical investigation of the thermodynamic properties of the NaCl-AlCl<sub>3</sub> system at subliquidus temperatures. 669-677B
- Salt water, Environment**  
Localized corrosion susceptibility of Al-Li-Cu-Mg-Zn alloy AF/C458 due to interrupted quenching from solutionizing temperatures. 2561-2573A
- Sandwich construction**  
Simulation of the creep expansion of porous sandwich structures. 1813-1821A
- Scale (corrosion), Processing effects**  
The effect of grit blasting on the oxidation behavior of a platinum-modified nickel-aluminide coating. 1467-1478A
- Sea water, Environment**  
Fatigue-crack growth in Ti-6Al-4V-0.1Ru in air and seawater: Part I. Design of experiments, assessment, and crack-growth-rate curves. 2297-2314A  
Fatigue-crack growth in Ti-6Al-4V-0.1Ru in air and seawater: Part II. Crack path and microstructure. 2315-2324A
- Sedimentation**  
Macrosegregation and Sedimentation in Liquid-Phase Sintering. 3091-3098A
- Seebeck effect**  
Production of bulk cementite and its characterization. 2127-2131A
- Segregations**  
A study on solutions for avoiding liquid segregation phenomena in thixoforming process. I. Constitutive modeling and finite element method simulations for die design. 119-127B  
A study on solutions for avoiding liquid segregation phenomena in thixoforming process. II. Net shape manufacturing of automotive scroll component. 129-136B  
Modeling of structural and compositional homogenization of plutonium-1 weight percent gallium alloys. 649-659A  
A unified microscale-parameter approach to solidification-transport phenomena-based macrosegregation modeling for dendritic solidification. I. mixture average-based analysis. Numerical simulation of deformation-induced segregation in continuous casting of steel. 1129-1141B  
Stabilization of thermosolutal convective instabilities in Ni-based single-crystal superalloys: carbon additions and freckle formation. 1479-1491A  
Simple model of microsegregation during solidification of steels. 1743-1753A  
Discussion of 'The role of manganese and copper in the eutectoid transformation of spheroidal graphite cast iron'. 1755-1767A  
Macrosegregation and Sedimentation in Liquid-Phase Sintering. 2131-2135A  
3091-3098A
- Segregations, Processing effects**  
Segregation of molybdenum atoms to the liquid-solid interfaces in liquid phase sintering of W-8%Mo-7%Ni-3%Fe. 95-101A
- Self lubrication**  
An investigation of fracture and fatigue in a metal/polymer composite. 1997-2010A
- Self-propagating synthesis**  
Effects of Si and Ni powder refining on the formation mechanism of nickel silicides induced by mechanical alloying. 805-810A  
Study of Ni<sub>2</sub>Al-Cr<sub>2</sub>C<sub>3</sub> composite materials fabricated by self-propagating high-temperature synthesis casting route. 1823-1830A
- Sensitizing**  
Stress corrosion cracking of sensitized AA5083 (Al-4.5Mg-1.0Mn). 2859-2867A
- Sensors, Design**  
Measurement of oxygen potentials in Ag-Pb system employing oxygen sensor. 417-421B
- Sensors, Development**  
In situ detection of inclusions in liquid metals. I. Mathematical modeling of the behavior of particles traversing the electric sensing zone. 1067-1079B  
In situ detection of inclusions in liquid metals. II. Metallurgical applications of LiMCA systems. 1081-1093B
- Separation**  
Anion-exchange separation in hydrochloric acid solutions for the ultrahigh purification of cobalt. 573-582B
- Shape memory**  
Martensitic transformations, microstructure, and mechanics workability of TiPt. 1881-1886A
- Shape memory, Composition effects**  
Shape-memory effect and strengthening mechanism in a Nb and N-doped Fe-Mn-Si-based alloy. 1621-1628A
- Shape memory, Processing effects**  
Continuously cast Cu-Al-Ni shape memory wires with a unidirectional morphology. 585-593A  
Two-way shape memory effect of NiTi alloy induced by constraint aging treatment at room temperature. 1629-1634A
- Shape memory, Welding effects**  
Effect of CO<sub>2</sub> laser welding on the shape-memory and corrosion characteristics of TiNi alloys. 569-576A
- Shape memory alloys, Casting**  
Continuously cast Cu-Al-Ni shape memory wires with a unidirectional morphology. 585-593A
- Shape memory alloys, Mechanical properties**  
Fatigue-crack growth behavior in the superelastic and shape-memory alloy Nitinol. 731-743A  
Mean strain effects on the fatigue properties of superelastic NiTi. 1866-1869A  
Stress-strain hysteresis and damping in MnCu and NiTi alloys. 2489-2498A
- Shape memory alloys, Phase transformations**  
Movement of the  $\gamma/\epsilon$  interfaces and coalescence of  $\epsilon$  martensite variants under the tensile stress in an Fe-24 wt.% Mn alloy. 229-237A  
A relaxed-constraint model for the tensile behavior of polycrystalline shape-memory alloy wires. 305-313A  
Deformation of NiTiCu shape memory single crystals in compression. 477-489A  
Plastic straining effects on the microstructure of a Ti-rich NiTi shape memory alloy. 717-729A  
Transformation behavior in a thermomechanically cycled TiNiCu alloy. 2689-2693A
- Shape memory alloys, Welding**  
Effect of CO<sub>2</sub> laser welding on the shape-memory and corrosion characteristics of TiNi alloys. 569-576A
- Shear deformation**  
Effect of Die Shape on the Deformation Behavior in Equal-Channel Angular Pressing. 3007-3014A
- Shear strength**  
Joint zone evolution in infrared bonded steels with copper filler. 1177-1183B
- Shear stress**  
Deformation of NiTiCu shape memory single crystals in compression. 477-489A  
Microstructure and texture evolution under strain-path changes in low-carbon interstitial-free steel. 2527-2538A  
Shear, principal, and equivalent strains in equal-channel angular deformation. 2639-2647A
- Sheet metal, Magnetic properties**  
Approach to saturation in textured soft magnetic materials. 2595-2603A
- Sheet metal, Mechanical properties**  
Effects of heat treatment and alloying elements on the microstructures and mechanical properties of 0.15 wt.% C transformation-induced plasticity-aided cold-rolled steel sheets. 505-514A
- Sheet metal, Welding**  
Prediction of laser-spot-weld shape by numerical analysis and neural network. 723-732B
- Shielded metal arc welding**  
An assessment of creep deformation and fracture behavior of 2.25Cr-1Mo similar and dissimilar weld joints. 115-124A
- Short range order**  
The modified quasi-chemical model: II. Multicomponent solutions. 1355-1360A  
The modified quasi-chemical model: III. Two sublattices. 1361-1371A  
The modified quasi-chemical model: IV. Two-sublattice quadruplet approximation. 1373-1380A
- Shrinkage**  
Density and solidification shrinkage of hypoeutectic aluminum-silicon alloys. 2605-2613A
- Silicides, Brazing**  
Residual stresses and interface strengths in MoSi<sub>2</sub>/stainless steel 316L joints produced by metallic-glass brazing. 1459-1465A
- Silicides, Composite materials**  
Microstructural factors affecting superplastic properties in magnesium-based composites. 923-929A  
Ti<sub>5</sub>Si<sub>3</sub> whisker in-situ reinforced TiAl alloys. 1233-1244A  
Stability of Nb/Nb<sub>5</sub>Si<sub>3</sub> microlaminates at high temperatures. 2363-2371A
- Silicides, Powder technology**  
Effects of Si and Ni powder refining on the formation mechanism of nickel silicides induced by mechanical alloying. 805-810A
- Silicon, Additives**  
Discontinuous coarsening of the lamellar structure of  $\gamma$ -TiAl-based intermetallic alloys and its control. 1927-1938A
- Silicon, Alloying additive**  
Effects of Si and Al on acicular ferrite formation in C-Mn steel. Effects of heat treatment and alloying elements on the microstructures and mechanical properties of 0.15 wt.% C transformation-induced plasticity-aided cold-rolled steel sheets. Optimization of mechanical properties of high-carbon pearlitic steels with Si and V additions. 1313-1324A
- Silicon, Binary systems**  
Effective approach to describe growth of binary intermediate phases with narrow ranges of homogeneity. 2396-2400A
- Silicon, Oxidation**  
Oxidation of metals with highly reactive vapors: extension of Wagner theory. 903-911B
- Silicon, Quaternary systems**  
Coupled experimental and thermodynamic study of the Zn-Fe-Si-O system. 793-800B
- Silicon, Ternary systems**  
Phase equilibria and intermetallic phases in the Ni-Si-Mg ternary system. 5-18A
- Silicon carbide, Coatings**  
Dry sliding wear behavior of plasma-sprayed aluminum hybrid composite coatings. 2383-2392A
- Silicon carbide, Composite materials**  
Elastic properties of a crossply SiC/Ti composite at elevated temperatures. 425-429A  
A novel approach for optimizing the fracture toughness of precipitation-hardenable Al-SiCp composites. 433-436A  
Correlation of abrasive wear with microstructure and mechanical properties of pressure die-cast aluminum hard-particle composite. 633-642A  
Microstructural factors affecting superplastic properties in magnesium-based composites. 923-929A  
Methodology to design the interfaces in SiC/Al composites. 1541-1550A  
Steady-state creep behavior in an isotropic functionally graded

- material rotating disc of Al-SiC composite. 1679-1685A
- Fatigue crack growth behavior of 2124/SiC/10p functionally graded materials. 1831-1839A
- Transverse behavior and acoustic-emission analysis of titanium metal-matrix composites under tensile loading. 1841-1849A
- In-situ observations of titanium metal-matrix composites under transverse tensile loading. 1851-1860A
- Electron and laser beam welding of high strain rate superplastic Al-6061/SiC composites. 2575-2584A
- Strength Degradation of SiC Fiber during Manufacture of Titanium Matrix Composites by Plasma Spraying and Hot Pressing. 3133-3142A
- Application of the Cruciform Specimen Geometry to Obtain Transverse Interface-Property Data in a High-Fiber-Volume-Fraction SiC/Titanium Alloy Composite. 3143-3156A
- Silicon dioxide, Joining** 2033-2038A
- A model of work of adhesion for reactive metal/ceramic systems.
- Silicon dioxide, Reactions (chemical)**
- Discussion of a "microscale simulation of settler processes in copper matte smelting". 555-557B
- Silver, Chemical analysis**
- Measurement of oxygen potentials in Ag-Pb system employing oxygen sensor. 417-421B
- Silver, Corrosion**
- Electrochemical interaction between silver and sulfur in sodium sulfide solutions. 895-901B
- Silver, Crystal growth**
- The dependence of normal and abnormal grain growth in silver on annealing temperature and atmosphere. 469-475A
- Silver, Microstructure**
- New kinetic model for primary recrystallization of pure metals. 2465-2473A
- Simulation**
- New Discoveries in Deformed Metals. 2917-2936A
- Evaluation of a Threshold-based Model of the Elevated-Temperature Fatigue of Impact-Damaged  $\gamma$ -TiAl. 2975-2984A
- Interface Heat Transfer in Investment Casting of Aluminum Alloys. 3055-3063A
- Modeling of Microstructural Evolution with Tracking of Equiaxed Grain Movement for Multicomponent Al-Si Alloy. 3065-3076A
- Single crystals, Coating**
- Morphological evolution during the early stages of aluminide coating growth on a single-crystal nickel superalloy surface. 615-624A
- Single crystals, Directional solidification**
- Simulating the initiation of a channel during directional solidification of a superalloy. 202-207A
- Single crystals, Mechanical properties**
- Features and Effect Factors of Creep of Single-Crystal Nickel-Base Superalloys. 2947-2958A
- Single crystals, Microstructure**
- On the microstructural instability of an experimental nickel-based single-crystal superalloy. 2409-2421A
- Sintering**
- Densification and structural change of mechanically alloyed W-Cu composites. 2885-2893A
- Sintering, Field effects**
- Effects of heating rate on densification and grain growth during field-assisted sintering of  $\alpha$ -Al<sub>2</sub>O<sub>3</sub> and MoSi<sub>2</sub> powders. 2633-2638A
- Sintering (powder metallurgy)**
- Development of cermet microstructures during sintering. 85-94A
- Multistage sintering approach to prepare Ni<sub>3</sub>Al( $\alpha$ -Al<sub>2</sub>O<sub>3</sub>) composites. 407-415A
- Electrosintering of iron powder compacts. 811-819A
- Rearrangement Densification in Liquid-Phase Sintering. 3125-3132A
- Skull melting**
- Molding of temperature field for the induction skull melting process of Ti-47Ni-9Nb. 2895-2902A
- Slab casting**
- Principles in cast rolling with liquid core of thin slab continuous casting. 459-464B
- Effects of clogging, argon injection, and continuous casting conditions on flow and air aspiration in submerged entry nozzles. 707-722B
- Hot ductility and fracture mechanisms of a C-Mn-Nb-Al steel. 919-927B
- Numerical simulation of deformation-induced segregation in continuous casting of steel. 1479-1491A
- Slagging**
- Liquidus surface of FeO-Fe<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-CaO slag containing Al<sub>2</sub>O<sub>3</sub>, MgO, and Cu<sub>2</sub>O at intermediate oxygen partial pressures. 583-592B
- Review of experimental data and modeling of the viscosities of fully liquid slags in the Al<sub>2</sub>O<sub>3</sub>-CaO-FeO-SiO<sub>2</sub> system. 1015-1025B
- Modeling of viscosities of the partly crystallized slags in the Al<sub>2</sub>O<sub>3</sub>-CaO-FeO-SiO<sub>2</sub> system. 1027-1032B
- Slags**
- Coupled experimental and thermodynamic study of the Zn-Fe-Si-O system. 793-800B
- Evaluation of the reduction of iron oxide from liquid slags using a graphite rotating disk. 821-830B
- In-situ observation of TiN precipitates at stainless steel/CaO-Al<sub>2</sub>O<sub>3</sub>-MgO-SiO<sub>2</sub> interface. 963-967B
- Experimental study of phase equilibria in the PbO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub> system. 997-1005B
- Slags, Physical properties**
- Effect of interfacial energy on the viscosities of two-phase mixtures—a physical modeling approach. 105-110B
- Experimental studies of the viscosities in CaO-MnO-SiO<sub>2</sub> and CaO-Fe<sub>2</sub>O<sub>3</sub>-MnO-SiO<sub>2</sub> slags. 181-186B
- Experimental study of the viscosities of Al<sub>2</sub>O<sub>3</sub>-CaO-FeO slags. 679-684B
- Slags, Reactions (chemical)**
- Experimental study of phase equilibria in the PbO-MgO-SiO<sub>2</sub> system. 11-16B
- Effects of transition metals on the kinetics of slag-refractory reactions. 25-29B
- Measurement of FeO activity and solubility of MgO in smelting slags. 31-36B
- A thermodynamic study on cobalt containing calcium ferrite and calcium iron silicate slags at 1573K. 47-54B
- Thermodynamic behavior of Na<sub>2</sub>O-B<sub>2</sub>O<sub>3</sub> melt. 297-303B
- Thermodynamics of the Ca-CaO-CaF<sub>2</sub> system. 305-311B
- Correction to Metall. Mater. Trans. B., December 2000, vol. 31B, pp. 1231-1239. "Phase equilibrium and minor-element distribution between Ni<sub>3</sub>S<sub>2</sub>-FeS matte and calcium ferrite slag under high partial pressures of SO<sub>2</sub>" by J.M. Font, M. Hino, and K. Itagaki. 379B
- Entrained-flow chlorination of titaniferous slag to produce titanium tetrachloride. 389-393B
- Kinetic analysis of NaF vaporization in SiF<sub>4</sub>-Ar mixture. 401-407B
- Discussion of a "microscale simulation of settler processes in copper matte smelting". 555-557B
- Slags, Rheological properties**
- Review of experimental data and modeling of the viscosities of fully liquid slags in the Al<sub>2</sub>O<sub>3</sub>-CaO-FeO-SiO<sub>2</sub> system. 1015-1025B
- Modeling of viscosities of the partly crystallized slags in the Al<sub>2</sub>O<sub>3</sub>-CaO-FeO-SiO<sub>2</sub> system. 1027-1032B
- Sliding friction**
- Dry sliding friction and wear in plain carbon dual phase steel. 359-367A
- Friction and wear behavior of a centrifugally cast lead-free copper alloy containing graphite particles. 2115-2125A
- Slip**
- Microstructural evolution in the superplastic-like deformation of Al-Al<sub>3</sub>Ni eutectic alloys with [111] fiber texture. 547-555A
- Slip, Deformation effects**
- The effect of twinning and slip on the Bauschinger effect of Hadfield steel single crystals. 695-706A
- Slip bands**
- Effects of microstructural morphology on quasi-static and dynamic deformation behavior of Ti-6Al-4V alloy. 315-324A
- Slip planes**
- Microstructure and texture evolution under strain-path changes in low-carbon interstitial-free steel. 2527-2538A
- Smelting**
- Experimental study of phase equilibria in the PbO-MgO-SiO<sub>2</sub> system. 11-16B
- Measurement of FeO activity and solubility of MgO in smelting slags. 31-36B
- The oxidation of zinc vapor in CO-CO<sub>2</sub>-N<sub>2</sub> gas mixtures. 37-45B
- A thermodynamic study on cobalt containing calcium ferrite and calcium iron silicate slags at 1573K. 47-54B
- Correction to Metall. Mater. Trans. B., December 2000, vol. 31B, pp. 1231-1239. "Phase equilibrium and minor-element distribution between Ni<sub>3</sub>S<sub>2</sub>-FeS matte and calcium ferrite slag under high partial pressures of SO<sub>2</sub>" by J.M. Font, M. Hino, and K. Itagaki. 379B
- Measurement of oxygen potentials in Ag-Pb system employing oxygen sensor. 417-421B
- Discussion of a "microscale simulation of settler processes in copper matte smelting". 555-557B
- Coupled experimental and thermodynamic study of the Zn-Fe-Si-O system. 793-800B
- Evaluation of the reduction of iron oxide from liquid slags using a graphite rotating disk. 821-830B
- Thermodynamic observations of the molten FeS-FeO system and its vicinity at 1473 K. 831-837B
- Experimental study of phase equilibria in the PbO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub> system. 997-1005B
- Review of experimental data and modeling of the viscosities of fully liquid slags in the Al<sub>2</sub>O<sub>3</sub>-CaO-FeO-SiO<sub>2</sub> system. 1015-1025B
- Modeling of viscosities of the partly crystallized slags in the Al<sub>2</sub>O<sub>3</sub>-CaO-FeO-SiO<sub>2</sub> system. 1027-1032B
- Smoothness**
- Investigation of striation formation in thin stainless steel tube during pulsed Nd:YAG laser cutting process by numerical simulation. 2623-2632A
- Sodium, Extraction**
- An electrochemical investigation of the thermodynamic properties of the NaCl-AlCl<sub>3</sub> system at subliquidus temperatures. 669-677B
- Solderability**
- The effect of wetting kinetics on the penetration of a layered capillary. 2663-2666A
- Soldering**
- The effect of wetting kinetics on the penetration of a layered capillary. 2663-2666A
- Formation of intermetallic compounds in SnPbAg, SnAg, and SnAgCu solders on Ni/Au metallization. 2666-2668A
- Solid solutions**
- Experimental study of phase equilibria and thermodynamic optimization of the Fe-Zn-O system. 643-657B
- Coupled experimental and thermodynamic study of the Zn-Fe-Si-O system. 793-800B
- Solid solubility of carbon in a mechanically alloyed Cu-29.7 At. Pct Zn alloy. 1861-1862A
- Solid state**



- Discussion of 'The role of manganese and copper in the eutectoid transformation of spheroidal graphite cast iron'. Author's reply. 2131-2135A  
2133-2134A
- Solidification**
- Instantaneous interfacial heat fluxes during the 4 to 8 m/min casting of carbon steels in a twin-roll caster. 55-67B
- Effects of substrate surface conditions on heat transfer and shell morphology in the solidification of a copper alloy. 111-118B
- Dendrite coherency of Al-Si-Cu alloys. 147-155A
- Dynamics and control of solidification of molten metal flows. Correction to Metall. Mater. Trans. B, October 2000, vol. 31B, pp. 1013-1021 'Behavior of nonmetallic inclusions in front of the solid-liquid interface in low-carbon steels' by Sei Kimura, Y. Nabeshima, K. Nakajima, and S. Mizoguchi. 173-179B
- Criterion for judging the homogeneous and heterogeneous nucleation. 187B
- Solidification of undercooled molten Ni-based alloys. 391-395A
- Continuously cast Cu-Al-Ni shape memory wires with a unidirectional morphology. 449-457B
- Numerical modeling for peritectic solidification of RE123 high  $T_c$  oxide superconductors. 585-593A
- Determination of interface heat-transfer coefficients for permanent-mold casting of Ti-6Al-4V. 595-604A
- Equilibrium at stationary solid-liquid interface during phase-field modeling of alloy solidification. 685-695B
- A unified microscale-parameter approach to solidification-transport phenomena-based macrosegregation modeling for dendritic solidification. I. mixture average-based analysis. 961-969A
- The sensitivity of the interface heat-transfer coefficient to pressure and fluid flow. 1129-1141B
- Stabilization of thermosolutal convective instabilities in Ni-based single-crystal superalloys: carbon additions and freckle formation. 1213-1215B
- Simple model of microsegregation during solidification of steels. 1743-1753A
- Measurements and modeling of the microstructural morphology during equiaxed solidification of Al-Cu alloys. 1755-1767A
- Density and solidification shrinkage of hypoeutectic aluminum-silicon alloys. 2049-2060A
- Separation of scales for growth of an alloy needle crystal. 2605-2613A
- Interface Heat Transfer in Investment Casting of Aluminum Alloys. 2669-2670A
- Modeling of Microstructural Evolution with Tracking of Equiaxed Grain Movement for Multicomponent Al-Si Alloy. 3055-3063A
- 3065-3076A
- Solidification, Composition effects**
- Eutectic nucleation and growth in hypoeutectic Al-Si alloys at different strontium levels. 949-960A
- Solidification, Field effects**
- Solidification of aluminum in electric field. 372-378B
- Interfacial criterion of spontaneous and forced engulfment of reinforcing particles by an advancing solid/liquid interface. 993-1005A
- Solidification, Processing effects**
- Thermal analysis of isothermal solidification kinetics during transient liquid-phase sintering. 971-978A
- Solutes, Melting**
- Liquid Titanium Solute Diffusion Measured by Pulsed Ion-Beam Melting. 2969-2974A
- Solution heat treatment**
- The effect of solution heat treatment and quenching rates on mechanical properties and microstructures in AlSiMg foundry alloys. 525-532A
- Martensitic phase transformations in IMI 550 (Ti-4Al-4Mo-2Sn-0.5Si). 671-679A
- On the microstructural instability of an experimental nickel-based single-crystal superalloy. 2409-2421A
- Localized corrosion susceptibility of Al-Li-Cu-Mg-Zn alloy AF/C458 due to interrupted quenching from solutionizing temperatures. 2561-2573A
- Distribution of Tensile Property and Microstructure in Friction Stir Weld of 6063 Aluminum. 3023-3032A
- Solution heat treatment, Composition effects**
- The influence of  $Al_2Zr$  dispersoids on the recrystallization of hot-deformed AA 7010 alloys. 625-632A
- Solution strengthening**
- The influence of stacking fault energy on the mechanical behavior of Cu and Cu-Al alloys: deformation twinning, work hardening, and dynamic recovery. 135-145A
- Solutions, Materials selection**
- A kinetic study that compares the leaching of gold in the cyanide, thiosulfate, and chloride systems. 979-986B
- Spacecraft components, Materials selection**
- Effects of welding and weld heat-affected zone simulation on the microstructure and mechanical behavior of a 2195 aluminum-lithium alloy. 2729-2741A
- Spalling, Processing effects**
- The effect of grit blasting on the oxidation behavior of a platinum-modified nickel-aluminide coating. 1467-1478A
- Spark plasma sintering**
- Preparation of Ti-Al intermetallic compounds by spark plasma sintering. 843-847A
- Specific heat**
- Production of bulk cementite and its characterization. 2127-2131A
- Spot welding**
- Prediction of laser-spot-weld shape by numerical analysis and neural network. 723-732B
- Spray forming**
- Modeling of spray-formed plates using an X-Y moving substrate. 831-840A
- Sprayed coatings, Reactions (chemical)**
- Modeling of oxidation of molybdenum particles during plasma spray deposition. 475-481B
- Spring steels, Mechanical properties**
- Cyclic creep and cyclic deformation of high-strength spring steels and the evaluation of the sag effect: Part I. Cyclic plastic deformation behavior. 1687-1698A
- Sputtered coatings, Diffusion**
- Numerical modeling of multiphase diffusion in the process of homogenizing in binary alloys. 681-690A
- Sputtering**
- Numerical modeling of multiphase diffusion in the process of homogenizing in binary alloys. 681-690A
- Squeeze casting**
- The sensitivity of the interface heat-transfer coefficient to pressure and fluid flow. 1213-1215B
- Preparation and thermal stability of Zr-Ti-Al-Ni-Cu amorphous powders by mechanical alloying technique. 1777-1786A
- Stability**
- In-situ characterization of  $\gamma/\gamma'$  lattice stability in a nickel-base superalloy by neutron diffraction. 1551-1552A
- Stability, Processing effects**
- Microstructural size effects in high-strength high-conductivity Cu-Cr-Nb alloys. 1211-1224A
- Stacking fault energy**
- The influence of stacking fault energy on the mechanical behavior of Cu and Cu-Al alloys: deformation twinning, work hardening, and dynamic recovery. 135-145A
- Stainless steels, Casting**
- In-situ observation of TiN precipitates at stainless steel/CaO- $Al_2O_3$ -MgO-SiO<sub>2</sub> interface. 963-967B
- Stainless steels, Coating**
- Wear-resistant amorphous and nanocomposite steel coatings. 2615-2621A
- Stainless steels, Machining**
- Investigation of striation formation in thin stainless steel tube during pulsed Nd:YAG laser cutting process by numerical simulation. 2623-2632A
- Standards**
- Largest-extreme-value distribution analysis of multiple inclusion types in determining steel cleanliness. 517-523B
- Steel constituents**
- Production of bulk cementite and its characterization. 2127-2131A
- Steel making**
- Experimental study of the viscosities of  $Al_2O_3$ -CaO-FeO slags. 679-684B
- Carbothermal reduction of zinc ferrite. 1033-1040B
- Determination of standard Gibbs energies of formation of  $Cr_2N$  and CrN. 1113-1118B
- Steels, Casting**
- Thermal and carbothermic decomposition of  $Na_2CO_3$  and  $Li_2CO_3$ . 17-24B
- Turbulent flow of liquid steel and argon bubbles in slide-gate tundish nozzles. I. Model development and validation. 253-267B
- Turbulent flow of liquid steel and argon bubbles in slide-gate tundish nozzles. II. Effect of operation conditions and nozzle design. 269-284B
- Numerical model for the minimization of intermixed round bars in a four line continuous caster. 537-546B
- Modeling study of the influence of turbulence inhibitors on the molten steel flow, tracer dispersion, and inclusion trajectories in tundishes. 615-627B
- Effects of clogging, argon injection, and continuous casting conditions on flow and air aspiration in submerged entry nozzles. 707-722B
- Transient flow and heat transfer in a steelmaking ladle during the holding period. 733-741B
- Modeling of biased flow phenomena associated with the effects of static magnetic-field application and argon gas injection in slab continuous casting of steel. 1053-1066B
- Bubble formation during horizontal gas injection into downward-flowing liquid. 1143-1159B
- A new approach to the analysis of vessel residence time distribution curves. 1185-1193B
- Numerical simulation of deformation-induced segregation in continuous casting of steel. 1479-1491A
- Steels, Coatings**
- Wear-resistant amorphous and nanocomposite steel coatings. 2615-2621A
- Steels, Mechanical properties**
- Production of bulk cementite and its characterization. 2127-2131A
- New model to explain the unusual tensile behavior of high martensite dual-phase steels. 2400-2403A
- Effects of carbon and chromium additions on the wear resistance and surface roughness of cast high-speed steel rolls. 2515-2525A
- Steels, Phase transformations**
- Influence of pearlite morphology and heating rate on the kinetics of continuously heated austenite formation in a eutectoid steel. 1283-1291A
- MnS precipitation in association with manganese silicate inclusions in Si/Mn deoxidized steel. 1519-1525A
- Steels, Quality control**
- In situ detection of inclusions in liquid metals. II. Metallurgical applications of LiMCA systems. 1081-1093B
- Determination of standard Gibbs energies of formation of  $Cr_2N$  and CrN. 1113-1118B
- Steels, Welding**
- Calculation of the interfacial energy of B1-type carbides and

- nitrides with austenite. 267-274A
- Effect of shield gas composition on surface tension of steel droplets in a gas-metal-arc welding arc. 313-318B
- Thermal analysis of the arc welding process: II. Effect of variation of thermophysical properties with temperature. 483-499B
- Geometry of laser spot welds from dimensionless numbers. 941-947B
- Stiffness**
- Stress-strain hysteresis and damping in MnCu and NiTi alloys. 2489-2498A
- Straightening**
- Hot ductility and fracture mechanisms of a C-Mn-Nb-Al steel. 919-927B
- A new route to bulk nanostructured metals. 1559-1562A
- Strain**
- Lattice plane response during tensile loading of an aluminum 2 percent magnesium alloy. 691-694A
- Shear, principal, and equivalent strains in equal-channel angular deformation. 2639-2647A
- Strain aging**
- Formation of the Cottrell atmosphere during strain aging of bake-hardenable steels. 417-423A
- Strain aging: Cnbb/Reed-Hill's model applied to the FeMnAl-SiC austenitic system. 2271-2277A
- Strain hardenability**
- Failure modes during equal channel angular extrusion of aluminum alloy 2024. 1869-1871A
- Microstructure and texture evolution under strain-path changes in low-carbon interstitial-free steel. 2527-2538A
- Strain hardening**
- The influence of stacking fault energy on the mechanical behavior of Cu and Cu-Al alloys: deformation twinning, work hardening, and dynamic recovery. 135-145A
- Cyclic deformation behavior and microstructures of hydrided ZIRCALOY-4 under biaxial loading. 2841-2850A
- Strain rate**
- Physical modeling of the deformation mechanisms of semisolid bodies and a mechanical criterion for hot tearing. 697-705B
- An evaluation of the flow behavior during high strain rate superplasticity in an Al-Mg-Sc alloy. 707-716A
- Effects of microstructural evolution on superplastic deformation characteristics of a rapidly solidified Al-Li alloy. 1649-1658A
- Microstructural instability and superplasticity in a Zr-2.5 Wt pct Nb pressure-tube alloy. 2827-2840A
- Effect of Die Shape on the Deformation Behavior in Equal-Channel Angular Pressing. 3007-3014A
- Strain softening**
- Strain-path effects during hot working of Ti-6Al-4V with a colony-alpha microstructure. 1556-1559A
- Cyclic creep and cyclic deformation of high-strength spring steels and the evaluation of the sag effect: Part I. Cyclic plastic deformation behavior. 1687-1698A
- Cyclic deformation behavior and microstructures of hydrided ZIRCALOY-4 under biaxial loading. 2841-2850A
- Strain softening, Anisotropy**
- Effect of texture changes on flow softening during hot working of Ti-6Al-4V. 1871-1875A
- Stress analysis**
- Failure behavior of heat-affected zones within HSLA-100 and HY-100 steel weldments. 2229-2237A
- Thermal-tempering analysis of bulk metallic glass plates using an instant-freezing model. 2709-2715A
- Stress corrosion cracking**
- Stress corrosion cracking relation with dezincification layer-induced stress. 1309-1312A
- Formation Kinetics and Rupture Strain of Ni-Cr-Fe Alloy Corrosion Films Formed in High-Temperature Water. 3015-3022A
- Stress corrosion cracking, Composition effects**
- Role of Mg in the stress corrosion cracking of an Al-Mg alloy. 1699-1711A
- Stress corrosion cracking, Temperature effects**
- Stress corrosion cracking of sensitized AA5083 (Al-4.5Mg-1.0Mn). 2859-2867A
- Stress intensity**
- Fatigue crack growth behavior of 2124/SiC/10p functionally graded materials. 1831-1839A
- Stress relieving**
- Plastic flow and microstructure evolution during thermomechanical processing of laser-deposited Ti-6Al-4V preforms. 1787-1797A
- Stress strain curves**
- Fracture toughness of alloy 600 and an EN82H weld in air and water. 1161-1174A
- Effects of microstructural evolution on superplastic deformation characteristics of a rapidly solidified Al-Li alloy. 1649-1658A
- Plastic flow and microstructure evolution during thermomechanical processing of laser-deposited Ti-6Al-4V preforms. 1787-1797A
- In-situ observations of titanium metal-matrix composites under transverse flexure loading. 1851-1860A
- Mean strain effects on the fatigue properties of superelastic NiTi. 1866-1869A
- III. The tensile behavior of Ti-Al-Nb O + bcc orthorhombic alloys. 1977-1988A
- Tensile properties of 5052 Al matrix composites reinforced with B<sub>4</sub>C particles. 2142-2147A
- Failure behavior of heat-affected zones within HSLA-100 and HY-100 steel weldments. 2229-2237A
- Stress-strain hysteresis and damping in MnCu and NiTi alloys. 2489-2498A
- Strip casting**
- Effects of substrate surface conditions on heat transfer and shell morphology in the solidification of a copper alloy. 111-118B
- Analysis and prevention of cracking during strip casting of AISI 304 stainless steel. 2249-2258A
- Strontium, Additives**
- Decomposition of Fe-intermetallics in Sr-modified cast 6XXX type aluminum alloys for automotive skin. 2061-2075A
- Strontium, Alloying elements**
- Eutectic nucleation and growth in hypoeutectic Al-Si alloys at different strontium levels. 949-960A
- Structural steels, Phase transformations**
- A model for interphase precipitation in V-microalloyed structural steels. 39-50A
- Structural steels, Welding**
- An investigation of the fracture behavior of coarse-grained heat-affected zones in A707 steel welds. 533-545A
- Sublimation**
- Stability of Nb/Nb<sub>5</sub>Si<sub>3</sub> microlaminates at high temperatures. 2363-2371A
- Submerged arc welding**
- An investigation of the fracture behavior of coarse-grained heat-affected zones in A707 steel welds. 533-545A
- Sulfides, Environment**
- Electrochemical interaction between silver and sulfur in sodium sulfide solutions. 895-901B
- Superalloys, Casting**
- Discussion of 'thermal and grain-structure simulation in a land-based turbine blade directionally solidified with the liquid metal cooling process'. 1212-1213B
- Authors' reply (to preceding article 'Discussion of 'Thermal and grain-structure simulation in a land-based turbine blade directionally solidified with the liquid metal cooling process''). 1213B
- Superalloys, Coating**
- Morphological evolution during the early stages of aluminide coating growth on a single-crystal nickel superalloy surface. 615-624A
- The effect of grit blasting on the oxidation behavior of a platinum-modified nickel-aluminide coating. 1467-1478A
- Effects of Pt incorporation on the isothermal oxidation behavior of chemical vapor deposition aluminide coatings. 1727-1741A
- Superalloys, Composite materials**
- An investigation of fracture and fatigue in a metal/polymer composite. 1997-2010A
- Superalloys, Corrosion**
- Formation Kinetics and Rupture Strain of Ni-Cr-Fe Alloy Corrosion Films Formed in High-Temperature Water. 3015-3022A
- Superalloys, Crystal growth**
- Solidification of undercooled molten Ni-based alloys. 449-457B
- Superalloys, Directional solidification**
- Simulating the initiation of a channel during directional solidification of a superalloy. 202-207A
- Superalloys, Heat treatment**
- Particle formation in the rapidly solidified zone of alloy 600 surface melted by a CO<sub>2</sub> laser beam. 1248-1251A
- Reduction of porosity in oxide dispersion-strengthened alloys produced by powder metallurgy. 2077-2085A
- Cooling precipitation and strengthening study in powder metallurgy superalloy U720LI. 2441-2452A
- Superalloys, Mechanical properties**
- Creep crack growth in the absence of grain boundary precipitates in UDIMET 520. 795-804A
- Creep-rupture behavior of a directionally solidified nickel-base superalloy. 1103-1110A
- Erosion-oxidation interaction in Ni and Ni-20Cr alloy. 1431-1451A
- Deformation and strength behavior of two nickel-base turbine disk alloys at 650°C. 2021-2032A
- Stress and temperature dependence of creep in alloy 600 in primary water. 2553-2560A
- Features and Effect Factors of Creep of Single-Crystal Nickel-Base Superalloys. 2947-2958A
- Superalloys, Metallography**
- In-situ characterization of  $\gamma/\gamma'$  lattice stability in a nickel-base superalloy by neutron diffraction. 1551-1552A
- Superalloys, Microstructure**
- Stabilization of thermosoluble convective instabilities in Ni-based single-crystal superalloys: carbon additions and freckle formation. 1743-1753A
- A diffraction study of the  $\gamma'$  phase in INCONEL 718 superalloy. 1887-1901A
- The Effects of Deformation and Pre-Heat-Treatment on Abnormal Grain Growth in RENE 88 Superalloy. 3077-3090A
- Superalloys, Nondestructive testing**
- Characterization of the temperature evolution during high-cycle fatigue of the ULTIMET superalloy: experiment and theoretical modeling. 2279-2296A
- Superalloys, Phase transformations**
- Phase precipitation and phase stability in Nimonic 263. 1271-1282A
- Superalloys, Physical properties**
- The effect of strain on the trapping of hydrogen at grain-boundary carbides in Ni-Cr-Fe alloys. 369-377A
- Superalloys, Welding**
- An assessment of creep deformation and fracture behavior of 2.25Cr-1Mo similar and dissimilar weld joints. 115-124A
- Effect of boron segregation at grain boundaries on heat-affected zone cracking in wrought INCONEL 718. 931-939A
- Fracture toughness of alloy 600 and an EN82H weld in air and water. 1161-1174A
- Modeling of the mechanical effects induced by the tungsten inert-gas welding of the IN718 superalloy. 1713-1725A
- Superconductors, Crystal growth**
- Numerical modeling for peritectic solidification of RE123 high

- T<sub>c</sub> oxide superconductors.** 595-604A
- Supercooling**  
Solidification of undercooled molten Ni-based alloys. 449-457B  
Preparation and thermal stability of Zr-Ti-Al-Ni-Cu amorphous powders by mechanical alloying technique. 1777-1786A
- Supercooling, Size effects**  
Undercooling of copper in refractory porcelain crucible. 744-747B
- Superelasticity**  
Texture, strain, and phase-fraction measurements during mechanical cycling in superelastic NiTi. 777-786A
- Superplasticity**  
The evolution of grain boundary character during superplastic deformation of an Al-6 pct Cu-0.4 pct Zr alloy. 1093-1102A  
An analysis of cavitation occurring in near- $\gamma$  titanium aluminide during superplastic deformation. 2769-2779A  
Microstructural instability and superplasticity in a Zr-2.5 Wt pct Nb pressure-tube alloy. 2827-2840A
- Superplasticity, Composition effects**  
Microstructural factors affecting superplastic properties in magnesium-based composites. 923-929A
- Superplasticity, Deformation effects**  
An evaluation of the flow behavior during high strain rate superplasticity in an Al-Mg-Sc alloy. 707-716A
- Superplasticity, Microstructural effects**  
Microstructural evolution in the superplastic-like deformation of Al-Al<sub>3</sub>Ni eutectic alloys with [111] fiber texture. 547-555A  
Effects of microstructural evolution on superplastic deformation characteristics of a rapidly solidified Al-Li alloy. 1649-1658A
- Superplasticity, Processing effects**  
Continuously cast Cu-Al-Ni shape memory wires with a unidirectional morphology. 585-593A
- Surface alloying**  
Effect of constitutional supercooling on the numerical solution of species concentration distribution in laser surface alloying. 969-972B  
Microstructural modification and property improvement of boride/Ti-6Al-4V surface-alloyed materials fabricated by high-energy electron-beam irradiation. 2499-2508A  
Improvement of the Hardness and Wear Resistance of (TiC, TiN)/Ti-6Al-4V Surface-Alloyed Materials Fabricated by High-Energy Electron-Beam Irradiation. 2995-3006A
- Surface defects**  
The nature of surface cracking in direct chill cast aluminum alloy ingots. 2908-2910A
- Surface energy**  
Effect of interfacial energy on the viscosities of two-phase mixtures—a physical modeling approach. 105-110B  
Calculation of the interfacial energy of B1-type carbides and nitrides with austenite. 267-274A  
Surface energy, adsorption, and wetting transitions in ternary liquid alloys. 2851-2858A
- Surface finish**  
Effects of carbon and chromium additions on the wear resistance and surface roughness of cast high-speed steel rolls. 2515-2525A
- Surface hardening**  
Numerical simulation of the molten-pool formation during the laser surface-melting process. 949-959B
- Surface hardness**  
Wear-resistant amorphous and nanocomposite steel coatings. 2615-2621A
- Surface pretreatments**  
Characterization of the kinetic and mechanistic differences between free-surface and bulk grain growth in WC-Co materials. 1261-1270A  
Galvanizability of high-strength steels for automotive applications. 2905-2906A
- Surface structure**  
Dry sliding wear behavior of plasma-sprayed aluminum hybrid composite coatings. 2383-2392A  
Microstructural modification and property improvement of boride/Ti-6Al-4V surface-alloyed materials fabricated by high-energy electron-beam irradiation. 2499-2508A  
Wear-resistant amorphous and nanocomposite steel coatings. 2615-2621A  
Microstructural investigation on the precipitation of  $\alpha'$  nitrides and  $\alpha \rightarrow \gamma$  nitride transformation in ion-nitrided pure iron. 2681-2688A
- Surface tension**  
Effect of shield gas composition on surface tension of steel droplets in a gas-metal-arc welding arc. 313-318B  
Thermodynamics of surfaces and adsorption in the Fe-O and Fe-O-N systems at 1823K. 423-427B  
Effects of surface active elements on weld pool fluid flow and weld penetration in gas metal arc welding. 501-515B
- Surgical implants, Heat treatment**  
M<sub>23</sub>C<sub>6</sub> carbide dissolution mechanisms during heat treatment of ASTM F-75 implant alloys. 979-984A
- Swelling**  
Contribution to the understanding of cathodic carbon swelling under pressure. 233-238B
- Tailored blanks, Metal working**  
Forming-limit diagrams of aluminum tailor-welded blank weld material. 275-283A
- Tantalum, Refining**  
Studies on the kinetics of carbon tetrachloride chlorination of tantalum pentoxide. 801-810B
- Tantalum, Ternary systems**  
Thermodynamic assessment of the Me-Co-C systems (Me = Ti, Ta, or Nb). 2167-2174A
- Tantalum compounds, Reactions (chemical)**  
Studies on the kinetics of carbon tetrachloride chlorination of tantalum pentoxide. 801-810B
- Tearing**  
Physical modeling of the deformation mechanisms of semisolid bodies and a mechanical criterion for hot tearing. 697-705B
- Temperature distribution**  
Modeling of the effects of surface-active elements on flow patterns and weld penetration. 145-161B  
Transient flow and heat transfer in a steelmaking ladle during the holding period. 733-741B  
Characterization of the temperature evolution during high-cycle fatigue of the ULTIMET superalloy: experiment and theoretical modeling. 2279-2296A  
Modeling of temperature field for the induction skull melting process of Ti-47Ni-9Nb. 2895-2902A
- Temperature distribution, Welding effects**  
Thermal analysis of the arc welding process: II. Effect of variation of thermophysical properties with temperature. 483-499B
- Tempering**  
Deformation and fracture in martensitic carbon steels tempered at low temperatures. 205-221B  
Effects of alloying additions and austenitizing treatments on secondary hardening and fracture behavior for martensitic steels containing both Mo and W. 1659-1670A  
Secondary hardening and impact fracture behavior in isothermally aged Mo, W, and Mo-W steels. 1862-1866A  
Influence of tempering on the microstructure and mechanical properties of HSLA-100 steel plates. 2259-2270A  
Postweld heat-treatment response of simulated coarse-grained heat-affected zones in a new ferritic steel. 2585-2594A
- Tensile properties**  
Effects of microstructural evolution on superplastic deformation characteristics of a rapidly solidified Al-Li alloy. 1649-1658A  
III. The tensile behavior of Ti-Al-Nb O + bcc orthorhombic alloys. 1977-1988A  
Tensile properties of 5052 Al matrix composites reinforced with B<sub>4</sub>C particles. 2142-2147A  
Mechanical behavior and microstructure of a thermally stable bulk nanostructured Al alloy. 2335-2343A  
Effect of microstructure on fracture characteristics of Ti-6Al-2Sn-2Zr-2Mo-2Cr-Si. 2795-2804A
- Tensile properties, Alloying effects**  
Microstructural refinement and mechanical properties improvement of elemental powder metallurgy processed Ti-46.6Al-1.4Mn-2Mo alloy by carbon addition. 251-259A  
Alloying mechanism of beta stabilizers in a TiAl alloy. 1573-1589A
- Tensile properties, Composition effects**  
Microstructural stability of ultrafine grained low-carbon steel containing vanadium fabricated by intense plastic straining. 2373-2381A
- Tensile properties, Heating effects**  
Influence of tempering on the microstructure and mechanical properties of HSLA-100 steel plates. 2259-2270A
- Tensile properties, Microstructural effects**  
Precipitation behavior and its effect on strengthening of an HSLA-Nb/Ti steel. 1635-1647A
- Tensile strength**  
Effects of welding and weld heat-affected zone simulation on the microstructure and mechanical behavior of a 2195 aluminum-lithium alloy. 2729-2741A  
Distribution of Tensile Property and Microstructure in Friction Stir Weld of 6063 Aluminum. 3023-3032A
- Tensile strength, Alloying effects**  
Effects of heat treatment and alloying elements on the microstructures and mechanical properties of 0.15 wt.% C transformation-induced plasticity-aided cold-rolled steel sheets. 505-514A  
Effect of Sb on the microstructure and mechanical properties of AZ91 magnesium alloy. 787-794A  
Ti<sub>3</sub>Si<sub>3</sub> whisker in-situ reinforced TiAl alloys. 1233-1244A  
Optimization of mechanical properties of high-carbon pearlitic steels with Si and V additions. 1313-1324A
- Tensile strength, Composition effects**  
Correlation of abrasive wear with microstructure and mechanical properties of pressure die-cast aluminum hard-particle composite. 633-642A  
Characteristics of AA6061/BN composite fabricated by pressureless infiltration technique. 1007-1018A
- Tensile strength, Deformation effects**  
Strength and conductivity of Cu-9Fe-1.2X (X=Ag or Cr) filamentary microcomposite wires. 985-991A
- Tensile strength, Heating effects**  
A novel approach for optimizing the fracture toughness of precipitation-hardenable Al-Si/Cu composites. 433-436A  
The effect of solution heat treatment and quenching rates on mechanical properties and microstructures in AlSiMg foundry alloys. 525-532A  
Effects of alloying elements on mechanical and fracture properties of base metals and simulated heat-affected zones of SA 508 steels. 903-911A  
Cooling precipitation and strengthening study in powder metallurgy superalloy U720LI. 2441-2452A
- Tensile strength, Microstructural effects**  
New model to explain the unusual tensile behavior of high martensite dual-phase steels. 2400-2403A
- Tensile strength, Processing effects**  
Microstructural size effects in high-strength high-conductivity Cu-Cr-Nb alloys. 1211-1224A





- Determination of interface heat-transfer coefficients for permanent-mold casting of Ti-6Al-4V. 685-695B
- Titanium base alloys, Coating**  
Hardness-depth profiling on nanometer scale. 1201-1209A  
Improvement of the Hardness and Wear Resistance of (TiC, TiN)/Ti-6Al-4V Surface-Alloyed Materials Fabricated by High-Energy Electron-Beam Irradiation. 2995-3006A
- Titanium base alloys, Composite materials**  
Elastic properties of a crossply SiC/Ti composite at elevated temperatures. 425-429A  
Creep behavior of TiBw/Ti in situ composite fabricated by reactive hot pressing. 1019-1022A  
Ti<sub>3</sub>Si<sub>2</sub> whisker in-situ reinforced TiAl alloys. 1233-1244A  
Microstructure evolution in metal-intermetallic laminate (MIL) composites synthesized by reactive foil sintering in air. 1493-1505A  
Transverse behavior and acoustic-emission analysis of titanium metal-matrix composites under tensile loading. 1841-1849A  
In-situ observations of titanium metal-matrix composites under transverse tensile loading. 1851-1860A  
Strength Degradation of SiC Fiber during Manufacture of Titanium Matrix Composites by Plasma Spraying and Hot Pressing. 3133-3142A  
Application of the Cruciform Specimen Geometry to Obtain Transverse Interface-Property Data in a High-Fiber-Volume-Fraction SiC/Titanium Alloy Composite. 3143-3156A
- Titanium base alloys, Diffusion**  
Interdiffusion in the TiO<sub>2</sub> oxidation product of Ti<sub>3</sub>Al. 491-495A
- Titanium base alloys, Heat treatment**  
Microstructural modification and property improvement of boride/Ti-6Al-4V surface-alloyed materials fabricated by high-energy electron-beam irradiation. 2499-2508A
- Titanium base alloys, Mechanical properties**  
Creep deformation behavior of three high-temperature near  $\alpha$ -Ti alloys: IMI 834, IMI 829, and IMI 685. 285-293A  
Effects of microstructural morphology on quasi-static and dynamic deformation behavior of Ti-6Al-4V alloy. 315-324A  
An investigation of the effects of loading rate on resistance-curve behavior and toughening in cast lamellar gamma-based titanium aluminides. 325-337A  
Mixed-mode, high-cycle fatigue-crack-growth thresholds in Ti-6Al-4V: role of bimodal and lamellar microstructures. 497-503A  
An experimental investigation of fretting fatigue in Ti-6Al-4V: the role of contact conditions and microstructure. 1131-1146A  
Hydride formation and its effects on mechanical properties of Ti-5111. 1552-1556A  
Alloying mechanism of beta stabilizers in a TiAl alloy. 1573-1589A  
III. The tensile behavior of Ti-Al-Nb O + bcc orthorhombic alloys. 1977-1988A  
Fatigue-crack growth in Ti-6Al-4V-0.1Ru in air and seawater: Part I. Design of experiments, assessment, and crack-growth-rate curves. 2297-2314A  
Fatigue-crack growth in Ti-6Al-4V-0.1Ru in air and seawater: Part II. Crack path and microstructure. 2315-2324A  
The effect of ballistic impacts on the high-cycle fatigue properties of Ti-48Al-2Nb-2Cr (atomic percent). 2743-2758A  
An analysis of cavitation occurring in near- $\gamma$  titanium aluminide during superplastic deformation. 2769-2779A  
Effect of microstructure on fracture characteristics of Ti-6Al-2Sn-2Zr-2Mo-2Cr-Si. 2795-2804A  
Comparison of the fatigue and fracture of  $\alpha$  +  $\beta$  and  $\beta$  titanium alloys. 2805-2818A
- Titanium base alloys, Melting**  
Molding of temperature field for the induction skull melting process of Ti-47Ni-9Nb. 2895-2902A
- Titanium base alloys, Metal working**  
Strain-path effects during hot working of Ti-6Al-4V with a colony-alpha microstructure. 1556-1559A  
Effect of texture and slip mode on the anisotropy of plastic flow and flow softening during hot working of Ti-6Al-4V. 1801-1811A  
Effect of texture changes on flow softening during hot working of Ti-6Al-4V. 1871-1875A
- Titanium base alloys, Oxidation**  
Isothermal oxidation of TiAl alloy. 2357-2361A
- Titanium base alloys, Phase transformations**  
Martensitic phase transformations in IMI 550 (Ti-4Al-4Mo-2Sn-0.5Si). 671-679A  
Differential scanning calorimetry study and computer modeling of  $\beta$   $\rightarrow$   $\alpha$  phase transformation in a Ti-6Al-4V alloy. 879-887A  
Crystallization characteristics of the Ti<sub>53</sub>Cu<sub>47</sub> amorphous alloy. 1599-1608A  
Phase transformations in Ti-6Al-4V-xHf alloys. 2453-2463A  
Transformation behavior in a thermomechanically cycled TiNiCu alloy. 2689-2693A  
Determination of activation energy of phase transformation and recrystallization using a modified Kissinger method. 2903-2904A
- Titanium base alloys, Powder technology**  
Microstructural refinement and mechanical properties improvement of elemental powder metallurgy processed Ti-46.6Al-1.4Mn-2Mo alloy by carbon addition. 251-259A  
Preparation of Ti-Al intermetallic compounds by spark plasma sintering. 843-847A  
Plastic flow and microstructure evolution during thermomechanical processing of laser-deposited Ti-6Al-4V preforms. 1787-1797A  
Simulation of the creep expansion of porous sandwich structures. 1813-1821A  
Particle Rearrangement during Powder Compaction. 3117-3124A
- Titanium base alloys, Surface finishing**  
Cathodic deoxygenation of the alpha phase on titanium and alloys in molten calcium chloride. 1041-1052B
- Titanium carbide, Coatings**  
Hardness-depth profiling on nanometer scale. 1201-1209A  
Improvement of the Hardness and Wear Resistance of (TiC, TiN)/Ti-6Al-4V Surface-Alloyed Materials Fabricated by High-Energy Electron-Beam Irradiation. 2995-3006A
- Titanium compounds, Composite materials**  
In situ formed (TiW)C phase in iron matrix. 431-433A  
Creep behavior of TiBw/Ti in situ composite fabricated by reactive hot pressing. 1019-1022A  
Ti<sub>3</sub>Si<sub>2</sub> whisker in-situ reinforced TiAl alloys. 1233-1244A
- Titanium compounds, Diffusion**  
Interdiffusion in the TiO<sub>2</sub> oxidation product of Ti<sub>3</sub>Al. 491-495A
- Titanium compounds, Heat treatment**  
Two-way shape memory effect of NiTi alloy induced by constraint aging treatment at room temperature. 1629-1634A
- Titanium compounds, Mechanical properties**  
An investigation of the effects of loading rate on resistance-curve behavior and toughening in cast lamellar gamma-based titanium aluminides. 325-337A  
Fatigue-crack growth behavior in the superelastic and shape-memory alloy Nitinol. 731-743A  
Mean strain effects on the fatigue properties of superelastic NiTi. 1866-1869A  
Discussion of 'An investigation of the effects of loading rate on resistance-curve behavior and toughening in cast lamellar gamma-based titanium aluminides'. 2136-2139A  
Authors' reply. 2138-2139A  
Stress-strain hysteresis and damping in MnCu and NiTi alloys. 2489-2498A  
Effects of temperature on the fatigue crack growth behavior of cast gamma-based titanium aluminides. 2781-2794A  
Evaluation of a Threshold-based Model of the Elevated-Temperature Fatigue of Impact-Damaged  $\gamma$ -TiAl. 2975-2984A
- Titanium compounds, Microstructure**  
Discontinuous coarsening of the lamellar structure of  $\gamma$ -TiAl-based intermetallic alloys and its control. 1927-1938A
- Titanium compounds, Phase transformations**  
A relaxed-constraint model for the tensile behavior of polycrystalline shape-memory alloy wires. 305-313A  
Deformation of NiTiCu shape memory single crystals in compression. 477-489A  
Plastic straining effects on the microstructure of a Ti-rich NiTi shape memory alloy. 717-729A  
Texture, strain, and phase-fraction measurements during mechanical cycling in superelastic NiTi. 777-786A  
Martensitic transformations, microstructure, and mechanics workability of TiPt. 1881-1886A
- Titanium compounds, Powder technology**  
Microstructural refinement and mechanical properties improvement of elemental powder metallurgy processed Ti-46.6Al-1.4Mn-2Mo alloy by carbon addition. 251-259A  
Preparation of Ti-Al intermetallic compounds by spark plasma sintering. 843-847A
- Titanium compounds, Welding**  
Effect of CO<sub>2</sub> laser welding on the shape-memory and corrosion characteristics of TiNi alloys. 569-576A
- Titanium dioxide, Composite materials**  
Evolution and Coarsening of Al<sub>2</sub>O<sub>3</sub> Dispersoids at 500°C to 600°C in a Mechanically Alloyed Al-Ti-O Based Material. 2937-2946A
- Titanium dioxide, Diffusion**  
Interdiffusion in the TiO<sub>2</sub> oxidation product of Ti<sub>3</sub>Al. 491-495A
- Titanium dioxide, Reduction (chemical)**  
Kinetic modeling of titania reduction by a methane-hydrogen-argon gas mixture. 465-473B
- Titanium nitride, Coatings**  
Improvement of the Hardness and Wear Resistance of (TiC, TiN)/Ti-6Al-4V Surface-Alloyed Materials Fabricated by High-Energy Electron-Beam Irradiation. 2995-3006A
- Titanium nitride, Composite materials**  
Development of cermet microstructures during sintering. 85-94A
- Titanium nitride, Crystal growth**  
Dependency of fracture toughness on the inhomogeneity of coarse TiN particle distribution in a low alloy steel. 1147-1155A
- Titanium nitride, Reactions (chemical)**  
Particle formation in the rapidly solidified zone of alloy 600 surface melted by a CO<sub>2</sub> laser beam. 1248-1251A
- Tool steels, Powder technology**  
Modeling of spray-formed plates using an X-Y moving substrate. 831-840A
- Torsion**  
Constitutive relationship for AlZnMg, AlZnMgCr, and AlZnMgZr alloys. 769-776A
- Toughness**  
Secondary hardening and impact fracture behavior in isothermally aged Mo, W, and Mo-W steels. 1862-1866A  
Stress-induced martensitic transformation and impact toughness of cast irons and high-carbon Fe-Ni-C steel. 2695-2708A
- Training**  
Why materials science and engineering is good for metallurgy. 197-204B  
Why materials science and engineering is good for metallurgy. 853-860A
- Transition joints, Mechanical properties**  
An assessment of creep deformation and fracture behavior of 2.25Cr-1Mo similar and dissimilar weld joints. 115-124A  
Residual stresses and interface strengths in MoSi<sub>2</sub>/stainless steel 316L joints produced by metallic-glass brazing. 1459-1465A
- Transition metals, Alloying elements**  
Ridge direction of thermal conductivity contours in ternary CoAl phase. 2135-2136A

<b>Triaxiality</b>			
Damage Accumulation and Failure of HY-100 Steel.	2985-2994A	Ti <sub>6</sub> Si <sub>2</sub> whisker in-situ reinforced TiAl alloys.	1233-1244A
<b>Tribology</b>		Optimization of mechanical properties of high-carbon pearlitic steels with Si and V additions.	1313-1324A
Friction and wear behavior of a centrifugally cast lead-free copper alloy containing graphite particles.	2115-2125A	<b>Vanadium compounds, Crystal growth</b>	
<b>TRIP steels, Coating</b>		A model for interphase precipitation in V-microalloyed structural steels.	39-50A
Galvanizability of high-strength steels for automotive applications.	2905-2906A	<b>Vanadium steels, Microstructure</b>	
<b>TRIP steels, Mechanical properties</b>		Microstructural stability of ultrafine grained low-carbon steel containing vanadium fabricated by intense plastic straining.	2373-2381A
Effects of heat treatment and alloying elements on the microstructures and mechanical properties of 0.15 wt.% C transformation-induced plasticity-aided cold-rolled steel sheets.	505-514A	<b>Vapor deposited coatings, Crystal growth</b>	
Stress-induced martensitic transformation and impact toughness of cast irons and high-carbon Fe-Ni-C steel.	2695-2708A	Morphological evolution during the early stages of aluminide coating growth on a single-crystal nickel superalloy surface.	615-624A
<b>TRIP steels, Phase transformations</b>		<b>Vaporizing</b>	
On the influence of interactions between phases on the mechanical stability of retained austenite in transformation-induced plasticity multiphase steels.	2759-2768A	Weld metal composition change during conduction mode laser welding of aluminum alloy 5182.	163-172B
<b>TRIP steels, Phases (state of matter)</b>		Kinetic analysis of NaF vaporization in SiF <sub>4</sub> -Ar mixture.	401-407B
Stabilization mechanisms of retained austenite in transformation-induced plasticity steel.	1527-1539A	<b>Viscosity</b>	
<b>TTT curves</b>		Effect of interfacial energy on the viscosities of two-phase mixtures—a physical modeling approach.	105-110B
The effect of industrial composition variations on the transformation behavior of ultralow-carbon steels.	219-227A	Experimental studies of the viscosities in CaO-MnO-SiO <sub>2</sub> and CaO-Fe <sub>2</sub> O <sub>3</sub> -MnO-SiO <sub>2</sub> slags.	181-186B
On the microstructural instability of an experimental nickel-based single-crystal superalloy.	2409-2421A	Modeling of viscosities of the partly crystallized slags in the Al <sub>2</sub> O <sub>3</sub> -CaO-FeO-SiO <sub>2</sub> system.	1027-1032B
Phase transformations in Ti-6Al-4V-xH alloys.	2453-2463A	<b>Viscosity, Composition effects</b>	
<b>Tubes, Machining</b>		Review of experimental data and modeling of the viscosities of fully liquid slags in the Al <sub>2</sub> O <sub>3</sub> -CaO-FeO-SiO <sub>2</sub> system.	1015-1025B
Investigation of striation formation in thin stainless steel tube during pulsed Nd:YAG laser cutting process by numerical simulation.	2623-2632A	<b>Viscosity, High temperature effects</b>	
<b>Tundishes</b>		Experimental study of the viscosities of Al <sub>2</sub> O <sub>3</sub> -CaO-FeO slags.	679-684B
Modeling study of the influence of turbulence inhibitors on the molten steel flow, tracer dispersion, and inclusion trajectories in tundishes.	615-627B	<b>Vitrification</b>	
Transient flow and heat transfer in a steelmaking ladle during the holding period.	733-741B	A simple model for determining alloy composition with large glass forming ability in ternary alloys.	200-202A
A new approach to the analysis of vessel residence time distribution curves.	1185-1193B	<b>Voids</b>	
<b>Tungsten, Alloying elements</b>		Effects of macroscopic defects on the damping behavior of aluminum and Zn-27 Pct Al alloy.	2657-2661A
Secondary hardening and impact fracture behavior in isothermally aged Mo, W, and Mo-W steels.	1862-1866A	Damage Accumulation and Failure of HY-100 Steel.	2985-2994A
<b>Tungsten, Composite materials</b>		<b>Volume fraction</b>	
Tertiary compression creep of long-fiber composites: a model for fiber kinking and buckling.	183-196A	Correlation of microstructure with the wear resistance and fracture toughness of duocast materials composed of high-chromium white cast iron and low-chromium steel.	515-524A
<b>Tungsten base alloys, Diffusion</b>		Rearrangement Densification in Liquid-Phase Sintering.	3125-3132A
Segregation of molybdenum atoms to the liquid-solid interfaces in liquid phase sintering of W-8%Mo-7%Ni-3%Fe.	95-101A	Application of the Cruciform Specimen Geometry to Obtain Transverse Interface-Property Data in a High-Fiber-Volume-Fraction SiC/Titanium Alloy Composite.	3143-3156A
<b>Tungsten base alloys, Mechanical properties</b>		<b>Volume fraction, Deformation effects</b>	
Dynamic deformation behavior of an oxide-dispersed tungsten heavy alloy fabricated by mechanical alloying.	2011-2020A	Texture, strain, and phase-fraction measurements during mechanical cycling in superelastic NiTi.	777-786A
<b>Tungsten base alloys, Powder technology</b>		<b>Waste disposal</b>	
Grain boundary sliding and component shape distortion during liquid-phase sintering.	2087-2095A	Occlusion and ion exchange in the molten (lithium chloride-potassium chloride-alkali metal chloride) salt-zeolite 4A system with alkali metal chlorides of sodium, rubidium, and cesium.	429-435B
Presintering effects on ground-based and microgravity liquid phase sintering.	2097-2107A	<b>Wastes</b>	
Densification and structural change of mechanically alloyed W-Cu composites.	2885-2893A	The soda-ash roasting of chromite ore processing residue for the reclamation of chromium.	987-995B
Rearrangement Densification in Liquid-Phase Sintering.	3125-3132A	<b>Water, Environment</b>	
<b>Tungsten carbide, Composite materials</b>		Stress and temperature dependence of creep in alloy 600 in primary water.	2553-2560A
Development of cermet microstructures during sintering.	85-94A	<b>Water quenching</b>	
<b>Tungsten compounds, Composite materials</b>		Influence of tempering on the microstructure and mechanical properties of HSLA-100 steel plates.	2259-2270A
In situ formed (TiW)C phase in iron matrix.	431-433A	<b>Water vapor, Environment</b>	
<b>Turbine blades, Materials selection</b>		Environment-sensitive fracture of iron aluminides under monotonic tensile loading.	557-567A
The effect of ballistic impacts on the high-cycle fatigue properties of Ti-48Al-2Nb-2Cr (atomic percent).	2743-2758A	Environment-sensitive fracture of iron aluminides during cyclic crack growth.	2345-2356A
<b>Turbine blades, Mechanical properties</b>		<b>Wavelengths</b>	
Mixed-mode, high-cycle fatigue-crack-growth thresholds in Ti-6Al-4V: role of bimodal and lamellar microstructures.	497-503A	Absorption in a paraboloid of revolution-shaped welding or drilling cavity irradiated by a polarized laser beam.	603-614B
Evaluation of a Threshold-based Model of the Elevated-Temperature Fatigue of Impact-Damaged $\gamma$ -TiAl.	2975-2984A	<b>Wear mechanisms</b>	
<b>Turbulent flow</b>		Erosion-oxidation interaction in Ni and Ni-20Cr alloy.	1431-1451A
Turbulent flow of liquid steel and argon bubbles in slide-gate tundish nozzles. I. Model development and validation.	253-267B	Friction and wear behavior of a centrifugally cast lead-free copper alloy containing graphite particles.	2115-2125A
Turbulent flow of liquid steel and argon bubbles in slide-gate tundish nozzles. II. Effect of operation conditions and nozzle design.	269-284B	Dry sliding wear behavior of plasma-sprayed aluminum hybrid composite coatings.	2383-2392A
Modeling study of the influence of turbulence inhibitors on the molten steel flow, tracer dispersion, and inclusion trajectories in tundishes.	615-627B	<b>Wear particles</b>	
<b>Twin roll casting</b>		Friction and wear behavior of a centrifugally cast lead-free copper alloy containing graphite particles.	2115-2125A
Instantaneous interfacial heat fluxes during the 4 to 8 m/min casting of carbon steels in a twin-roll caster.	55-67B	<b>Wear rate, Composition effects</b>	
<b>Twinning, Deformation effects</b>		Effects of carbon and chromium additions on the wear resistance and surface roughness of cast high-speed steel rolls.	2515-2525A
The influence of stacking fault energy on the mechanical behavior of Cu and Cu-Al alloys: deformation twinning, work hardening, and dynamic recovery.	135-145A	<b>Wear resistance</b>	
The effect of twinning and slip on the Bauschinger effect of Hadfield steel single crystals.	695-706A	Dry sliding friction and wear in plain carbon dual phase steel.	359-367A
Uniaxial tensile deformation of uranium 6 wt pct niobium: a neutron diffraction study of deformation twinning.	2219-2228A	Study of Ni <sub>3</sub> Al-Cr <sub>2</sub> C <sub>3</sub> composite materials fabricated by self-propagating high-temperature synthesis casting route.	1823-1830A
<b>Uranium base alloys, Microstructure</b>		Improvement of the Hardness and Wear Resistance of (TiC, TiN)/Ti-6Al-4V Surface-Alloyed Materials Fabricated by High-Energy Electron-Beam Irradiation.	2995-3006A
Uniaxial tensile deformation of uranium 6 wt pct niobium: a neutron diffraction study of deformation twinning.	2219-2228A	<b>Wear resistance, Coating effects</b>	
<b>Vanadium, Alloying additive</b>		Dry sliding wear behavior of plasma-sprayed aluminum hybrid composite coatings.	2383-2392A
		Wear-resistant amorphous and nanocomposite steel coatings.	2615-2621A
		<b>Wear resistance, Microstructural effects</b>	
		Correlation of microstructure with the wear resistance and fracture toughness of duocast materials composed of high-chro-	



- mium white cast iron and low-chromium steel. 515-524A
- Wear resistance, Processing effects**  
Microstructural modification and property improvement of boride/Ti-6Al-4V surface-alloyed materials fabricated by high-energy electron-beam irradiation. 2499-2508A
- Weld metal**  
Visualization of the material flow in AA2195 friction-stir welds using a marker insert technique. 2879-2884A
- Weld metal pool**  
Prediction of laser-spot-weld shape by numerical analysis and neural network. 723-732B  
Geometry of laser spot welds from dimensionless numbers. 941-947B
- Weld metal pool, Physical properties**  
Modeling of the effects of surface-active elements on flow patterns and weld penetration. 145-161B  
Weld metal composition change during conduction mode laser welding of aluminum alloy 5182. 163-172B  
Effects of surface active elements on weld pool fluid flow and weld penetration in gas metal arc welding. 501-515B
- Welded joints, Mechanical properties**  
An assessment of creep deformation and fracture behavior of 2.25Cr-1Mo similar and dissimilar weld joints. 115-124A  
An investigation of the fracture behavior of coarse-grained heat-affected zones in A707 steel welds. 533-545A  
Effect of CO<sub>2</sub> laser welding on the shape-memory and corrosion characteristics of TiNi alloys. 569-576A  
Effects of alloying elements on mechanical and fracture properties of base metals and simulated heat-affected zones of SA 508 steels. 903-911A  
Local properties of undermatched steel weld metal. 913-922A  
Effect of boron segregation at grain boundaries on heat-affected zone cracking in wrought INCONEL 718. 931-939A  
Fracture toughness of alloy 600 and an EN82H weld in air and water. 1161-1174A  
Failure behavior of heat-affected zones within HSLA-100 and HY-100 steel weldments. 2229-2237A
- Welded joints, Metal working**  
Forming-limit diagrams of aluminum tailor-welded blank weld material. 275-283A
- Welded joints, Microstructure**  
Calculation of the interfacial energy of B1-type carbides and nitrides with austenite. 267-274A  
Microtexture in the friction-stir weld of an aluminum alloy. 941-948A  
Dilution control in gas-tungsten-arc welds involving super austenitic stainless steels and nickel-based alloys. 1171-1176B  
The effect of the surface on grain boundary migration in austenitic stainless steel weld metal. 1453-1458A
- Welded joints, Phase transformations**  
Spatially resolved X-ray diffraction mapping of phase transformations in the heat-affected zone of carbon-manganese steel arc welds. 1175-1187A
- Welded joints, Thermal properties**  
Thermal analysis of the arc welding process: II. Effect of variation of thermophysical properties with temperature. 483-499B
- Welding parameters**  
Prediction of laser-spot-weld shape by numerical analysis and neural network. 723-732B  
Dilution control in gas-tungsten-arc welds involving super austenitic stainless steels and nickel-based alloys. 1171-1176B  
Modeling of the mechanical effects induced by the tungsten inert-gas welding of the IN718 superalloy. 1713-1725A  
Visualization of the material flow in AA2195 friction-stir welds using a marker insert technique. 2879-2884A
- Welding wire, Surface properties**  
Effect of shield gas composition on surface tension of steel droplets in a gas-metal-arc welding arc. 313-318B
- Wettability**  
The effect of wetting kinetics on the penetration of a layered capillary. 2663-2666A
- Wettability, Composition effects**  
Surface energy, adsorption, and wetting transitions in ternary liquid alloys. 2851-2858A
- Wetting**  
Microstructure effect on dihedral angle in liquid-phase sintering. 165-169A  
The effect of wetting kinetics on the penetration of a layered capillary. 2563-2666A
- Whisker composites, Mechanical properties**  
Microstructural factors affecting superplastic properties in magnesium-based composites. 923-929A  
Creep behavior of TiBw/Ti in situ composite fabricated by reactive hot pressing. 1019-1022A  
Ti<sub>3</sub>Si<sub>3</sub> whisker in-situ reinforced TiAl alloys. 1233-1244A
- White iron, Mechanical properties**  
Correlation of microstructure with the wear resistance and fracture toughness of duocast materials composed of high-chromium white cast iron and low-chromium steel. 515-524A  
Stress-induced martensitic transformation and impact toughness of cast irons and high-carbon Fe-Ni-C steel. 2695-2708A
- Widmanstätten structure**  
Effects of microstructural morphology on quasi-static and dynamic deformation behavior of Ti-6Al-4V alloy. 315-324A  
Phase precipitation and phase stability in Nimonic 263. 1271-1282A
- Wire drawing**  
Strength and conductivity of Cu-9Fe-1.2X (X=Ag or Cr) filamentary microcomposite wires. 985-991A
- Yield strength**  
Modeling of the mechanical effects induced by the tungsten inert-gas welding of the IN718 superalloy. 1713-1725A  
Effect of texture and slip mode on the anisotropy of plastic flow and flow softening during hot working of Ti-6Al-4V. 1801-1811A  
New model to explain the unusual tensile behavior of high martensite dual-phase steels. 2400-2403A  
Delineating brittle-phase embrittlement and ductile-phase toughening in Nb-based in-situ composites. 2717-2727A  
Effects of welding and weld heat-affected zone simulation on the microstructure and mechanical behavior of a 2195 aluminum-lithium alloy. 2729-2741A
- Yield strength, Alloying effects**  
Mechanical properties of Ir-Nb alloys containing Ni and Al. 1347-1353A
- Yield strength, Anisotropy**  
Effect of precipitates on plastic anisotropy for polycrystalline aluminum alloys. 2239-2247A
- Yield strength, Deformation effects**  
The effect of twinning and slip on the Bauschinger effect of Hadfield steel single crystals. 695-706A  
Constitutive relationship for AlZnMg, AlZnMgCr, and AlZnMgZr alloys. 769-776A  
Strain-path effects during hot working of Ti-6Al-4V with a colony-alpha microstructure. 1556-1559A
- Yield strength, Microstructural effects**  
The effects of thermomechanical processing on the precipitation in an industrial dual-phase steel microalloyed with titanium. 1939-1947A  
Deformation and strength behavior of two nickel-base turbine disk alloys at 650°C. 2021-2032A
- Yield strength, Welding effects**  
Local properties of undermatched steel weld metal. 913-922A
- Zinc, Alloying elements**  
Solid solubility of carbon in a mechanically alloyed Cu-29.7 At. Pct Zn alloy. 1861-1862A
- Zinc, Extraction**  
The oxidation of zinc vapor in CO-CO<sub>2</sub>-N<sub>2</sub> gas mixtures. 37-45B  
Experimental study of phase equilibria in the PbO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub> system. 997-1005B
- Zinc, Quaternary systems**  
Coupled experimental and thermodynamic study of the Zn-Fe-Si-O system. 793-800B  
Prediction of the thermodynamic properties of multicomponent liquid alloys by binary infinite dilute activity coefficients. 1205-1211B
- Zinc, Recovering**  
Carbothermal reduction of zinc ferrite. 1033-1040B
- Zinc, Ternary systems**  
Experimental study of phase equilibria and thermodynamic optimization of the Fe-Zn-O system. 643-657B
- Zinc base alloys, Mechanical properties**  
Effects of macroscopic defects on the damping behavior of aluminum and Zn-27 Pct Al alloy. 2657-2661A
- Zinc base alloys, Microstructure**  
Effect of impurity type in boundary sliding behavior in the superplastic Zn-22%Al alloy. 103-113A
- Zirconium, Alloying additive**  
Influence of zirconium and copper on the early stages of aging in Al-Zn-Mg alloys. 1063-1073A
- Zirconium, Alloying elements**  
The influence of Al<sub>2</sub>Zr dispersoids on the recrystallization of hot-deformed AA 7010 alloys. 625-632A
- Zirconium base alloys, Mechanical properties**  
Thermal-tempering analysis of bulk metallic glass plates using an instant-freezing model. 2709-2715A  
Fracture toughness, fracture morphology, and crack-tip plastic zone of a Zr-based bulk amorphous alloy. 2819-2825A  
Microstructural instability and superplasticity in a Zr-2.5 Wt pct Nb pressure-tube alloy. 2827-2840A  
Cyclic deformation behavior and microstructures of hydrided ZIRCALOY-4 under biaxial loading. 2841-2850A
- Zirconium base alloys, Microstructure**  
Structural properties and stability of metastable phases in the Zr-Nb system. I. Systematics of quenching-and-aging experiments. 1903-1910A
- Zirconium base alloys, Phase transformations**  
Thermodynamic characterization of hydride phase growth in ZrNiH<sub>2</sub>. 29-38A
- Zirconium base alloys, Powder technology**  
Preparation and thermal stability of Zr-Ti-Al-Ni-Cu amorphous powders by mechanical alloying technique. 1777-1786A
- Zirconium compounds, Phase transformations**  
Thermodynamic characterization of hydride phase growth in ZrNiH<sub>2</sub>. 29-38A
- Zirconium dioxide, Composite materials**  
Interfacial criterion of spontaneous and forced engulfment of reinforcing particles by an advancing solid/liquid interface. 993-1005A
- Zone melting**  
Three-dimensional Monte Carlo simulation of grain growth in zone-refined iron. 1195-1201B